

Source Water Assessment

A Hydrogeologic Susceptibility and Vulnerability Assessment for the Chenega Bay IRA Village

Chenega Bay, Alaska

PWSID # 291952.001

September 2004

Drinking Water Protection Program Report #1476 Alaska Department of Environmental Conservation

Source Water Assessment for the Chenega Bay IRA Village

Chenega Bay, Alaska

PWSID# 291952.001

September 2004

Drinking Water Protection Program Report #1476

The Drinking Water Protection Program (DWPP) is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

CONTENTS

| SECTION | Executive Summary | 1 |
|---------|---|---|
| | Drinking Water System and Area Overview | 1 |
| | Chenega Bay Drinking Water Protection Area | 1 |
| | Inventory of Potential and Existing Contaminant Sources | 2 |
| | Ranking of Contaminant Risks | 2 |
| | Vulnerability of the Drinking Water System | 2 |
| | References | 7 |

TABLES

| . Definition of Zones | 1 |
|--------------------------------------|---|
| . Susceptibility of the Water Source | 3 |
| . Chenega Bay Contaminant Risks | 3 |
| . Chenega Bay Overall Vulnerability | 3 |
| 23 | Definition of Zones Susceptibility of the Water Source Chenega Bay Contaminant Risks Chenega Bay Overall Vulnerability |

APPENDICES

APPENDIX

- A. Chenega Bay Drinking Water Protection Area (Map 1)
 - B. Contaminant Source Inventory and Risk Rankings (Table 1)
 - C. Chenega Bay Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)
 - D. Vulnerability Analysis and Contaminant Risks (Charts 1 13)

Source Water Assessment for the Chenega Bay IRA Village Water System

Drinking Water Protection Program Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The Chenega Bay water system is a Class A (community) water system that obtains water from a dam located on O'Brien Creek, approximately 0.5miles northwest of the community. Access to the intake area is not restricted. The overall protection area is approximately 230 acres in size and received a susceptibility rating of "very high". A rating of high to very high is typical for all systems with surface water intakes. Potential and existing sources of the following contaminants were evaluated for the Source Water Assessment: bacteria and viruses, nitrates and/or nitrites, heavy metals, cyanide, and other inorganic chemicals, synthetic organic chemicals, volatile organic chemicals, and other organic chemicals. No existing or potential sources of contaminants were identified for the drinking water source. This evaluation included all available water sampling data submitted to ADEC by the system operator. The samples may have been collected from either raw water or post-treated water. Combining the susceptibility of the surface water source with the contaminant risks, this water system has received a vulnerability rating of "medium" for all 6 contaminant categories. This assessment can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of Chenega Bay to protect public health.

DRINKING WATER SYSTEM AND AREA OVERVIEW

Chenega Bay (Sec. 24, T001S, R008E, Seward Meridian) is located on Evans Island at Crab Bay, 42 miles southeast of Whittier in Prince William Sound. It is 104 air miles southeast of Anchorage and 50 miles east of Seward (Please see the inset of Map 1 in Appendix A for location). The current population of Chenega Bay is approximately 100 (ADCED, 2003).

The Chenega Bay water system is a Class A (community) water system that serves approximately 25 homes. The intake is located at a dam on O'Brien Creek, approximately 0.5-miles northwest of the community. System operators estimate the flow rate of O'Brien Creek to be 18,000 – 25,000 gallons per minute (40-55 cfs). Access to the intake area is not restricted (See Map 1 of Appendix A).

Winter temperatures in Chenega Bay range from 17 to 28; summer temperatures range 49 to 63. Average annual precipitation includes 66 inches of rain and 80 inches of snowfall (ADCED, 2003).

The 1996 sanitary survey indicates that the water intake is screened, maintained, inspected weekly, and protected from ice buildup and siltation. The survey also states that the system's average daily production is approximately 60,000 gallons.

CHENEGA BAY DRINKING WATER PROTECTION AREA

Identifying the pathways most likely for surface contamination to reach water intake areas is the first step in determining the water system's risk. These are initially determined by looking at the drainage area contributing overland water flow to a surface water source intake. The entire drainage area is also known as the "drinking water protection area". Please refer to pages 10-11of the "Guidance Manual for Class A Public Water Systems" for additional information.

The protection area established for surface water sources by the ADEC is usually separated into three zones, limited by the watershed boundary. These zones correspond to the overland-flow distance that water travels to get to the source. The ADEC Drinking Water Protection Program's Technical Advisory Committee developed guidelines for derivation of these zones in 1998. The following is a summary of the three protection area zones:

Table 1. Definition of Zones

| Zone | Definition |
|------|--|
| А | Areas within 1000-ft of lakes or streams |
| В | Areas within 1-mile of lakes or streams |
| С | The watershed boundary |

The protection area for the City of Chenega Bay water intake includes each of these Zones, although due to the small size of the watershed, Zones B and C cover the same area (See Map 1 of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Chenega Bay protection area. This inventory was completed through a search of agency records and other publicly available information. There is a wide array of potential contamination sources to surface water. These contaminants are found within agricultural, residential, commercial, and industrial areas, but *can also occur within areas that have little or no development*.

For Class A public water system assessments, six categories of drinking water contaminants were inventoried. They include:

- Bacteria and viruses;
- Nitrates and/or nitrites;
- Volatile organic chemicals;
- Heavy metals, cyanide, and other inorganic chemicals;
- Synthetic Organic Chemicals; and
- Other Organic Chemicals.

Sources identified in the protection area are displayed on Map 2 of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once potential and existing sources of contamination have been identified, they are assigned a ranking according to what category and level of risk they represent. Ranking of contaminant risks for "potential" or "existing" sources of contamination is a function of the toxicity and the volume of specific contaminants associated with that source. Rankings include:

- Low;
- Medium;
- High; and
- Very High.

The time-of-travel for contaminants within the water is dependent on the physical and chemical characteristics of each contaminant. Bacteria and Viruses are only inventoried in Zone A because of their short life span. Only "Very High" and "High" rankings are inventoried within Zones B and C due to the probability of contaminant dilution by the time the contaminants reach the water intake.

The remaining tables in Appendix B (if necessary) contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses,

nitrates and/or nitrites, volatile organic chemicals, heavy metals, cyanide, and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals.

VULNERABILITY OF THE DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Surface Water Susceptibility; and
- Contaminant risks.

Appendix D contains 13 charts, which together form the 'Vulnerability Analysis' for the public drinking water Source Water Assessment. Chart 1 analyzes the 'Susceptibility of the Surface Water Source' to contamination by looking at the climate, terrain, and intake location. Chart 2 analyzes 'Contaminant Risks' for the drinking water source with respect to bacteria and viruses. The 'Contaminant Risks' portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the intake area. Chart 3 contains the 'Vulnerability Analysis for Bacteria and Viruses', which is a composite score of the Vulnerability Analysis and the overall Susceptibility. Charts 4 through 13 repeat the Contaminant Risks and Vulnerability Analyses for nitrates and nitrites, volatile organic chemicals, heavy metals, cvanide, and other inorganic chemicals. synthetic organic chemicals, and other organic chemicals, respectively.

A score for the Surface Water Susceptibility of the source is reached by considering the properties of the water intake and the surrounding area. The derivation of this information is presented below and the data for this source is shown in Chart 1 of Appendix D.

Susceptibility of the Surface Water Source – always considered to be "high" (30 points)

+

Adequate Construction of the Intake (0 - 5 Points)

+

Runoff Potential Within Zone B (0 - 5 Points)

+

Dilution Capacity of the Surface Water (0 - 10 Points)

Natural Susceptibility (0 – 50 Points) A ranking is assigned for the Surface Water Susceptibility according to the point score:

| Surface Water Source Susceptibility Ratings | | | | | | |
|---|-----------|--|--|--|--|--|
| 40 to 50 pts | Very High | | | | | |
| 30 to < 40 pts | High | | | | | |

Table 2. Susceptibility of the Water Source

| | Score | Rating |
|-------------------------------|-------|-----------|
| Minimum Allowable | 30 | |
| Susceptibility | | |
| Intake Construction | 0 | |
| Adequate | | |
| Runoff Potential | 5 | |
| Dilution Capacity | 10 | |
| Overall Susceptibility | 45 | Very High |

For contaminants, risks to a drinking water source depend on the type, number or density, and distribution of the contaminant sources. The Contaminant Risk score has been derived from an examination of existing, and historical contamination sources that have been detected in the protection area through routine sampling. It also evaluates potential sources of contamination. Flow charts are used to assign a point score, and ratings are assigned in the same way as the susceptibility:

| Contaminant Risk Ratings | | | | | |
|--------------------------|-----------|--|--|--|--|
| 40 to 50 pts | Very High | | | | |
| 30 to < 40 pts | High | | | | |
| 20 to < 30 pts | Medium | | | | |
| < 20 pts | Low | | | | |

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants.

Table 3. Chenega Bay Contaminant Risks

| Category | Score | Rating |
|-----------------------------|-------|--------|
| Bacteria and Viruses | 0 | Low |
| Nitrates and/or Nitrites | 1 | Low |
| Volatile Organic Chemicals | 0 | Low |
| Heavy Metals, Cyanide, and | | |
| Other Inorganic Chemicals | 0 | Low |
| Synthetic Organic Chemicals | 0 | Low |
| Other Organic Chemicals | 0 | Low |
| _ | | |

Finally, an overall vulnerability score is assigned for each contaminant type by combining each of the contaminant risk scores with the susceptibility score:

Susceptibility of the Surface Water Source

$$(0-50 \text{ points})$$

+

Contaminant Risks (0 - 50 points)

=

| Vulnerability of the |
|--|
| Drinking Water Source to Contamination $(0 - 100)$. |

Again, rankings are assigned according to a point score:

| Overall Vulnerability Ratings | | | | | |
|-------------------------------|-----------|--|--|--|--|
| 80 to 100 pts | Very High | | | | |
| 60 to < 80 pts | High | | | | |
| 40 to < 60 pts | Medium | | | | |
| < 40 pts | Low | | | | |

Table 4 contains the overall vulnerability scores and ratings for each of the six categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Chenega Bay Overall Vulnerability

| Category | Score | Rating |
|-----------------------------|-------|--------|
| Bacteria and Viruses | 45 | Medium |
| Nitrates and Nitrites | 45 | Medium |
| Volatile Organic Chemicals | 45 | Medium |
| Heavy Metals, Cyanide, and | | |
| Other Inorganic Chemicals | 45 | Medium |
| Synthetic Organic Chemicals | 45 | Medium |
| Other Organic Chemicals | 45 | Medium |

Bacteria and Viruses

The contaminant risk for bacteria and viruses is "low". Typically, coliform detection in raw water samples collected from surface water sources is normal. (See Chart 2 – Contaminant Risks for Bacteria and Viruses in Appendix D).

Coliforms (a bacteria) are found naturally in the environment and although they aren't necessarily a health threat, they are an indicator of other potentially harmful bacteria in the water, more specifically, fecal coliforms and E. coli which only come from human and animal fecal waste. Harmful bacteria can cause diarrhea, cramps, nausea, headaches, or other symptoms (EPA, 2003). Positive samples increase the overall vulnerability of the drinking water source, indicating that the source is susceptible to bacteria and virus contamination.

No positive bacteria counts have been detected in samples collected in 1999-2003.

After combining the contaminant risk for bacteria and viruses with the natural susceptibility of the source, the overall vulnerability of the source to bacteria and virus contamination is "medium".

Nitrates and Nitrites

The contaminant risk for nitrates and nitrites is "low" (See Chart 4 - Contaminant Risks for Nitrates and/or Nitrites in Appendix D). Nitrates are very mobile, moving at approximately the same rate as water.

Sampling history for the water source indicates that nitrates have been detected at levels below the MCL in samples collected in 1998 through 2002. The Maximum Contaminant Level (MCL) for nitrates is 10 milligrams per liter (mg/L). The MCL is the maximum level of contaminant that is allowed to exist in drinking water and still be consumed by humans without harmful health effects (EPA, 2003).

Possible sources of nitrates/nitrites could be from human/animal activity along roads, ATV trails, or snowmachine trails located within the protection area.

After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the source, the overall vulnerability of the source to contamination is "medium".

Volatile Organic Chemicals

The contaminant risk for volatile organic chemicals is "low" (See Chart 6 – Contaminant Risks for Volatile Organic Chemicals in Appendix D).

Trihalomethanes and chloroform were detected at levels below the MCL during sampling in 1998, although these chemicals typically originate during the process of water treatment and not from the source waters. The MCL for chloroform is 0.2 milligrams per liter (mg/L) and the MCL for total trihalomethanes is 0.1 mg/L.

Possible sources of volatile organic chemicals could be from human/animal activity along roads, ATV trails, or snowmachine trails located within the protection area.

After combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the source, the overall vulnerability of the source to contamination is "medium".

Heavy Metals, Cyanide, and Other Inorganic Chemicals

The contaminant risk for heavy metals is "low". Copper and lead have been detected in samples collected during 2002, but at levels below the MCL (See Chart 8 – Contaminant Risks for Heavy Metals, Cyanide, and Other Inorganic Chemicals in Appendix D). The MCL for copper is 1.3 mg/l. and the MCL for lead is 0.015 mg/l.

The most common source of these chemicals is the infrastructure of the distribution system following the treatment process and not from the source waters. Additional sources of heavy metals could be from activity along roads, ATV trails, or snowmachine trails located within the protection area.

After combining the contaminant risk for heavy metals with the natural susceptibility of the source, the overall vulnerability of the well to contamination is "medium".

Synthetic Organic Chemicals

The contaminant risk for synthetic organic chemicals is "low".

Review of the historical sampling data indicates that test results for dichlorodifluoromethane in 1998 and 2001 were negative.

After combining the contaminant risk with the natural susceptibility of the source, the overall vulnerability to synthetic organic chemicals of the source is "medium" (See Chart 11 – Contaminant Risks for Synthetic Organic Chemicals in Appendix D).

Other Organic Chemicals

The contaminant risk for other organic chemicals is "low".

Review of the historical sampling data indicates that no other organic chemicals have been sampled recently.

After combining the contaminant risk with the natural susceptibility of the source, the overall vulnerability to other organic chemicals of the source is "medium" (See Chart 13 – Contaminant Risks for Other Organic Chemicals in Appendix D).

Using the Source Water Assessment

This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of the Native Village of Chenega Bay to protect public health. It is anticipated that Source Water Assessments will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of the drinking water source.

REFERENCES

Alaska Department of Community and Economic Development (ADCED), 2003 [WWW document]. URL http://www.dced.state.ak.us/cbd/commdb/CF_COMDB.htm

United States Environmental Protection Agency (EPA), 2003 [WWW document]. URL http://www.epa.gov/safewater/mcl.html.

APPENDIX A

Chenega Bay Drinking Water Protection Area Location Map (Map 1)



| | _ | | | | | | | | | F |
|-------------------------------------|---------------|--------------------|-------|------------|----------|----------------|--|------------------------|----------|----------|
| Alaska Department | No Drinking 4 | 0 | 3,500 | 7,000 | 14,000 | 21,000 | 28,000 Feet | Legend | Y | 4 |
| of Environmental Conservation | | Data Sourc | | | 1:84,000 | | were delineated based upon n USGS 1:63,000 mapping. | | | |
| | | Backgrour - USG | - | 00 mapping | | | size of the watershed | Zone A Protection Area | W< | X |
| | Proye office | | | | | Zone B and Zon | e C cover the same area. | Zone B Protection Area | | X |
| | Crion Pros | | | | | | | | - States | |

APPENDIX B


Contaminant Source Inventory and Risk Rankings (Table 1)

Table 1

| Contaminant Source Type | Contaminant Source ID | CS ID tag | Zone | Map Number | Comments |
|-------------------------|--------------------------|-----------|------|------------|----------|
| No Sources Mapped | | | | | |

APPENDIX C


Chenega Bay Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)






APPENDIX D

Vulnerability Analysis and Contaminant Risks (Charts 1-13)










Chart 2. Contaminant risks for Chenega Bay - Bacteria & Viruses




Chart 3. Vulnerability analysis for Chenega Bay - Bacteria & Viruses

Chart 4. Contaminant risks for Chenega Bay - Nitrates and Nitrites





Chart 4. Contaminant risks for Chenega Bay - Nitrates and Nitrites



0 pts

| Risk Levels for Nitrate/Nitrite Sources identified in Zones A and B | | | |
|---|--------|--------|-------|
| | Zone A | Zone B | Total |
| Very Highs(s) | 0 | 0 | 0 |
| High(s) | 0 | 0 | 0 |
| Medium(s) | 0 | | 0 |
| Low(s) | 0 | | 0 |

| | LOW 10 pts | MEDIUM 20 pts | HIGH 30 pts | VERY HIGH 40 pts |
|-----------|--------------------------|--------------------------------------|-----------------------------|-----------------------------|
| LOW | ≥ 10 sources + 10 pts | $\geq 10 \text{ sources}$ + 5 pts | ≥ 20 sources + 5 pts | |
| MEDIUM | | ≥ 2 sources + 5 pts | ≥ 5 sources + 5 pts | ≥ 10 sources + 5 pts |
| HIGH | | | \geq 1 source + 10 pts | ≥ 2 sources + 10 pts |
| VERY HIGH | | | | \geq 1 source + 10 pts |

Matrix Score

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

0





Chart 4. Contaminant risks for Chenega Bay - Nitrates and Nitrites








Chart 5. Vulnerability analysis for Chenega Bay - Nitrates and Nitrites

Chart 6. Contaminant risks for Chenega Bay - Volatile Organic Chemicals






| | LOW 10 pts | MEDIUM 20 pts | HIGH 30 pts | VERY HIGH 40 pts |
|-----------|--------------------------|---|------------------------------|------------------------------|
| LOW | ≥ 10 sources + 10 pts | \geq 10 sources + 5 pts | \geq 20 sources + 5 pts | |
| MEDIUM | | $\ge 2 \text{ sources} + 5 \text{ pts}$ | ≥ 5 sources + 5 pts | \geq 10 sources + 5 pts |
| HIGH | | | ≥ 1 source + 10 pts | ≥ 2 sources + 10 pts |
| VERY HIGH | | | | ≥ 1 source + 10 pts |

Matrix Score

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

0






Chart 6. Contaminant risks for Chenega Bay - Volatile Organic Chemicals





Chart 7. Vulnerability analysis for Chenega Bay - Volatile Organic Chemicals







Chart 8. Contaminant risks for Chenega Bay - Heavy Metals, Cyanide and Other Inorganic Chemicals









Chart 9. Vulnerability analysis for Chenega Bay - Heavy Metals, Cyanide and Other Inorganic Chemicals







0 pts


| Risk Levels for SOC Sor | urces identified | in Zones A and | <u>1 C</u> | |
|-------------------------|------------------|----------------|------------|--|
| | Zone A | Zone B | Total | |
| Very Highs(s) | 0 | 0 | 0 | |
| High(s) | 0 | 0 | 0 | |
| Medium(s) | 0 | 0 | 0 | |
| Low(s) | 0 | 0 | 0 | |


| | LOW 10 pts | MEDIUM 20 pts | HIGH 30 pts | VERY HIGH 40 pts |
|-----------|--------------------------|------------------------------|-----------------------------|------------------------------|
| LOW | ≥ 10 sources + 10 pts | \geq 10 sources + 5 pts | ≥ 20 sources + 5 pts | |
| MEDIUM | | ≥ 2 sources + 5 pts | ≥ 5 sources + 5 pts | \geq 10 sources + 5 pts |
| HIGH | | | \geq 1 source + 10 pts | ≥ 2 sources + 10 pts |
| VERY HIGH | | | | \geq 1 source + 10 pts |


Matrix Score


Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

0















Chart 12. Contaminant risks for Chenega Bay - Other Organic Chemicals




| Risk Levels for OOC Sources identified in Zones A and B | | | | | |
|---|--------|--------|-------|--|--|
| | Zone A | Zone B | Total | | |
| Very Highs(s) | 0 | 0 | 0 | | |
| High(s) | 0 | 0 | 0 | | |
| Medium(s) | 0 | 0 | 0 | | |
| Low(s) | 0 | 0 | 0 | | |

| | LOW 10 pts | MEDIUM 20 pts | HIGH 30 pts | VERY HIGH 40 pts |
|-----------|--------------------------|------------------------------|-----------------------------|------------------------------|
| LOW | ≥ 10 sources + 10 pts | \geq 10 sources + 5 pts | ≥ 20 sources + 5 pts | |
| MEDIUM | | ≥ 2 sources + 5 pts | ≥ 5 sources + 5 pts | \geq 10 sources + 5 pts |
| HIGH | | | \geq 1 source + 10 pts | ≥ 2 sources + 10 pts |
| VERY HIGH | | | | \geq 1 source + 10 pts |

Matrix Score

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

0






Chart 12. Contaminant risks for Chenega Bay - Other Organic Chemicals

Existing

 $^+$

Potential

=

Contaminant Risk

very high

medium

low

high

0 pts

0 pts

0 pts




Chart 13. Vulnerability analysis for Chenega Bay - Other Organic Chemicals