Source Water Assessment

A Hydrogeologic Susceptibility and Vulnerability Assessment for Nina Nicholson Subdivision Drinking Water System, Dillingham, Alaska

PWSID # 263010.001

April 2004

DRINKING WATER PROTECTION PROGRAM REPORT 1069
Alaska Department of Environmental Conservation

Source Water Assessment for Nina Nicholson Subdivision Drinking Water System Dillingham, Alaska

PWSID # 263010.001

DRINKING WATER PROTECTION PROGRAM REPORT 1069

The Drinking Water Protection Program (DWPP) is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

CONTENTS

TABLES

APPENDICES

Source Water Assessment for Nina Nicholson Subdivision Source of Public Drinking Water, Dillingham, Alaska

Drinking Water Protection Program
Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The Nina Nicholson Subdivision has one Public Water System (PWS) well. The well (PWS No. 263010.001) has been used as a drinking water source since it was drilled in 1989.

The well is a Class A (community and non-transient non-community) water system located off of Lake Aleknagik Road and Nina Court in Dillingham, Alaska. Available records indicate that there is no secondary storage of drinking water, other than the pressure tank, and that the untreated drinking water source is derived directly from the wellhead. This system operates year round and serves approximately 31 residents through fourteen service connections. The wellhead received a susceptibility rating of **Low** and the aquifer received a susceptibility rating of **Medium**. Combining these two ratings produce a **Low** rating for the natural susceptibility of the well.

Identified potential and current sources of contaminants for the public drinking water source include: septic systems, aboveground fuel tanks, and roads. These identified potential and existing sources of contamination are considered as sources of bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals contaminant categories.

Overall, the water well received a vulnerability rating of **Low** for bacteria and viruses, nitrates and nitrites, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals, and a vulnerability rating of **Medium** for volatile organic chemicals.

PUBLIC DRINKING WATER SYSTEM

The Nina Nicholson Subdivision well is a Class A (community/non-transient/non-community) public water system. The system is located off of Lake Aleknagik Road and Nina Court in Dillingham, Alaska (Sec. 24, T13S, R55W, Seward Meridian; see Map A of Appendix A). Dillingham is located at the extreme northern end of Nushagak Bay in northern Bristol Bay, at the confluence of the Wood and Nushagak Rivers. The city is located 327 miles southwest of Anchorage and 175 miles southeast of Bethel. The community has a population of 2,475 (ADCED, 2003). Average annual precipitation in Dillingham is 26 inches, including approximately 65 inches of snowfall. Temperatures range from 37 to 66°F in summer and 4 to 30°F in winter.

The community of Dillingham obtains most of their water supply from three City wells. Approximately 60% of the community uses individual wells. The core town-site is served by a piped sewage collection system and the remaining households have individual septic tanks (ADCED, 2003). Dillingham receives electrical power from Nushagak Electric. Power generating facilities are fueled by diesel. Refuse is collected by Dillingham Refuse, Inc., a private firm, and transported to the landfill (ADCED, 2003).

According to information supplied by ADEC for the Nina Nicholson Subdivision PWS, the depth of the primary water well is 145 feet below the ground surface, and the well is screened in a confined aquifer based on available construction details. The well is not located within a floodplain.

Information acquired from a June 2003 sanitary survey for the public water system indicated that the land surface was sloped away from the well. Generally, land surfaces that slope away from the wellhead promote surface water drainage, which reduces the potential of contaminant migration down the well casing annulus. The sanitary survey indicates that the well is grouted according to ADEC regulations. Proper grouting provides added protection against contaminants traveling along the well casing annulus and into source waters.

The entire Bristol Bay area was formerly covered by glaciers and the topography is representative of a postglacial area. Soils information is limited. Generally, the soils consist of silty sand overlying relatively clean sand. The silty soils are slightly frost-susceptible. Isolated pockets of permafrost are scattered throughout the area (DOWL, 1982).

DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the groundwater. These areas are determined by looking at the characteristics of the soil, groundwater, aquifer, and well.

The most probable area for contamination to reach the drinking water well is the area that contributes water to the well, the groundwater recharge area. This area is designated as the drinking water protection area (DWPA). Because releases of contaminants within the protection area are most likely to impact the drinking water well, this area will serve as the focus for voluntary protection efforts. An analytical calculation was used to determine the size and shape of the DWPA for the Nina Nicholson Subdivision PWS. The input parameters describing the attributes of the aquifer in this calculation were adopted from Groundwater (Freeze and Cherry, 1979). Available geology and groundwater contours were also considered to take into account any uncertainties in groundwater flow and aquifer characteristics to arrive at a meaningful protection area.

The protection areas established for wells by the ADEC are usually separated into four zones, limited by the watershed. These zones correspond to differences in the time-of-travel (TOT) of the water moving through the aquifer to the well (Please refer to the Guidance Manual for Class A Public Water Systems for additional information).

The time of travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. The following is a summary of the four protection area zones for wells and the calculated time-of-travel for each:

Table 1. Definition of Zones

Zone	Definition
A	¼ the distance for the 2-yr. time-of-travel
B	Less than the 2 year time-of-travel
C	Less Than the 5 year time-of-travel
D	Less than the 10 year time-of-travel

The DWPA for the Nina Nicholson Subdivision PWS was determined using an analytical calculation and includes Zones A, B, and D (See Map A of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Nina Nicholson Subdivision DWPA. This inventory was completed through a search of agency records and other publicly available information. Potential sources of contamination to the drinking water aquifer include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development.

For the basis of all Class A public water system assessments, six categories of drinking water contaminants were inventoried. They include:

- Bacteria and viruses,
- Nitrates and/or nitrites,
- Volatile organic chemicals,
- Heavy metals, cyanide and other inorganic chemicals,
- Synthetic organic chemicals,
- Other organic chemicals.

The sources are displayed on Map C of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are assigned a ranking according to what type and level of risk they represent. Ranking of contaminant risks for a "potential" or "existing" source of contamination is a function of toxicity and volumes of specific contaminants associated with that source. Rankings include:

- Low,
- Medium,
- High, and
- Very High.

The time-of-travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. Bacteria and Viruses are only inventoried in Zones A and B because of their short life span. Only "Very High" and "High" rankings are inventoried within the outer Zone D due to the probability of contaminant dilution by the time the contaminants get to the well.

Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals.

VULNERABILITY OF THE DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural susceptibility, and
- Contaminant risks.

Appendix D contains fourteen charts, which together form the 'Vulnerability Analysis' for a source water assessment for a public drinking water source. Chart 1 analyzes the 'Susceptibility of the Wellhead' to contamination by looking at the construction of the well and its surrounding area. Chart 2 analyzes the 'Susceptibility of the Aquifer' to contamination by looking at the naturally occurring attributes of the water source and influences on the groundwater system that might lead to contamination. Chart 3 analyzes 'Contaminant Risks' for the drinking water source with respect to bacteria and viruses. The 'Contaminant Risks' portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the well. Chart 4 contains the 'Vulnerability Analysis for Bacteria and Viruses'. Charts 5 through 14 contain the Contaminant Risks and Vulnerability Analyses for nitrates and nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals, respectively.

A score for the Natural Susceptibility is reached by considering the properties of the well and the aquifer.

Susceptibility of the Wellhead (0 – 25 Points)
(Chart 1 of Appendix D)

+

Susceptibility of the Aquifer (0 – 25 Points)
(Chart 2 of Appendix D)

=

Natural Susceptibility (Susceptibility of the Well)
(0 – 50 Points)

A ranking is assigned for the Natural Susceptibility according to the point score:

Natural Susceptibility Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

The Nina Nicholson Subdivision's water well is in a confined aquifer. Confined aquifers are less susceptible to potential groundwater quality impacts posed by the migration of surface water contaminants downward from the surface. Table 2 shows the susceptibility scores and ratings for this PWS.

Table 2. Susceptibility

	Score	Rating
Susceptibility of the Wellhead	0	Low
Susceptibility of the Aquifer	12	Medium
Natural Susceptibility	12	Low

Contaminant risks to a drinking water source depend on the type, number or density, and distribution of contaminant sources. This score has been derived from an examination of existing and historical contamination that has been detected at the drinking water source through routine sampling. It also evaluates potential sources of contamination. Flow charts are used to assign a point score, and ratings are assigned in the same way as for the natural susceptibility:

Contaminant Risk Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants.

Table 3. Contaminant Risks

Category	Score	Rating
Bacteria and Viruses	25	Medium
Nitrates and/or Nitrites	25	Medium

Volatile Organic Chemicals	35	High
Heavy Metals, Cyanide and Other Inorganic Chemicals	16	Low
Synthetic Organic Chemicals	12	Low
Other Organic Chemicals	12	Low

Finally, an overall vulnerability score is assigned for each water system by combining each of the contaminant risk scores with the natural susceptibility score:

Natural Susceptibility (0 – 50 points)

+

Contaminant Risks (0 – 50 points)

=

Vulnerability of the Drinking Water Source to Contamination (0 – 100).

Again, rankings are assigned according to a point score:

Overall Vulnerability Ratings	
80 to 100 pts	Very High
60 to < 80 pts	High
40 to < 60 pts	Medium
< 40 pts	Low

Table 4 contains the overall vulnerability scores (0 – 100) and ratings for each of the six categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability

Category	Score	Rating
Bacteria and Viruses	35	Low
Nitrates and Nitrites	35	Low
Volatile Organic Chemicals	50	Medium
Heavy Metals, Cyanide and Other Inorganic Chemicals	30	Low
Synthetic Organic Chemicals	25	Low
Other Organic Chemicals	25	Low

Bacteria and Viruses

The contaminant risk for bacteria and viruses is **Medium**. The risk is primarily attributed to the presence of septic systems and roads in Zones A, B, and C (see Table 2 – Appendix B).

No positive bacteria counts have been reported in recent (within five years) sampling events (See Chart 3 – Contaminant Risks for Bacteria and Viruses in Appendix D). Only a small amount of bacteria and viruses are required to endanger public health.

After combining the contaminant risk for bacteria and viruses with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Nitrates and Nitrites

The contaminant risk for nitrates and nitrites is **Medium**. The risk to this source of public drinking water is primarily attributed to the presence of septic systems and roads in Zones A, B, and C (see Table 3 – Appendix B).

Nitrates are very mobile, moving at approximately the same rate as water. The sampling history for this well indicates that nitrates have not been detected in recent sampling events. Nitrate concentrations in uncontaminated groundwater are typically less than 2 mg/L; therefore, nitrate concentrations above 2 mg/L may be indicative of man-made sources (See Chart 5 - Contaminant Risks for Nitrates and/or Nitrites in Appendix D).

After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the well, the overall vulnerability of the well to nitrate and nitrite contamination is **Low**.

Volatile Organic Chemicals

The contaminant risk for volatile organic chemicals is **High**. The risk is primarily attributed to the presence of aboveground fuel tanks in Zone A. Several other potential contaminant sources are also found within the protection area (see Table 4 – Appendix B).

All recent sampling data for VOCS were below detection levels for the Nina Nicholson Subdivision (See Chart 7 – Contaminant Risks for Volatile Organic Chemicals in Appendix D).

After combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Medium**.

Heavy Metals, Cyanide and Other Inorganic Chemicals

The contaminant risk for heavy metals, cyanide and other inorganic chemicals is **Low**. The risk is primarily attributed to the presence of septic systems

and roads in Zones A, B, and C (see Table 5 – Appendix B).

Based on review of recent sampling records for this public water system, low levels of copper and arsenic have been detected, but have not exceeded their respective MCLs of 1.3 mg/L and 0.05 mg/L (see Chart 9 – Contaminant Risks for Heavy Metals, Cyanide, and Other Inorganic Chemicals in Appendix D).

After combining the contaminant risk for heavy metals, cyanide and other inorganic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Synthetic Organic Chemicals

The contaminant risk for synthetic organic chemicals is **Low**. The risk is primarily attributed to the presence of septic systems in Zone A (see Table 6 – Appendix B).

No recent sampling data was available in ADEC records for the Nina Nicholson Subdivision (See Chart 11 – Contaminant Risks for Synthetic Organic Chemicals in Appendix D).

After combining the contaminant risk for synthetic organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Other Organic Chemicals

The contaminant risk for other organic chemicals is **Low**. The risk is primarily attributed to the presence of septic systems and roads in Zones A, B, and C (see Table 7 – Appendix B).

No recent sampling data was available in ADEC records for the Nina Nicholson Subdivision (See Chart 13 – Contaminant Risks for Other Organic Chemicals in Appendix D).

After combining the contaminant risk for other organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Using the Source Water Assessment

This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of the Nina Nicholson Subdivision and the community of Dillingham to protect public health. It is anticipated that Source Water Assessments will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of the drinking water source.

REFERENCES

Alaska Department of Community and Economic Development (ADCED), 2003 [WWW document]. URL: http://www.dced.state.ak.us/cbd/commdb/CF_COMDB.htm

Alaska Department of Environmental Conservation, Contaminated Sites Database, 2003 [WWW database], URL http://www.state.ak.us/dec/dspar/csites/cs_search.htm

Alaska Department of Environmental Conservation, Leaking Underground Storage Tank Database, 2003 [WWW database], URL http://www.dec.state.ak.us/spar/stp/ust/search/fac_search.asp

DOWL Engineers (DOWL), 1982, Upper Bristol Bay Region Community Planning Profiles.

Freeze, R. A., and Cherry, J.A. 1979, Groundwater, Prentice-Hall, Englewood Cliffs, New Jersey

United States Environmental Protection Agency (EPA), 2002 [WWW document]. URL http://www.epa.gov/safewater/mcl.html .

APPENDIX A

Drinking Water Protection Area Location Map
(Map A)

Public Water Well System for PWS #263010.001 Nina Nicholson Subdivision



LEGEND

- Public Water System Well

Hydrography/Physical

- Parcels
- Stream
- Lake or Pond
- Contours

Transportation

- Primary Route (Class 1)
- Secondary Route (Class 2)
- Road (Class 3)
- Road (Class 4)
- Road (Class 5, Four-wheel drive)

Groundwater Protection Zones

- Zone A Protection Area– Several Months Travel Time
- Zone B Protection Area– 2 Years Travel Time
- Zone C Protection Area– 5 Years Travel Time
- Zone D Protection Area– 10 Years Travel Time

Data Sources:
Contaminant Sources, Public Water System Wells, Contours
Alaska Department of Environmental Conservation (ADEC)

Critical Facilities, Federal Emergency Management Agency (FEMA)

All other data:
United States Geological Survey (USGS)

Drinking Water Protection Areas based on "Alaska Drinking Water Protection Program - Guidance Manual for Class A Public Water Systems" published by ADEC

URS Corporation does not guarantee the accuracy or validity of the data provided.



N
W E
S

0 0.125 0.25 0.5 0.75 1 Mile

Nina Nicholson Subdivision
PWS 263010.001

Appendix A Map A

APPENDIX B

Contaminant Source Inventory and Risk Ranking (Tables 1-7)

Table 1

Contaminant Source Inventory for
Nina Nicholson Subdivision

PWSID 263010.001

Contaminant Source Type	***Contaminant Source ID***	***CS ID tag***	***Zone***	***Map Number***	***Comments***
Septic systems (serves one single-family home)	R02	R02-01	A	C	Assume 14 or less residential septic systems in Zone A
Tanks, heating oil, residential (above ground)	R08	R08-02	A	C	Assume 14 or less residential heating oil systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	C	Assume 1-20 roads in Zone C

Table 2

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision Sources of Bacteria and Viruses

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	Low	C	Assume 1-20 roads in Zone C

Table 3

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision Sources of Nitrates/Nitrites

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	Low	C	Assume 1-20 roads in Zone C

Table 4

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision Sources of Volatile Organic Chemicals

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A
Tanks, heating oil, residential (above ground)	R08	R08-02	A	Medium	C	Assume 14 or less residential heating oil systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	Low	C	Assume 1-20 roads in Zone C

Table 5

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision

Sources of Heavy Metals, Cyanide and Other Inorganic Chemicals

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	Low	C	Assume 1-20 roads in Zone C

Table 6

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision Sources of Synthetic Organic Chemicals

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A

Table 7

Contaminant Source Inventory and Risk Ranking for Nina Nicholson Subdivision
Sources of Other Organic Chemicals

PWSID 263010.001

Contaminant Source Type	*Contaminant Source ID*	*CS ID tag*	*Zone*	*Risk Ranking for Analysis*	*Map Number*	*Comments*
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 14 or less residential septic systems in Zone A
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Highways and roads, dirt/gravel	X24	X24-03	C	Low	C	Assume 1-20 roads in Zone C

APPENDIX C

Drinking Water Protection Area
and Potential and Existing Contaminant Sources
(Map C)

Public Water Well System for PWS #263010.001 Nina Nicholson Subdivision
Showing Potential and Existing Sources of Contamination



LEGEND

- Public Water System Well

Hydrography/Physical

- Parcels
- Stream
- Lake or Pond
- Contours

Transportation

- Primary Route (Class 1)
- Secondary Route (Class 2)
- Road (Class 3)
- Road (Class 4)
- Road (Class 5, Four-wheel drive)

Groundwater Protection Zones

- Zone A Protection Area– Several Months Travel Time
- Zone B Protection Area– 2 Years Travel Time
- Zone C Protection Area– 5 Years Travel Time
- Zone D Protection Area– 10 Years Travel Time

Existing or Potential Contaminant Sources

No known contaminant sources

Data Sources:

Contaminant Sources, Public Water System Wells, Contours
Alaska Department of Environmental Conservation (ADEC)
Critical Facilities, Federal Emergency Management Agency (FEMA)

All other data:

United States Geological Survey (USGS)
Drinking Water Protection Areas based on "Alaska Drinking Water Protection Program - Guidance Manual for Class A Public Water Systems" published by ADEC

URS Corporation does not guarantee the accuracy or validity of the data provided.



N W E S

0 0.125 0.25 0.5 0.75 1 Mile

Nina Nicholson Subdivision
PWS 263010.001

Appendix C Map C

APPENDIX D

Vulnerability Analysis for Public Drinking Water Source (Charts 1-14)

Chart 1. Susceptibility of the wellhead - Nina Nicholson Subdivision (PWS No.263010.001)



Chart 2. Susceptibility of the aquifer Nina Nicholson Subdivision (PWS No.263010.001)



Chart 3. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Bacteria & Viruses





+ 20 pts

Risk Rankings for Contaminant Sources Identified in Zones A and B

	Zone A	Zone B	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	15	1	16

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 20

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

Chart 3. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Bacteria & Viruses



Chart 4. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Bacteria & Viruses



Chart 5. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Nitrates and Nitrites



Chart 5. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Nitrates and Nitrites



+ 20 pts

Risk Levels for Contaminant Sources identified in Zones A, B and C

	Zone A	Zones B&C	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	15	1	16

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 20

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individua contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.





Chart 5. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Nitrates and Nitrites



Chart 6. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Nitrates and Nitrites



Chart 7. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Volatile Organic Chemicals



Chart 7. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Volatile Organic Chemicals



Risk Levels for Contaminant Sources identified in Zones A, B and C

	Zone A	Zones B&C	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	15	0	15
Low(s)	2	1	3

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 25

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in tl CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

Chart 7. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Volatile Organic Chemicals



Chart 8. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Volatile Organic Chemicals



Chart 9. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals



Chart 9. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals

+ 10 pts

What level of risk is associated with the highest and the next highest risk sources(s) of contaminants identified in Zones A, B and C?

Risk Levels for Contaminant Sources identified in Zones A, B and C

	Zone A	Zones B&C	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	2	1	3

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 10

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

Initial assessment of risk posed by potential sources of contamination = 10 pts

Is the source aquifer fractured rock or karst?

YES

NO

Are all of the higher risk sources beyond Zones A and B?

NO → Risk unchanged

YES → Decrease risk 1 - 10 pts

- 0 pts

Are any significant sources within Zone A?

NO → Risk unchanged

YES → Increase risk 1 - 10 pts

+ 2 pts

The number and magnitude of contaminant sources in Zone A determines a risk increase. See Table 5 for inventory.

Chart 9. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals



Chart 10. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals



Chart 11. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Synthetic Organic Chemicals



Chart 11. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Synthetic Organic Chemicals



+ 10 pts

Risk Levels for Contaminant Sources identified in Zones A, B and C

	Zone A	Zones B&C	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	1	0	1

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 10

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individua contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

The number and magnitude of contaminant sources in Zone A determines a risk increase. See Table 6 for inventory.



Chart 11. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Synthetic Organic Chemicals



Chart 12. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Synthetic Organic Chemicals



Chart 13. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Other Organic Chemicals



Chart 13. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Other Organic Chemicals



+ 10 pts

Risk Levels for Contaminant Sources identified in Zones A, B and C

	Zone A	Zones B&C	Total
Very Highs(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	2	1	3

	LOW 10 pts	**MEDIUM** 20 pts	**HIGH** 30 pts	**VERY HIGH** 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 10

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individua contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.





Chart 13. Contaminant risks for Nina Nicholson Subdivision (PWS No.263010.001) - Other Organic Chemicals



Chart 14. Vulnerability analysis for Nina Nicholson Subdivision (PWS No.263010.001) - Other Organic Chemicals