

Source Water Assessment

A Hydrogeologic Susceptibility and Vulnerability Assessment for Beach Lake Trail Center Public Drinking Water System, Eagle River, Alaska PWSID # 218731.001

DRINKING WATER PROTECTION REPORT 1620

Alaska Department of Environmental Conservation

December, 2008

Source Water Assessment for Beach Lake Trail Center Public Drinking Water System Eagle River, Alaska PWSID# 2187311.001

DRINKING WATER PROTECTION REPORT 1620

The Drinking Water Protection (DWP) section of the Drinking Water Program is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (DEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the DWP staff at the following number: 1-866-956-7656.

December, 2008

CONTENTS

| Page Executive Summary1 Beach Lake Trail Center Public Drinking Water System | Page Ranking of Contaminant Risks2 Vulnerability of Beach Lake Trail Center Drinking |
|--|--|
| | Water System2 |
| Beach Lake Trail Center Drinking Water Protection | References5 |
| Area1 | Appendix A7 |
| Inventory of Potential and Existing Contaminant | Appendix B9 |
| Sources | Appendix C11 |

TABLES

| Table 1. | Definition of Zones | .2 |
|----------|-----------------------|----|
| Table 2. | Susceptibility | 3 |
| | Contaminant Risks | |
| Table 4. | Overall Vulnerability | .3 |
| | - · , | |

APPENDICES

APPENDIX

A. Beach Lake Trail Center Drinking Water Protection Area (Map 1)

- B. Contaminant Source Inventory for Beach Lake Trail Center (Table 1) Contaminant Source Inventory and Risk Ranking for Beach Lake Trail Center – Bacteria and Viruses (Table 2)
 Contaminant Source Inventory and Risk Ranking for Beach Lake Trail Center – Nitrates/Nitrites (Table 3)
 Contaminant Source Inventory and Risk Ranking for Beach Lake Trail Center – Volatile Organic Chemicals (Table 4)
- C. Beach Lake Trail Center Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)

Source Water Assessment for Beach Lake Trail Center Source of Public Drinking Water, Eagle River, Alaska

Drinking Water Protection Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The public water system for Beach Lake Trail Center is a Class B (transient/non-community) water system consisting of one well on mile 0.5 of Birchwood Loop Road near Eagle River, Alaska. The wellhead received a susceptibility rating of Low and the aquifer received a susceptibility rating of Medium. Combining these two ratings produces a Low rating for the natural susceptibility of the well. Identified potential and current sources of contaminants for Beach Lake Trail Center public drinking water source include: a municipal park, a pipeline, three paved roads, residential septic systems, and an Open Leaking Underground Fuel Storage Tank (LUST) site. These identified potential and existing sources of contamination are considered as sources of bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals. Overall, the public water sources for Beach Lake Trail Center received a vulnerability rating of Low for all three contaminant categories. This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of Beach Lake Trail Center to protect public health.

BEACH LAKE TRAIL CENTER PUBLIC DRINKING WATER SYSTEM

Beach Lake Trail Center public water system is a Class B (transient/non-community) water system. The system consists of one well on mile 0.5 of Birchwood Loop Road near Eagle River, Alaska (See Map A of Appendix A). Eagle River is located within the Municipality of Anchorage and lies about 14 miles northeast of the city of Anchorage (Please see the inset of Map A in Appendix A for location). Eagle River's population is 30,000, which includes the communities of Eagle River, Chugiak, Birchwood, Peter's Creek, Thunderbird Falls, and Eklutna.

Residents north of the Eagle River business corridor have individual wells and septic systems, while the Eklutna Water Treatment Facility and Eagle River Wastewater Treatment Plant service the other residents (ADCED, 2008). Electricity is provided by Matanuska Electric Association. Refuse is transported to the Anchorage Regional Landfill on Hiland Road. According to the well log, the depth of the well is 300 feet below the ground surface, and is screened in shale and completed in a confined aquifer. This system operates from October through March and serves approximately 93 non-residents through one service connections.

BEACH LAKE TRAIL CENTER DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the groundwater. These areas are determined by looking at the characteristics of the soil, groundwater, aquifer, and well.

The most probable area for contamination to reach the drinking water well is the drinking water protection area. The drinking water protection area is the area circling the well (the area influenced by pumping) and also the area upgradient of the well, usually forming a parabola shape. Because releases of contaminants within the protection area are most likely to impact the well, this area will serve as the focus for voluntary protection efforts.

There are many different methods for calculating the size of protection areas. Drinking Water Protection (DWP) uses a combination of two simple groundwater flow equations, the Thiem and uniform flow equations for all groundwater wells screened in unconsolidated material. The orientation of the protection zone is then drawn using a water table elevation map (if available) or a land surface elevation map of the area. The protection zone calculated by DWP is an estimate using the available information and resources, and may differ slightly from the actual capture zone. Because of uncertainties and changing site conditions, a factor of safety is added to the protection zone to form the drinking water protection area for the well.

The parameters used to calculate the shape of this protection zone are general for the whole alluvial plain and were obtained from various United States Geological Survey (USGS) reports, area well logs, and the Groundwater textbook by Freeze and Cherry (Freeze and Cherry, 1979). The protection areas established for wells by the DEC are usually separated into two zones, limited by the watershed. These zones correspond to differences in the time-of-travel (TOT) of the water moving through the aquifer to the well. An analytical calculation was used to determine the size and shape of the protection area.

The time-of-travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. The following is a summary of the two protection area zones for wells and the calculated time-of-travel for each:

Table 1. Definition of Zones

| Zone | Definition | | | | | | |
|------|-------------------------------------|--|--|--|--|--|--|
| А | Several months time-of-travel | | | | | | |
| В | Less than the 2 year time-of-travel | | | | | | |

The drinking water protection area for Beach Lake Trail Center was determined using an analytical calculation and includes Zones A and B (see Map A of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

DWP has completed an inventory of potential and existing sources of contamination within the Beach Lake Trail Center drinking water protection area . This inventory was completed through a search of agency records and other publicly available information. Potential sources of contamination to the drinking water aquifer include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development.

For the basis of all Class B public water system assessments, the following three categories of drinking water contaminants were inventoried:

- Bacteria and viruses;
- Nitrates and/or nitrites;
- Volatile organic chemicals

The sources are displayed on Map C of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are assigned a ranking according to what type and level of risk they represent. Ranking of contaminant risks for a "potential" or "existing" source of contamination is a function of toxicity and volumes of specific contaminants associated with that source. Rankings include:

- Low;
- Medium;
- High; and
- Very High.

Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals.

VULNERABILITY OF BEACH LAKE TRAIL CENTER DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural Susceptibility; and
- Contaminant Risks.

A score for the Natural Susceptibility of the well is reached by considering the properties of the well and the aquifer.

> Susceptibility of the Wellhead (0-25 Points) + Susceptibility of the Aquifer (0-25 Points) =

Natural Susceptibility of the Well (0-50 Points)

A ranking is assigned for the Natural Susceptibility according to the point score:

| Natural Suscepti | bility Ratings |
|------------------|----------------|
| 40-50 pts | Very High |
| 30 to < 40 pts | High |
| 20 to < 30 pts | Medium |
| < 20 pts | Low |

Factors contributing to the susceptibility of the wellhead are: whether the sanitary seal is in place, protection from flooding, and if the well casing is properly grouted.

The wellhead for the Beach Lake Trail Center received a **Low** susceptibility rating. The most recent sanitary survey (4/13/2005) indicates the well is capped with a sanitary seal, the land surface is sloped away from the well, and the well is grouted. A sanitary seal prevents potential contaminant from entering the well while sloping of the land surface and grouting help to prevent potential contaminants from traveling down the outside of the well casing.

Factors contributing to the susceptibility of the aquifer are: whether the aquifer is confined or unconfined, whether the well is completed in unconsolidated or fractured bedrock, whether wells and bore holes are penetrating the aquifer and, if applicable, the confining layer.

The aquifer for the Beach Lake Trail Center system is confined aquifer and consists of shale under a thick layer of clay. The aquifer received a **Medium** susceptibility rating. The deep, highly confined nature of the aquifer makes it more difficult for contaminants to reach and penetrate the aquifer from surface runoff and precipitation.

Table 2 summarizes the Susceptibility scores and ratings for the Beach Lake Trail Center system.

Table 2. Susceptibility

| | Score | Rating |
|------------------------|-------|--------|
| Susceptibility of the | 0 | Low |
| Wellhead | | |
| Susceptibility of the | 12 | Medium |
| Aquifer | | |
| Natural Susceptibility | 12 | Low |
| | | |

Contaminant risks are derived from an evaluation of the routine sampling results of the water system and the presence of potential sources of contamination. Contaminant risks to a drinking water source depend on the type and distribution of contaminant sources. Flow charts are used to assign a point score, and ratings are assigned in the same way as for the natural susceptibility:

| Contaminant Risk Ratings | | | | | |
|--------------------------|-----------|--|--|--|--|
| 40-50 pts | Very High | | | | |
| 30 to < 40 pts | High | | | | |
| 20 to < 30 pts | Medium | | | | |
| < 20 pts | Low | | | | |

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants for the Beach Lake Trail Center system.

Table 3. Contaminant Risks

| Category | Score | Rating |
|----------------------------|-------|--------|
| Bacteria and Viruses | 25 | Medium |
| Nitrates and/or Nitrites | 25 | Medium |
| Volatile Organic Chemicals | 25 | Medium |

Finally, an overall vulnerability score is assigned for each water system by combining each of the contaminant risk scores with the natural susceptibility score:

to

Again, rankings are assigned according to a point score:

| Overall Vulnerability Ratings | | | | | | | |
|-------------------------------|-----------|--|--|--|--|--|--|
| 80-100 pts | Very High | | | | | | |
| 60 to < 80 pts | High | | | | | | |
| 40 to < 60 pts | Medium | | | | | | |
| < 40 pts | Low | | | | | | |
| | | | | | | | |

Table 4 contains the overall vulnerability scores (0-100) and ratings for each of the three categories of drinking water contaminants for the Beach Lake Trail Center system. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability

| Category | Score | Rating |
|----------------------------|-------|--------|
| Bacteria and Viruses | 35 | Low |
| Nitrates and/or Nitrites | 35 | Low |
| Volatile Organic Chemicals | 35 | Low |

Bacteria and Viruses

The contaminant risk for bacteria and viruses is **Medium** with a municipal park, a pipeline, three roads, and residential septic systems contributing to the risk to the drinking water well

Coliforms (a bacteria) are found naturally in the environment and although they aren't necessarily a health threat, they are an indicator of other potentially harmful bacteria in the water, more specifically, fecal coliforms and E. coli, which only come from human and animal fecal waste. Harmful bacteria can cause diarrhea, cramps, nausea, headaches, or other symptoms (EPA, 2008).

Only a small amount of bacteria and viruses are required to endanger public health. Positive samples increase the overall vulnerability of the drinking water source, indicating that the source is susceptible to bacteria and virus contamination. Bacteria and viruses have not been detected during recent water sampling of the system at Beach Lake Trail Center (data was analyzed in April of 2008).

After combining the contaminant risk for bacteria and viruses with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Nitrates and Nitrites

The contaminant risk for nitrates and nitrites is **Medium** with a municipal park, a pipeline, three roads, and residential septic systems contributing to the risk to this source of public drinking water. Nitrates are very mobile, moving at approximately the same rate as water.

The sampling history for the Beach Lake Trail Center well indicates that nitrates have not been detected in the water (data was analyzed in April of 2008).

After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Volatile Organic Chemicals

The contaminant risk for volatile organic chemicals is **Medium** with a pipeline, three roads, and residential septic systems contributing to the risk to the drinking water well.

The drinking water at Beach Lake Trail Center has not recently been sampled for volatile organic chemicals.

After combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **Low**.

Using the Source Water Assessment

This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of Beach Lake Trail Center to protect public health. It is anticipated that Source Water Assessments will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of Beach Lake Trail Center drinking water source.

REFERENCES


Alaska Department of Community and Economic Development (ADCED), Accessed 2008 [WWW document]. URL: http://www.commerce.state.ak.us/dca/commdb/CF_COMDB.htm

Freeze, R.A. and Cherry, J.A., 1979. Groundwater. Prentice-Hall, Englewood Cliffs, NJ.

- Jokela, J.B., Munter, J.A., and Evans, J.G., 1991, Ground-water resources of the Palmer-Big Lake area, Alaska: a conceptual model. Division of Geological &Geophysical Surveys Reports of Investigations 90-4, State of Alaska Department of Natural Resources, Fairbanks, AK.
- United States Environmental Protection Agency (EPA), Accessed 2008 [WWW document]. URL: http://www.epa.gov/safewater/contaminants/index.html.

APPENDIX A

Beach Lake Trails Center Drinking Water Protection Area Location Map (Map A)




3,000

6,000

0

Public Water Well System for PWS #218731.001 Beach Lake Trail Center



PWS 218731.001 Appendix A Map A

APPENDIX B

Contaminant Source Inventory and Risk Ranking for Beach Lake Trails Center (Tables 1-4)

Contaminant Source Inventory for Beach Lake Trail Center

| Contaminant Source Type | Contaminant Source ID | CS ID tag | Zone | Map Number | Comments |
|---|--------------------------|-----------|------|------------|--------------------------|
| Municipal or city parks (with green areas) | X04 | R02 | А | С | Beach Lake Regional Park |
| Highways and roads, paved (cement or asphalt) | X20 | X20 | А | С | 3 Roads |
| Pipelines (oil and gas) | X28 | X28-01 | А | С | |
| Residential Septics | R02 | R02 | В | С | 8 Septic Systems |
| Open Leaking Underground Fuel Storage Tank (LUST) Sites | U07 | U07-01 | В | С | |

Contaminant Source Inventory and Risk Ranking for

PWSID 218731.001

Beach Lake Trail Center Sources of Bacteria and Viruses

| Contaminant Source Type | Contaminant Source ID | CS ID tag | Zone | Risk Ranking for Analysis | Map Number | Comments |
|---|--------------------------|-----------|------|------------------------------|---------------|--------------------------|
| Municipal or city parks (with green areas) | X04 | R02 | А | Medium | С | Beach Lake Regional Park |
| Highways and roads, paved (cement or asphalt) | X20 | X20 | А | Low | С | 3 Roads |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Residential Septics | R02 | R02 | В | Low | С | 8 Septic Systems |

Contaminant Source Inventory and Risk Ranking for Beach Lake Trail Center

PWSID 218731.001

Sources of Nitrates/Nitrites

| Contaminant Source Type | Contaminant Source ID | CS ID tag | Zone | Risk Ranking for Analysis | Map Number | Comments |
|---|--------------------------|-----------|------|------------------------------|---------------|--------------------------|
| Municipal or city parks (with green areas) | X04 | R02 | А | Medium | С | Beach Lake Regional Park |
| Highways and roads, paved (cement or asphalt) | X20 | X20 | А | Low | С | 3 Roads |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Residential Septics | R02 | R02 | В | Low | С | 8 Septic Systems |

Contaminant Source Inventory and Risk Ranking for

PWSID 218731.001


Beach Lake Trail Center Sources of Volatile Organic Chemicals


| Contaminant Source Type | Contaminant Source ID | CS ID tag | Zone | Risk Ranking for Analysis | Map Number | Comments |
|---|--------------------------|-----------|------|------------------------------|---------------|------------------|
| Highways and roads, paved (cement or asphalt) | X20 | X20 | А | Low | С | 3 Roads |
| Pipelines (oil and gas) | X28 | X28-01 | А | Medium | С | |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Pipelines (oil and gas) | X28 | X28-01 | А | Low | С | |
| Residential Septics | R02 | R02 | В | Low | С | 8 Septic Systems |

APPENDIX C

Beach Lake Trails Center Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map C)

Public Water Well System for PWS #218731.001 Beach Lake Trail Center Showing Potential and Existing Sources of Contamination





PWS 218731.001 Appendix C Map C