



Source Water Assessment

A Hydrogeologic Susceptibility and
Vulnerability Assessment for
Hooper Bay Washeteria
Drinking Water System,
Hooper Bay, Alaska

PWSID # 271279.001

April 2004

DRINKING WATER PROTECTION PROGRAM REPORT 1130
Alaska Department of Environmental Conservation

Source Water Assessment for Hooper Bay Washeteria Drinking Water System Hooper Bay, Alaska

PWSID # 271279.001

DRINKING WATER PROTECTION PROGRAM REPORT 1130

The Drinking Water Protection Program (DWPP) is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

CONTENTS

EXECUTIVE SUMMARY	1	INVENTORY OF POTENTIAL AND EXISTING	
PUBLIC DRINKING WATER SYSTEM	1	CONTAMINANT SOURCES	2
DRINKING WATER PROTECTION AREA	2	RANKING OF CONTAMINANT RISKS	2
		VULNERABILITY OF DRINKING WATER	
		SYSTEM	3

TABLES

Table 1. Definition of Zones	2
Table 2. Susceptibility	3
Table 3. Contaminant Risks	4
Table 4. Overall Vulnerability	4

APPENDICES

APPENDIX	A. Hooper Bay Washeteria Drinking Water Protection Area (Map A)
	B. Contaminant Source Inventory for Hooper Bay Washeteria (Table 1)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Bacteria and Viruses (Table 2)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Nitrates/Nitrites (Table 3)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Volatile Organic Chemicals (Table 4)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Heavy Metals, Cyanide and Other Inorganic Chemicals (Table 5)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Synthetic Organic Chemicals (Table 6)
	Contaminant Source Inventory and Risk Ranking for Hooper Bay Washeteria –
	Other Organic Chemicals (Table 7)
	C. Hooper Bay Washeteria Drinking Water Protection Area and Potential
	and Existing Contaminant Sources (Map C)
	D. Vulnerability Analysis for Contaminant Source Inventory and Risk Ranking for
	Hooper Bay Washeteria Public Drinking Water Source (Charts 1 – 14)

Source Water Assessment for Hooper Bay Washeteria Source of Public Drinking Water, Hooper Bay, Alaska

Drinking Water Protection Program Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The Hooper Bay Washeteria has one Public Water System (PWS) well. The well (PWS No. 271279.001) has been used as a drinking water source since it was drilled in 1984.

The well is a Class A (community and non-transient non-community) water system located off of Tomaganuk Road and Airport Road in Hooper Bay, Alaska. Available records indicate that there is secondary storage of drinking water, with a combined capacity of 8,000-gallons, and that the drinking water is treated with calcium hypochlorite. This system operates year round and serves approximately 1,014 residents through four permanent and 16 seasonal service connections. The wellhead received a susceptibility rating of **Low** and the aquifer received a susceptibility rating of **High**. Combining these two ratings produce a **Low** rating for the natural susceptibility of the well.

Identified potential and current sources of contaminants for the public drinking water source include: Laundromats, motor/motor vehicle repair shops, domestic wastewater treatment plant disposal pond/lagoon, nonresidential pit toilets, septic systems, aboveground fuel tanks, wastewater holding tanks, ADEC recognized contaminated sites, water supply wells, municipal or city parks, petroleum product bulk station/terminals, airports, roads, electric power generation, firehouses, medical/veterinary facilities, cemeteries, and landfills. These identified potential and existing sources of contamination are considered as sources of bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals contaminant categories.

Overall, the water well received a vulnerability rating of **High** for the bacteria and viruses, nitrates and nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals contaminant categories.

PUBLIC DRINKING WATER SYSTEM

The Hooper Bay Washeteria well is a Class A (community/non-transient/non-community) public water system. The system is located off of Tomaganuk Road and Airport Road in Hooper Bay, Alaska (Sec. 26, T17N, R93W, Seward Meridian; see Map A of Appendix A). Hooper Bay is located 20 miles south of Cape Romanzof and 25 miles south of Scammon Bay in the Yukon-Kuskokwim Delta. The city is separated into two sections: a heavily built-up town site located on gently rolling hills, and a newer section in the lowlands. The community has a population of 1,075 (ADCED, 2003). Average annual precipitation in King Salmon is 16 inches, including approximately 75 inches of snowfall. Temperatures range from -25 to 79°F.

The community of Hooper Bay obtains most of their water supply from community wells. Honey buckets are dumped at collection points, and then hauled individual community members. Hooper Bay receives electrical power from AVEC. Power generating facilities are fueled by diesel. Refuse is collected by individuals and transported to the landfill (ADCED, 2003).

According to information supplied by ADEC for the Hooper Bay Washeteria PWS, the depth of the primary water well is 214 feet below the ground surface and is screened in a confined aquifer based on available construction details. The well is not located within a floodplain.

Information acquired from a March 2002 sanitary survey for the public water system indicated that the land surface was sloped away from the well. Generally, land surfaces that slope away from the wellhead promote surface water drainage, which reduces the potential of contaminant migration down the well casing annulus. The sanitary survey indicates that the well is grouted according to ADEC regulations. Proper grouting provides added protection against contaminants traveling along the well casing annulus and into source waters.

The unnamed peninsula on which the community of Hooper Bay is situated is fairly diverse in its geologic history, but is composed of basically the same materials. Three types of surficial deposits, including alluvial, beach, and estuarine were identified. These three types of deposits predominantly consist of silts, sands, and silty sands, and differ mainly in age and method of transport. The small hillocks on which Hooper Bay is located consist of old alluvial deposits, and consist predominantly of silts and sands with trace amounts of clay and fine gravel at depth. The lowlands around the village are estuarine deposits, which consist of reworked silt and silty sand with organics. Permafrost underlies most of the deposits in the delta at varying depths. This sporadic permafrost is probably due to the marine influences of the nearby Bering Sea (Dames and Moore, 1993).

DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the groundwater. These areas are determined by looking at the characteristics of the soil, groundwater, aquifer, and well.

The most probable area for contamination to reach the drinking water well is the area that contributes water to the well, the groundwater recharge area. This area is designated as the drinking water protection area (DWPA). Because releases of contaminants within the protection area are most likely to impact the drinking water well, this area will serve as the focus for voluntary protection efforts. An analytical calculation was used to determine the size and shape of the DWPA for the Hooper Bay Washeteria PWS. The input parameters describing the attributes of the aquifer in this calculation were adopted from Groundwater (Freeze and Cherry, 1979). Available geology and groundwater contours were also considered to take into account any uncertainties in groundwater flow and aquifer characteristics to arrive at a meaningful protection area.

The protection areas established for wells by the ADEC are usually separated into four zones, limited by the watershed. These zones correspond to differences in the time-of-travel (TOT) of the water moving through the aquifer to the well (Please refer to the Guidance Manual for Class A Public Water Systems for additional information).

The time of travel for contaminants within the water varies and is dependent on the physical and chemical

characteristics of each contaminant. The following is a summary of the four protection area zones for wells and the calculated time-of-travel for each:

Table 1. Definition of Zones

Zone	Definition
A	¼ the distance for the 2-yr. time-of-travel
B	Less than the 2 year time-of-travel
C	Less Than the 5 year time-of-travel
D	Less than the 10 year time-of-travel

The DWPA for the Hooper Bay Washeteria PWS was determined using an analytical calculation and includes Zones A, B, C, and D (See Map A of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Hooper Bay Washeteria DWPA. This inventory was completed through a search of agency records and other publicly available information. Potential sources of contamination to the drinking water aquifer include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development.

For the basis of all Class A public water system assessments, six categories of drinking water contaminants were inventoried. They include:

- Bacteria and viruses,
- Nitrates and/or nitrites,
- Volatile organic chemicals,
- Heavy metals, cyanide and other inorganic chemicals,
- Synthetic organic chemicals,
- Other organic chemicals.

The sources are displayed on Map C of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are assigned a ranking according to what type and level of risk they represent. Ranking of contaminant risks for a “potential” or “existing” source of contamination is a

function of toxicity and volumes of specific contaminants associated with that source. Rankings include:

- Low,
- Medium,
- High, and
- Very High.

The time-of-travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. Bacteria and Viruses are only inventoried in Zones A and B because of their short life span. Only “Very High” and “High” rankings are inventoried within the outer Zone D due to the probability of contaminant dilution by the time the contaminants get to the well. Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals.

VULNERABILITY OF THE DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural susceptibility, and
- Contaminant risks.

Appendix D contains fourteen charts, which together form the ‘Vulnerability Analysis’ for a source water assessment for a public drinking water source. Chart 1 analyzes the ‘Susceptibility of the Wellhead’ to contamination by looking at the construction of the well and its surrounding area. Chart 2 analyzes the ‘Susceptibility of the Aquifer’ to contamination by looking at the naturally occurring attributes of the water source and influences on the groundwater system that might lead to contamination. Chart 3 analyzes ‘Contaminant Risks’ for the drinking water source with respect to bacteria and viruses. The ‘Contaminant Risks’ portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the well. Chart 4 contains the ‘Vulnerability Analysis for Bacteria and Viruses’. Charts 5 through 14 contain the Contaminant Risks and Vulnerability Analyses for nitrates and nitrites, volatile organic chemicals, heavy metals, cyanide and other inorganic chemicals,

synthetic organic chemicals, and other organic chemicals, respectively.

A score for the Natural Susceptibility is reached by considering the properties of the well and the aquifer.

$$\begin{aligned}
 &\text{Susceptibility of the Wellhead (0 – 25 Points)} \\
 &\quad \text{(Chart 1 of Appendix D)} \\
 &\quad + \\
 &\text{Susceptibility of the Aquifer (0 – 25 Points)} \\
 &\quad \text{(Chart 2 of Appendix D)} \\
 &\quad = \\
 &\text{Natural Susceptibility (Susceptibility of the Well)} \\
 &\quad \text{(0 – 50 Points)}
 \end{aligned}$$

A ranking is assigned for the Natural Susceptibility according to the point score:

Natural Susceptibility Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

The Hooper Bay Washeteria’s water well is in a confined aquifer. Confined aquifers are less susceptible to potential groundwater quality impacts posed by the migration of surface water contaminants downward from the surface. Table 2 shows the susceptibility scores and ratings for this PWS.

Table 2. Susceptibility

	Score	Rating
Susceptibility of the Wellhead	0	Low
Susceptibility of the Aquifer	15	High
Natural Susceptibility	15	Low

Contaminant risks to a drinking water source depend on the type, number or density, and distribution of contaminant sources. This score has been derived from an examination of existing and historical contamination that has been detected at the drinking water source through routine sampling. It also evaluates potential sources of contamination. Flow charts are used to assign a point score, and ratings are assigned in the same way as for the natural susceptibility:

Contaminant Risk Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants.

Table 3. Contaminant Risks

Category	Score	Rating
Bacteria and Viruses	50	Very High
Nitrates and/or Nitrites	50	Very High
Volatile Organic Chemicals	50	Very High
Heavy Metals, Cyanide and		
Other Inorganic Chemicals	49	Very High
Synthetic Organic Chemicals	50	Very High
Other Organic Chemicals	50	Very High

Finally, an overall vulnerability score is assigned for each water system by combining each of the contaminant risk scores with the natural susceptibility score:

$$\begin{aligned}
 &\text{Natural Susceptibility (0 – 50 points)} \\
 &\quad + \\
 &\quad \text{Contaminant Risks (0 – 50 points)} \\
 &\quad = \\
 &\quad \text{Vulnerability of the} \\
 &\quad \text{Drinking Water Source to Contamination (0 – 100)}.
 \end{aligned}$$

Again, rankings are assigned according to a point score:

Overall Vulnerability Ratings	
80 to 100 pts	Very High
60 to < 80 pts	High
40 to < 60 pts	Medium
< 40 pts	Low

Table 4 contains the overall vulnerability scores (0 – 100) and ratings for each of the six categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability

Category	Score	Rating
Bacteria and Viruses	65	High
Nitrates and Nitrites	65	High
Volatile Organic Chemicals	65	High
Heavy Metals, Cyanide and		
Other Inorganic Chemicals	65	High
Synthetic Organic Chemicals	65	High
Other Organic Chemicals	65	High

Bacteria and Viruses

The contaminant risk for bacteria and viruses is **Very High**. The risk is primarily attributed to the presence of a domestic wastewater treatment plant disposal ponds/lagoons and landfills in Zones A, B, and C (see Table 2 – Appendix B).

No positive bacteria counts have been reported in recent (within five years) sampling events (See Chart 3 – Contaminant Risks for Bacteria and Viruses in Appendix D). Only a small amount of bacteria and viruses are required to endanger public health.

After combining the contaminant risk for bacteria and viruses with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **High**.

Nitrates and Nitrites

The contaminant risk for nitrates and nitrites is **Very High**. The risk to this source of public drinking water is primarily attributed to the presence of domestic wastewater treatment plant disposal ponds/lagoons in Zones A, B, and C and landfills located in Zone C (see Table 3 – Appendix B).

Nitrates are very mobile, moving at approximately the same rate as water. The sampling history for this well indicates that nitrates have not been detected in recent sampling events. Nitrate concentrations in uncontaminated groundwater are typically less than 2 mg/L; therefore, nitrate concentrations above 2 mg/L may be indicative of man-made sources (See Chart 5 - Contaminant Risks for Nitrates and/or Nitrites in Appendix D).

Nitrate levels are often derived from the decomposition of organic matter in soils. Although the nitrate source is unknown, such occurrences may be attributed to septic systems or other sources. After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the well, the overall vulnerability of the well to nitrate and nitrite contamination is **High**.

Volatile Organic Chemicals

The contaminant risk for volatile organic chemicals is **Very High**. The risk is primarily attributed to the presence of an ADEC recognized contaminated site, petroleum product bulk station/terminals, airports, and landfills located in Zones A and C. Numerous other potential contaminant sources are also found within the protection area (see Table 4 – Appendix B).

Detectable concentrations of trihalomethanes were reported in sampling events for this public water system. However, the detectable concentrations of trihalomethanes reported in 2000 were well below the MCL of 0.08 mg/L. Trihalomethanes are considered byproducts of the water treatment process and are not from the source waters. Since the reported concentration of TTHM's in recent sampling events did not exceed the applicable MCLs, risk points were not retained.

Aside from being byproducts of the drinking water treatment process, possible sources of volatile organic chemicals include facilities with automobiles, residential areas, fuel tanks, roads, and airports. See Table 4 in Appendix D for a complete listing.

After combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **High**.

Heavy Metals, Cyanide and Other Inorganic Chemicals

The contaminant risk for heavy metals, cyanide and other inorganic chemicals is **Very High**. The risk is primarily attributed to the presence of landfills located in Zone C. Numerous other potential contaminant sources are also found within the protection area (see Table 5 – Appendix B).

Moderate levels of copper and lead have been detected in recent sampling history, but have not exceeded their respective MCLs of 1.3 mg/L and 0.015 mg/L (see Chart 9 – Contaminant Risks for Heavy Metals, Cyanide, and Other Inorganic Chemicals in Appendix D).

The reported concentrations of copper and lead in recent sampling events are not likely to be representative of source water conditions. These two analytes are likely attributed to either the water treatment process or water distribution network; therefore, no risk points were assigned based on the presence of these analytes.

After combining the contaminant risk for heavy metals, cyanide and other inorganic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **High**.

Synthetic Organic Chemicals

The contaminant risk for synthetic organic chemicals is **Very High**. The risk is primarily attributed to the presence of landfills in Zone C. Numerous other potential contaminant sources are also found within the protection area (see Table 6 – Appendix B).

No recent sampling data was available in ADEC records for the Hooper Bay Washeteria (See Chart 11 – Contaminant Risks for Synthetic Organic Chemicals in Appendix D).

After combining the contaminant risk for synthetic organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **High**.

Other Organic Chemicals

The contaminant risk for other organic chemicals is **Very High**. The risk is primarily attributed to the presence of petroleum product bulk stations/terminals, electric power generation, and landfills located in Zones A and C. Numerous other potential contaminant sources are also found within the protection area (see Table 7 – Appendix B).

No recent sampling data was available in ADEC records for the Hooper Bay Washeteria (See Chart 13 – Contaminant Risks for Other Organic Chemicals in Appendix D).

After combining the contaminant risk for other organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is **High**.

Using the Source Water Assessment

This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of the community of Hooper Bay to protect public health. It is anticipated that Source Water Assessments will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of the drinking water source.


REFERENCES

- Alaska Department of Community and Economic Development (ADCED), 2003 [WWW document]. URL: http://www.dced.state.ak.us/cbd/commdb/CF_COMDB.htm
- Alaska Department of Environmental Conservation, Contaminated Sites Database, 2003 [WWW database], URL http://www.state.ak.us/dec/dspar/csites/cs_search.htm
- Alaska Department of Environmental Conservation, Leaking Underground Storage Tank Database, 2003 [WWW database], URL http://www.dec.state.ak.us/spar/stp/ust/search/fac_search.asp
- Dames & Moore. 1993, Final Report, Sanitation Facilities Improvement Plan for Hooper Bay, Alaska.
- Freeze, R. A., and Cherry, J.A. 1979, Groundwater, Prentice-Hall, Englewood Cliffs, New Jersey
- United States Environmental Protection Agency (EPA), 2002 [WWW document]. URL <http://www.epa.gov/safewater/mcl.html>.

APPENDIX A

Drinking Water Protection Area Location Map (Map A)

Public Water Well System for PWS #271279.001 Hooper Bay Washteria



LEGEND

- Public Water System Well

Hydrography/Physical

- Parcels
- Stream
- Lake or Pond
- Contours

Transportation

- Primary Route (Class 1)
- Secondary Route (Class 2)
- Road (Class 3)
- Road (Class 4)
- Road (Class 5, Four-wheel drive)

Groundwater Protection Zones

- Zone A Protection Area- Several Months Travel Time
- Zone B Protection Area- 2 Years Travel Time
- Zone C Protection Area- 5 Years Travel Time
- Zone D Protection Area- 10 Years Travel Time



Data Sources:
 Contaminant Sources, Public Water System Wells, Contours
 Alaska Department of Environmental Conservation (ADEC)

Critical Facilities, Federal Emergency Management Agency (FEMA)

All other data:
 United States Geological Survey (USGS)

Drinking Water Protection Areas based on "Alaska Drinking Water Protection Program - Guidance Manual for Class B Public Water Systems" published by ADEC

URS Corporation does not guarantee the accuracy or validity of the data provided.



Hooper Bay Washteria
 PWS 271279.001
 Appendix A Map A

APPENDIX B

Contaminant Source Inventory and Risk Ranking (Tables 1-7)

Table 1

**Contaminant Source Inventory for
Hooper Bay Washeteria**

PWSID 271279.001

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Map Number	Comments
Laundromats without dry cleaning	C22	C22-01	A	C	
Motor /motor vehicle repair shops	C31	C31-01	A	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	C	
Pit toilets (open hole), nonresidential (one or more)	D16	D16-01	A	C	Assume 3 or less honeybucket pits in Zone A
Septic systems (serves one single-family home)	R02	R02-01	A	C	Assume 25 or less residential septic systems in Zone A
Tanks, heating oil, residential (above ground)	R08	R08-01	A	C	Assume 200 or less residential heating oil tanks in Zone A
Tanks, heating oil, nonresidential (aboveground)	T14	T14-01	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-02	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-03	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-04	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-05	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-06	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-07	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-08	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-09	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-10	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-11	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-12	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-13	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-14	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-15	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-16	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-17	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-18	A	C	

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-19	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-20	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-21	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-22	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-23	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-24	A	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-25	A	C	
Wastewater Holding Tank	T22	T22-01	A	C	Assume 175 or less wastewater holding tanks in Zone A
Contaminated sites, DEC recognized, non-Superfund, non-RCRA	U04	U04-01	A	C	Sea Lion Corporation Tank Farm #7, RecKey #1994250106401, Status: Closed, pipe plug removed from top of tank, each time day tank filled, fuel overflowed.
Water supply wells	W09	W09-01	A	C	1 water supply well in Zone A
Municipal or city parks (with green areas)	X04	X04-01	A	C	
Petroleum product bulk station/terminals	X11	X11-01	A	C	
Petroleum product bulk station/terminals	X11	X11-03	A	C	
Petroleum product bulk station/terminals	X11	X11-04	A	C	
Airports	X14	X14-01	A	C	
Airports	X14	X14-01	A	C	
Highways and roads, dirt/gravel	X24	X24-01	A	C	Assume 1-20 roads in Zone A
Electric power generation (fossil fuels)	X36	X36-01	A	C	
Firehouses	X38	X38-01	A	C	
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	C	
Tanks, heating oil, residential (above ground)	R08	R08-02	B	C	Assume 20 or less residential heating oil tanks in Zone B
Tanks, heating oil, nonresidential (aboveground)	T14	T14-26	B	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-27	B	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-28	B	C	

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-29	B	C	
Wastewater Holding Tank	T22	T22-02	B	C	Assume 20 or less wastewater holding tanks in Zone B
Water supply wells	W09	W09-02	B	C	1 water supply well in Zone B
Cemeteries	X01	X01-01	B	C	
Highways and roads, dirt/gravel	X24	X24-02	B	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	C	
Landfills (municipal; Class III)	D51	D51-01	C	C	
Landfills (municipal; Class III)	D51	D51-01	C	C	
Petroleum product bulk station/terminals	X11	X11-02	C	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Bacteria and Viruses*

PWSID 271279.001

Table 2

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Laundromats without dry cleaning	C22	C22-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	High	C	
Pit toilets (open hole), nonresidential (one or more)	D16	D16-01	A	Medium	C	Assume 3 or less honeybucket pits in Zone A
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Wastewater Holding Tank	T22	T22-01	A	Low	C	Assume 175 or less wastewater holding tanks in Zone A
Municipal or city parks (with green areas)	X04	X04-01	A	Medium	C	
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	Medium	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	High	C	
Wastewater Holding Tank	T22	T22-02	B	Low	C	Assume 20 or less wastewater holding tanks in Zone B
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	High	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Nitrates/Nitrites*

PWSID 271279.001

Table 3

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Laundromats without dry cleaning	C22	C22-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	High	C	
Pit toilets (open hole), nonresidential (one or more)	D16	D16-01	A	Medium	C	Assume 3 or less honeybucket pits in Zone A
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Wastewater Holding Tank	T22	T22-01	A	Low	C	Assume 175 or less wastewater holding tanks in Zone A
Municipal or city parks (with green areas)	X04	X04-01	A	Medium	C	
Airports	X14	X14-01	A	Low	C	
Airports	X14	X14-01	A	Low	C	
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	High	C	
Wastewater Holding Tank	T22	T22-02	B	Low	C	Assume 20 or less wastewater holding tanks in Zone B
Cemeteries	X01	X01-01	B	Medium	C	
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	High	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	

Table 4

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Volatile Organic Chemicals*

PWSID 271279.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Laundromats without dry cleaning	C22	C22-01	A	Low	C	
Motor /motor vehicle repair shops	C31	C31-01	A	Medium	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	Low	C	
Pit toilets (open hole), nonresidential (one or more)	D16	D16-01	A	Low	C	Assume 3 or less honeybucket pits in Zone A
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Tanks, heating oil, residential (above ground)	R08	R08-01	A	Medium	C	Assume 200 or less residential heating oil tanks in Zone A
Tanks, heating oil, nonresidential (aboveground)	T14	T14-01	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-02	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-03	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-04	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-05	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-06	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-07	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-08	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-09	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-10	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-11	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-12	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-13	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-14	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-15	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-16	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-17	A	Low	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Volatile Organic Chemicals*

PWSID 271279.001

Table 4 (continued)

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-18	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-19	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-20	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-21	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-22	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-23	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-24	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-25	A	Low	C	
Wastewater Holding Tank	T22	T22-01	A	Medium	C	Assume 175 or less wastewater holding tanks in Zone A
Contaminated sites, DEC recognized, non-Superfund non-RCRA	U04	U04-01	A	High	C	Sea Lion Corporation Tank Farm #7, RecKey #1994250106401, Status: Closed, pipe plug removed from top of tank, each time day tank filled, fuel overflowed.
Petroleum product bulk station/terminals	X11	X11-01	A	Very High	C	
Petroleum product bulk station/terminals	X11	X11-03	A	Very High	C	
Petroleum product bulk station/terminals	X11	X11-04	A	Very High	C	
Airports	X14	X14-01	A	High	C	
Airports	X14	X14-01	A	High	C	
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Electric power generation (fossil fuels)	X36	X36-01	A	Medium	C	
Firehouses	X38	X38-01	A	Low	C	
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	Low	C	
Tanks, heating oil, residential (above ground)	R08	R08-02	B	Medium	C	Assume 20 or less residential heating oil tanks in Zone B
Tanks, heating oil, nonresidential (aboveground)	T14	T14-26	B	Low	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Volatile Organic Chemicals*

PWSID 271279.001

Table 4 (continued)

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-27	B	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-28	B	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-29	B	Low	C	
Wastewater Holding Tank	T22	T22-02	B	Medium	C	Assume 20 or less wastewater holding tanks in Zone B
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	Low	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	
Petroleum product bulk station/terminals	X11	X11-02	C	Very High	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria*

PWSID 271279.001

Table 5

Sources of Heavy Metals, Cyanide and Other Inorganic Chemicals

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Motor /motor vehicle repair shops	C31	C31-01	A	Medium	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	Low	C	
Pit toilets (open hole), nonresidential (one or more)	D16	D16-01	A	Low	C	Assume 3 or less honeybucket pits in Zone A
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Tanks, heating oil, nonresidential (aboveground)	T14	T14-01	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-02	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-03	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-04	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-05	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-06	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-07	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-08	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-09	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-10	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-11	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-12	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-13	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-14	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-15	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-16	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-17	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-18	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-19	A	Low	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria*

PWSID 271279.001

Table 5 (continued)

Sources of Heavy Metals, Cyanide and Other Inorganic Chemicals

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-20	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-21	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-22	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-23	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-24	A	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-25	A	Low	C	
Wastewater Holding Tank	T22	T22-01	A	Medium	C	Assume 175 or less wastewater holding tanks in Zone A
Contaminated sites, DEC recognized, non-Superfund non-RCRA	U04	U04-01	A	Low	C	Sea Lion Corporation Tank Farm #7, RecKey #1994250106401, Status: Closed, pipe plug removed from top of tank, each time day tank filled, fuel overflowed.
Municipal or city parks (with green areas)	X04	X04-01	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-01	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-03	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-04	A	Low	C	
Airports	X14	X14-01	A	Low	C	
Airports	X14	X14-01	A	Low	C	
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Electric power generation (fossil fuels)	X36	X36-01	A	Medium	C	
Firehouses	X38	X38-01	A	Low	C	
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-26	B	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-27	B	Low	C	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-28	B	Low	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria*

PWSID 271279.001

Table 5 (continued)

Sources of Heavy Metals, Cyanide and Other Inorganic Chemicals

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Tanks, heating oil, nonresidential (aboveground)	T14	T14-29	B	Low	C	
Wastewater Holding Tank	T22	T22-02	B	Medium	C	Assume 20 or less wastewater holding tanks in Zone B
Cemeteries	X01	X01-01	B	Low	C	
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	Low	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	
Landfills (municipal; Class III)	D51	D51-01	C	High	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Synthetic Organic Chemicals*

PWSID 271279.001

Table 6

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	Low	C	
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Contaminated sites, DEC recognized, non-Superfund non-RCRA	U04	U04-01	A	Low	C	Sea Lion Corporation Tank Farm #7, RecKey #1994250106401, Status: Closed, pipe plug removed from top of tank, each time day tank filled, fuel overflowed.
Municipal or city parks (with green areas)	X04	X04-01	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-01	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-03	A	Low	C	
Petroleum product bulk station/terminals	X11	X11-04	A	Low	C	
Airports	X14	X14-01	A	Medium	C	
Airports	X14	X14-01	A	Medium	C	
Medical/veterinary facilities (doctor or dentist offices, hospitals, nursing homes)	X40	X40-01	A	Low	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	Low	C	
Cemeteries	X01	X01-01	B	Medium	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	Low	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	

*Contaminant Source Inventory and Risk Ranking for
Hooper Bay Washeteria
Sources of Other Organic Chemicals*

PWSID 271279.001


Table 7

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Motor /motor vehicle repair shops	C31	C31-01	A	Medium	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-01	A	Low	C	
Septic systems (serves one single-family home)	R02	R02-01	A	Low	C	Assume 25 or less residential septic systems in Zone A
Wastewater Holding Tank	T22	T22-01	A	Medium	C	Assume 175 or less wastewater holding tanks in Zone A
Contaminated sites, DEC recognized, non-Superfund non-RCRA	U04	U04-01	A	Low	C	Sea Lion Corporation Tank Farm #7, RecKey #1994250106401, Status: Closed, pipe plug removed from top of tank, each time day tank filled, fuel overflowed.
Petroleum product bulk station/terminals	X11	X11-01	A	High	C	
Petroleum product bulk station/terminals	X11	X11-03	A	High	C	
Petroleum product bulk station/terminals	X11	X11-04	A	High	C	
Airports	X14	X14-01	A	Medium	C	
Airports	X14	X14-01	A	Medium	C	
Highways and roads, dirt/gravel	X24	X24-01	A	Low	C	Assume 1-20 roads in Zone A
Electric power generation (fossil fuels)	X36	X36-01	A	High	C	
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-02	B	Low	C	
Wastewater Holding Tank	T22	T22-02	B	Medium	C	Assume 20 or less wastewater holding tanks in Zone B
Highways and roads, dirt/gravel	X24	X24-02	B	Low	C	Assume 1-20 roads in Zone B
Domestic wastewater treatment plant disposal ponds/lagoons	D02	D02-03	C	Low	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	
Landfills (municipal; Class III)	D51	D51-01	C	Very High	C	
Petroleum product bulk station/terminals	X11	X11-02	C	High	C	

APPENDIX C



Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map C)

**Public Water Well System for PWS #271279.001 Hooper Bay Washeteria
Showing Potential and Existing Sources of Contamination**



LEGEND

- Public Water System Well
- Groundwater Protection Zones**
- Zone A – Several Months Travel Time
 - Zone B – Less Than 2 Years Travel Time
 - Zone C – Less Than 5 Years Travel Time
 - Zone D – Less Than 10 Years Travel Time
- | | |
|-----------------------------|----------------------------------|
| Hydrography/Physical | Transportation |
| Parcels | Primary Route (Class 1) |
| Stream | Secondary Route (Class 2) |
| Lake or Pond | Road (Class 3) |
| Contours | Road (Class 4) |
| | Road (Class 5, Four-wheel drive) |
| | Road Ferry Crossing |
- Existing or Potential Contaminant Sources**
- Laundromat without dry cleaning (C22)
 - Motor/motor vehicle repair shops (C31)
 - Tanks, heating oil, nonresidential (aboveground) (T14)
 - Contaminated sites, DEC recognized, non-Superfund, non-RCRA (U04)
 - Cemetery (X01)
 - Municipal or City Park (X04)
 - Petroleum product bulk station/terminals (X11)
 - Electric power generation (fossil fuels) (X36)
 - Firehouses (X38)
 - Medical/veterinary facilities (X40)
 - Domestic wastewater treatment plant disposal pond (D02)
 - Landfills (Municipal, Class III) (D51)
 - Airport (X14)
- Data Sources:**
- Contaminant Sources, Public Water System Wells, Contours Alaska Department of Environmental Conservation (ADEC)
 - Critical Facilities, Federal Emergency Management Agency (FEMA)
- All other data:**
- United States Geological Survey (USGS)
 - Drinking Water Protection Areas based on "Alaska Drinking Water Protection Program - Guidance Manual for Class A Public Water Systems" published by ADEC
- URS Corporation does not guarantee the accuracy or validity of the data provided.



APPENDIX D

Vulnerability Analysis for Public Drinking Water Source (Charts 1-14)

Chart 1. Susceptibility of the wellhead - Hooper Bay Washeteria (PWS No.271279.001)




Chart 2. Susceptibility of the aquifer Hooper Bay Washeteria (PWS No.271279.001)




Chart 3. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Bacteria & Viruses




Chart 3. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Bacteria & Viruses






Chart 4. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Bacteria & Viruses




Chart 5. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Nitrates and Nitrites




Chart 5. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Nitrates and Nitrites




Chart 5. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Nitrates and Nitrites




Chart 6. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Nitrates and Nitrites




Chart 7. Contaminant risks for Hooper Bay Wastewateria (PWS No.271279.001) - Volatile Organic Chemicals




Chart 7. Contaminant risks for Hooper Bay Wastewater (PWS No.271279.001) - Volatile Organic Chemicals





Chart 7. Contaminant risks for Hooper Bay Wastewater (PWS No.271279.001) - Volatile Organic Chemicals




Chart 8. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Volatile Organic Chemicals




Chart 9. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 9. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals






Chart 9. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 10. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 11. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Synthetic Organic Chemicals




Chart 11. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Synthetic Organic Chemicals




Chart 11. Contaminant risks for Hooper Bay Wastewater (PWS No.271279.001) - Synthetic Organic Chemicals




Chart 12. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Synthetic Organic Chemicals




Chart 13. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Other Organic Chemicals





Chart 13. Contaminant risks for Hooper Bay Washeteria (PWS No.271279.001) - Other Organic Chemicals



What level of risk is associated with the highest and the next highest risk sources(s) of contaminants identified in Zones A, B and C?

+ 50 pts

Risk Levels for Contaminant Sources identified in Zones A, B and C			
	Zone A	Zones B&C	Total
Very High(s)	0	2	2
High(s)	5	0	5
Medium(s)	4	1	5
Low(s)	204	23	227

	LOW 10 pts	MEDIUM 20 pts	HIGH 30 pts	VERY HIGH 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	---
MEDIUM	---	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	---	---	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	---	---	---	≥ 1 source + 10 pts

Matrix Score 50

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

Chart 13. Contaminant risks for Hooper Bay Wastewater Treatment Plant (PWS No.271279.001) - Other Organic Chemicals




Chart 14. Vulnerability analysis for Hooper Bay Washeteria (PWS No.271279.001) - Other Organic Chemicals

