

Source Water Assessment

A Hydrogeologic Susceptibility and
Vulnerability Assessment for
Highland Trailer Court
Drinking Water System,
Kenai, Alaska

PWSID 240503.001

May 2004

DRINKING WATER PROTECTION PROGRAM REPORT 1515
Alaska Department of Environmental Conservation

Source Water Assessment for Highland Trailer Court Drinking Water System Kenai, Alaska

May 2004

DRINKING WATER PROTECTION PROGRAM REPORT 1515

The Drinking Water Protection Program (DWPP) is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

CONTENTS

	Page		Page
Executive Summary	1	Inventory of Potential and Existing Contaminant Sources	2
Highland Trailer Court Public Drinking Water System	1	Ranking of Contaminant Risks	2
Highland Trailer Court Protection Area	1	Vulnerability of Highland Trailer Court Drinking Water System	3
	1	References	7

TABLES

TABLE	1. Definition of Zones	2
	2. Susceptibility	3
	3. Contaminant Risks	4
	3. Overall Vulnerability	4

APPENDICES

APPENDIX	A. Highland Trailer Court Drinking Water Protection Area (Map 1)
	B. Contaminant Source Inventory for Highland Trailer Court (Table 1)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Bacteria and Viruses (Table 2)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Nitrates/Nitrites (Table 3)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Volatile Organic Chemicals (Table 4)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Heavy Metals, Cyanide, and Other Inorganic Chemicals (Table 5)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Synthetic Organic Chemicals (Table 6)
	Contaminant Source Inventory and Risk Ranking for Highland Trailer Court– Other Organic Chemicals (Table 7)
	C. Highland Trailer Court Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)
	D. Vulnerability Analysis for Contaminant Source Inventory and Risk Ranking for Highland Trailer Court Public Drinking Water Source (Charts 1 – 14)

Source Water Assessment for Highland Trailer Court Source of Public Drinking Water, Kenai area, Alaska

Drinking Water Protection Program Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The public water system for Highland Trailer Court is a Class A (Community) water system currently consisting of one well located approximately 1000 feet off of the Kenai Spur Highway. The well received a susceptibility rating of **Low** and the aquifer received a susceptibility rating of **Very High**. Combining these two ratings produces a **Medium** rating for the natural susceptibility of the well. Identified potential and current sources of contaminants for the Highland Trailer Court include: residential areas, residential septic systems, roads and logging areas. These identified potential and existing sources of contamination are considered as sources of bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, inorganic chemicals, synthetic organic chemicals and other organic chemicals. Overall, the Highland Trailer Court received a vulnerability rating of **Medium** for nitrates/nitrites, volatile organic chemicals, inorganic chemicals and other organic chemicals and **Low** for bacteria/ viruses, synthetic organic chemicals.

HIGHLAND TRAILER COURT- PUBLIC DRINKING WATER SYSTEM

The Highland Trailer Court public water system (PWS) is a Class A (Community) water system. The system currently consists of one well located approximately 1000 feet from Kenai Spur Highway (See Map 1 of Appendix A).

The Highland Trailer Court is located in the Kenai Peninsula Borough, which is located directly south of the city of Anchorage (Please see the inset of Map 1 in Appendix A for location). The borough encompasses 25,600 square miles, of which only 15,700 square miles is land.

The Kenai Peninsula is broken into two distinct geographic areas; the Kenai Mountains and the Kenai Lowlands. Kenai and its surrounding communities are located in the Kenai Lowlands. Communities located within the Kenai Lowlands include Sterling, Soldotna, Kenai, Kenai, Clam Gulch, Ninilchik, and Homer.

The Kenai Peninsula area topography varies from about 3,000 feet to 5,000 feet above sea level in the Kenai Mountains, the highest point being about 6,400 feet above sea level. The Kenai Peninsula is dotted with many lakes and small streams, including three large lakes (Kenai Lake, Skilak Lake, and Tustumena Lake) and two substantial rivers (Kenai River, and Kasilof River) (USGS 1915).

The Highland Trailer Court water system is located within the Kenai Lowlands, which is a sub-province of the Cook Inlet-Susitna Lowland physiographic region. The Kenai Lowland is a glaciated coastal shelf situated west of the northeast-trending Kenai Mountains. Approximately 100 miles long, the coastal shelf is bordered on the west by Cook Inlet, on the east by Kenai Mountains, on the north by Turnagain Arm, and on the south by the Caribou Hills and Kachemak Bay. The following summary of regional geology and hydrogeology is based on studies by Bailey and Hogan (1995); Freethey and Scully (1980); Glass (1996); Hartman, et al. (1972); and Karlstrom (1964).

The Kenai Lowland is underlain by bedrock. Tertiary sedimentary bedrock is more than 500 feet below the city of Kenai airport, but is exposed along beach cliffs and road cuts near the southwest end of the lowland. Unconsolidated surficial deposits of Quaternary age include coastal deposits, glaciolacustrine deposits, glaciofluvial deposits, glacial moraine deposits, and periglacial wind deposits. Unconsolidated Quaternary cover on the lowlands generally thickens from south to North being thin or absent in the Homer area, and over 750 feet thick near Kenai.

The most significant groundwater resources of the Kenai Lowlands are contained in Quaternary coarse-grained sands and gravels. Flood plain, river terrace and other alluvial deposits are common aquifer materials in the area, and are characterized by high rates of recharge, and large saturated thicknesses. Other favorable materials include proglacial lake and associated river deposits and glacial outwash deposits consisting of meltwater sorted sand and gravel material. Unsorted glacial moraine and drift deposits generally have poor groundwater yields, as do discontinuous layers of confining clays and silt that are common throughout the unconsolidated materials. The relatively

thicker sequence of unconsolidated sediments in the northern portions of the Kenai Lowlands locally hosts thicker, more extensive clay aquitards and multiple aquifers.

The Kenai Peninsula area has a central water system; however, many homes and businesses in the area rely on individual wells for their water supply. Most of these wells are deep with depths between 50 and 200 feet. Static water levels in many of these wells are between 10 and 30 feet below the surface. Although groundwater quality can vary significantly in short distance, groundwater supplies are abundant in the area.

The Sanitary Survey (2002) indicates that the wellhead is protected with a sanitary seal. A properly installed sanitary seal may provide protection against contaminant from entering the source waters at the casing. The well is not located in a floodplain. The land surface is sloped away from the casing. Since the well was drilled prior to grouting regulations, it is assumed that it is not grouted. Proper grouting provides added protection against contaminants traveling along the well casing and into source waters.

This system operates year round and serves up to 100 non-residents through 44 service connection.

HIGHLAND TRAILER COURT WATER DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the groundwater. These areas are determined by looking at the characteristics of the soil, groundwater, aquifer, and well.

The most probable area for contamination to reach the drinking water well is the area that contributes water to the well, the groundwater recharge area. This area is designated as the drinking water protection area (DWPA). Because releases of contaminants within the protection area are most likely to impact the drinking water well, this area will serve as the focus for voluntary protection efforts.

An analytical calculation was used to determine the size and shape of the DWPA for Highland Trailer Court. The input parameters describing the attributes of the aquifer in this calculation were adopted from Groundwater (*Freeze and Cherry 1979*). Available geology and groundwater contours were also considered to take into account any uncertainties in groundwater flow and aquifer characteristics to arrive at a meaningful protection area.

The protection areas established for wells by the ADEC are usually separated into four zones, limited by the watershed. These zones correspond to differences in the time-of-travel (TOT) of the water moving through the aquifer to the well (Please refer to the Guidance Manual for Class A Public Water Systems for additional information).

The time of travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. The following is a summary of the four protection area zones for wells and the calculated time-of-travel for each:

Table 1. Definition of Zones

Zone	Definition
A	¼ the distance for the 2-yr. time-of-travel
B	Less than 2 years time-of-travel
C	Less than 5 years time-of-travel
D	Less than 10 years time-of-travel

The DWPA for the Highland Trailer Court was determined using an analytical calculation and includes Zone A, B, C, and D (See Map 1 of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Highland Trailer Court DWPA. This inventory was completed through a search of agency records and other publicly available information. Potential sources of contamination to the drinking water aquifer include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development. For the basis of all Class A public water system assessments, six categories of drinking water contaminants were inventoried. They include:

- Bacteria and viruses;
- Nitrates and/or nitrites;
- Volatile organic chemicals;
- Heavy metals, cyanide, and other inorganic chemicals;
- Synthetic organic chemicals; and
- Other organic chemicals.

The sources are displayed on Map 1 of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are assigned a ranking according to what type and level of risk they represent. Ranking of contaminant risks for a “potential” or “existing” source of contamination is a function of toxicity and volumes of specific contaminants associated with that source. Rankings include:

- Low;
- Medium;
- High; and
- Very High.

The time-of-travel for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. Bacteria and Viruses are only inventoried in Zones A and B because of their short life span. Only “Very High” and “High” rankings are inventoried within the outer Zone D due to the probability of contaminant dilution by the time the contaminants get to the well.

Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, volatile organic chemicals, inorganic chemicals, synthetic organic chemicals and other organic chemicals.

VULNERABILITY OF HIGHLAND TRAILER COURT DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural susceptibility; and
- Contaminant risks.

Appendix D contains eight charts, which together form the ‘Vulnerability Analysis’ for a source water assessment for a public drinking water source. Chart 1 analyzes the ‘Susceptibility of the Wellhead’ to contamination by looking at the construction of the well and its surrounding area. Chart 2 analyzes the ‘Susceptibility of the Aquifer’ to contamination by looking at the naturally occurring attributes of the water source and influences on the groundwater system that might lead to contamination. Chart 3 analyzes ‘Contaminant Risks’ for the drinking water source with respect to bacteria and viruses. The ‘Contaminant Risks’ portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the well. Lastly, Chart 4 contains the ‘Vulnerability Analysis for Bacteria and Viruses’. Charts 5 through 14 contain the Contaminant Risks and Vulnerability Analyses for nitrates and

nitrites, volatile organic chemicals, heavy metals, cyanide, and other inorganic chemicals, synthetic organic chemicals, and other organic chemicals, respectively.

A score for the Natural Susceptibility is reached by considering the properties of the well and the aquifer.

Susceptibility of the Wellhead (0 – 25 Points)
(Chart 1 of Appendix D)

+

Susceptibility of the Aquifer (0 – 25 Points)
(Chart 2 of Appendix D)

=

Natural Susceptibility (Susceptibility of the Well)
(0 – 50 Points)

A ranking is assigned for the Natural Susceptibility according to the point score:

Natural Susceptibility Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

The well log is unavailable. The depth of the well is reported to be 97 feet below ground surface (bgs). The well is completed in a semi-confined aquifer. Well logs from the area indicate a discontinuous confining layer approximately from 25-50 feet is present.

The confining layer provides protection from the movement of contaminants in the subsurface. However, wells penetrating the confining layers upgradient from the well and areas where the confining layer disappears reduce the protectiveness of the confining layer.

Table 2 shows the Susceptibility scores and ratings for the Highland Trailer Court.

Table 2. Susceptibility

	Score	Rating
Susceptibility of the Wellhead	5	Low
Susceptibility of the Aquifer	21	Very High
Natural Susceptibility	26	Medium

Contaminant Risk Ratings	
40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

Overall Vulnerability Ratings	
80 to 100 pts	Very High
60 to < 80 pts	High
40 to < 60 pts	Medium
< 40 pts	Low

Contaminant risks to a drinking water source depend on the type, number or density, and distribution of contaminant sources. This score has been derived from an examination of existing and historical contamination that has been detected at the drinking water source through routine sampling. It also evaluates potential sources of contamination. Flow charts are used to assign a point score, and ratings are assigned in the same way as for the natural susceptibility:

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants..

Table 3. Contaminant Risks

Category	Score	Rating
Bacteria and Viruses	2	Low
Nitrates and/or Nitrites	21	Low
Volatile Organic Chemicals	15	Low
Heavy Metals, Cyanide, and Other Inorganic Chemicals	50	Very High
Synthetic Organic Chemicals	12	Low
Other Organic Chemicals	25	Medium

Finally, an overall vulnerability score is assigned for each water system by combining each of the contaminant risk scores with the natural susceptibility score:

$$\begin{aligned}
 &\text{Natural Susceptibility (0 – 50 points)} \\
 &\quad + \\
 &\quad \text{Contaminant Risks (0 – 50 points)} \\
 &\quad = \\
 &\quad \text{Vulnerability of the} \\
 &\quad \text{Drinking Water Source to Contamination (0 – 100).}
 \end{aligned}$$

Again, rankings are assigned according to a point score:

Table 4 contains the overall vulnerability scores (0 – 100) and ratings for each of the three categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability

Category	Score	Rating
Bacteria and Viruses	30	Low
Nitrates and Nitrites	45	Medium
Volatile Organic Chemicals	40	Medium
Heavy Metals, Cyanide, and Other Inorganic Chemicals	50	Medium
Synthetic Organic Chemicals	35	Low
Other Organic Chemicals	50	Medium

Bacteria and Viruses

Residential areas, residential septic systems and roads represent the greatest risk for bacteria and viruses to this drinking water well.

Only a small amount of bacteria and viruses are required to endanger public health. Coli forms are found naturally in the environment and although they aren't necessarily a health threat, it is an indicator of other potentially harmful bacteria in the water, more specifically, fecal coliforms and E. coli which only come from human and animal fecal waste (EPA, 2002). Harmful bacteria can cause diarrhea, cramps, nausea, headaches, or other symptoms (EPA, 2002). Sampling has not detected bacteria or viruses within source waters.

After combining the contaminant risk for bacteria and viruses with the natural susceptibility of the well, the overall vulnerability of the well to contamination is low.

Nitrates and Nitrites

Residential area, residential septic systems and roads represent the greatest risk to nitrates and nitrites for this source of public drinking water.

Nitrates are very mobile, moving at approximately the same rate as water. The sampling history for the Highland Trailer Court well indicates that nitrate concentrations have ranged from 0.919 mg/l to 1.43 mg/l. The reported nitrate concentrations suggest that the nitrate concentrations are attributed to natural

sources. Nitrate concentrations in uncontaminated groundwater are typically less than 2 mg/l therefore, nitrate concentrations above 2 mg/L may be indicative of man-made sources. The most recent nitrate level detected was 18% (0.143 mg/L) of the Maximum Contaminant Level (MCL) of 10 mg/L. The MCL is the maximum level of contaminant that is allowed to exist in drinking water and still be consumed by humans without harmful health effects. Though existing nitrate contamination was detected at the site, recent data indicates that nitrate concentrations are safe with respect to human health.

After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the well, the overall vulnerability of the well to nitrate and nitrite contamination is medium.

Volatile Organic Chemicals

Residential areas, residential septic systems, taxi service and roads represent the greatest identified risk for volatile organic chemical contamination to the well.

Approximately 20% residents in the area typically heat their homes with various types of on-site fuel sources, including propane and heating oil stored in aboveground or underground storage tanks. Although this report does not address heating oil tanks (unless their location is known), they can pose a risk of volatile organic chemical contamination to drinking water sources. The most common causes of fuel leaks of these heating oil systems are overfilling the tank, ruptured fuel lines, leaking storage tanks, damaged or faulty valves and vandalism. Secondary containment around the tank and regular system maintenance can help prevent many of these harmful fuel leaks and help protect the drinking water supply.

Volatile Organic Chemicals have not been detected within source waters. After combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is medium.

Heavy Metals, Cyanide, and Other Inorganic Chemicals

Residential areas, residential septic systems, taxi service facility, roads and existing contamination represent the greatest risk for inorganic chemicals to the well.

Samplings of inorganic chemicals have detected arsenic at levels exceeding the current maximum contaminant levels (MCLs). The MCL is the maximum level of contaminant that is allowed to exist in drinking water and still be consumed by humans without harmful

health effects. The most recent detection of arsenic detected was 94.30% (0.00943mg/l) of the current MCL of 0.01mg/l. Prolonged exposure to levels exceeding the MCL can cause skin damage, problems with circulatory systems, and may create an increased risk of developing cancer (EPA, 2002).

After combining the contaminant risk for heavy metals, cyanide and other inorganic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is medium.

Synthetic Organic Chemicals

Residential area and residential septic systems represent the greatest risk for inorganic chemicals to the well.

Sampling for synthetic organic chemicals has not occurred. The system currently has an SOC waiver and is not required to sample.

After combining the contaminant risk for synthetic organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is low.

Other Organic Chemicals

Residential areas, residential septic systems and taxi service facilities represent the greatest risk for other organic chemicals to the well.

Sampling for other organic chemicals has not occurred. The system currently has an OOC waiver and is not required to sample.

After combining the contaminant risk for synthetic organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination is medium.

REFERENCES



- Alaska Department of Community and Economic Development (ADCED), 2002 [WWW document]. URL http://www.dced.state.ak.us/mra/CF_BLOCK.cfm.
- Alaska Department of Environmental Conservation, Contaminated Sites Database, 2003 [WWW database], URL http://www.state.ak.us/dec/dspar/csites/cs_search.htm
- Alaska Department of Environmental Conservation, Leaking Underground Storage Tank Database, 2003 [WWW database], URL http://www.dec.state.ak.us/spar/stp/ust/search/fac_search.asp
- Bailey, B.J., and Hogan, E.V., 1995 Overview of environmental and hydrogeologic conditions near Kenai, Alaska. U.S. Geological Survey Open-File Report 95-410, 18 p.
- Freethy, G.W., and Scully, D.R. 1980 Water Resources of the Cook Inlet Basin, Alaska. U.S. Geological Survey Hydrologic Investigation Atlas HA-620, prepared in cooperation with Alaska Water Study Committee, State of Alaska Department of Natural Resources, and Division of Geological and Geophysical Surveys.
- Freeze, R. A., and Cherry, J.A. 1979, Groundwater, Prentice-Hall, Englewood Cliffs, New Jersey
- Glass, Roy, L. 1996 Groundwater Conditions and Quality in the Western Part of the Kenai Peninsula, Southcentral Alaska. U.S. Geological Survey Open File Report 94-466, prepared in cooperation with the Alaska Department of Natural Resources, Kenai Peninsula Borough, and Kenai Soil and Water Conservation District.
- Hartman, D.C., Pessel, G.H., and McGee, D.I., 1972 Kenai Group of Cook Inlet Basin, Alaska: State of Alaska. Open File Report #49, Department of Natural Resources Division of Geological and Geophysical Surveys, 5p.
- Karlstrom, T.N.V. 1964 Quaternary geology of the Kenai Lowland and glacial history of the Cook Inlet region, Alaska. U.S. Geological Survey Professional Paper 443, 64 p.
- Kenai River Watershed, 2002 [WWW document]. URL http://www.kenai-watershed.org/spawning/kenai_river/kenai_river.html.
- Martin, G.C., Johnson, B.L., and Grant, 1915, Geology and mineral resources of Kenai Peninsula, Alaska: US Geological Survey Bulletin 587, 243 p., maps.
- United States Environmental Protection Agency (EPA), 2002 [WWW document]. URL <http://www.epa.gov/safewater/mcl.html>.

ACKNOWLEDGMENT

Source Water Assessments in the Kenai area were jointly prepared by ADEC-Drinking Water Protection Program and URS Corporation. The Drinking Water Protection Program would like to thank URS Corporation for their efforts in researching the area.


APPENDIX A

Highland Trailer Court Drinking Water Protection Area Location Map (Map 1)



Map 1- Highland Trailer Court Drinking Water Protection Area

PWSID: 240503.001



Data Sources:
Kenai Borough: Roads and parcels
63k Topographic map: USGS
Potential Sources of Contamination: ADEC

Legend	
	Class A Public Water System
	Zone A Protection Area
	Zone B Protection Area
	Zone C Protection Area
	Zone D Protection Area
	Roads
	Rivers and Streams

APPENDIX B

Contaminant Source Inventory and Risk Ranking for Highland Trailer Court (Tables 1-7)

Table 1

**Contaminant Source Inventory for
Highland Trailer Park**

PWSID 240503.001

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Map Number	Comments
Residential Areas	R01	R01-1	A	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	2	Zone A has 5 roads identified.
Taxi service/maintenance facilities	X34	X34-1	A	2	
Residential Areas	R01	R01-1	B	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	2	Zone B has 1 road identified.
Residential Areas	R01	R01-3	C	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	2	Zone C has 1 residential septic system identified.
Logging	E02	E02-1	D	2	Salamatof Native Association
Logging	E02	E02-2	D	2	Salamatof Native Association

Table 2

*Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park
Sources of Bacteria and Viruses*

PWSID 240503.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	Low	2	Zone A has 5 roads identified.
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	Low	2	Zone B has 1 road identified.

Table 3

*Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park
Sources of Nitrates/Nitrites*

PWSID 240503.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	Low	2	Zone A has 5 roads identified.
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	Low	2	Zone B has 1 road identified.
Residential Areas	R01	R01-3	C	Low	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	Low	2	Zone C has 1 residential septic system identified.
Logging	E02	E02-1	D	Low	2	Salamatof Native Association
Logging	E02	E02-2	D	Low	2	Salamatof Native Association

Table 4

Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park
Sources of Volatile Organic Chemicals

PWSID 240503.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	Low	2	Zone A has 5 roads identified.
Taxi service/maintenance facilities	X34	X34-1	A	Medium	2	
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	Low	2	Zone B has 1 road identified.
Residential Areas	R01	R01-3	C	Low	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	Low	2	Zone C has 1 residential septic system identified.
Logging	E02	E02-1	D	Low	2	Salamatof Native Association
Logging	E02	E02-2	D	Low	2	Salamatof Native Association

Table 5

Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park

PWSID 240503.001

Sources of Heavy Metals, Cyanide and Other Inorganic Chemicals

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	Low	2	Zone A has 5 roads identified.
Taxi service/maintenance facilities	X34	X34-1	A	Low	2	
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	Low	2	Zone B has 1 road identified.
Residential Areas	R01	R01-3	C	Low	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	Low	2	Zone C has 1 residential septic system identified.
Logging	E02	E02-1	D	Low	2	Salamatof Native Association
Logging	E02	E02-2	D	Low	2	Salamatof Native Association

Table 6

*Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park
Sources of Synthetic Organic Chemicals*

PWSID 240503.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Residential Areas	R01	R01-3	C	Low	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	Low	2	Zone C has 1 residential septic system identified.

Table 7


*Contaminant Source Inventory and Risk Ranking for
Highland Trailer Park
Sources of Other Organic Chemicals*

PWSID 240503.001

<i>Contaminant Source Type</i>	<i>Contaminant Source ID</i>	<i>CS ID tag</i>	<i>Zone</i>	<i>Risk Ranking for Analysis</i>	<i>Map Number</i>	<i>Comments</i>
Residential Areas	R01	R01-1	A	Low	2	Zone A has 14 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-1-2	A	Low	2	Zone A has 2 residential septic systems identified.
Highways and roads, paved (cement or asphalt)	X20	X20-1-5	A	Low	2	Zone A has 5 roads identified.
Taxi service/maintenance facilities	X34	X34-1	A	Medium	2	
Residential Areas	R01	R01-1	B	Low	2	Zone B has 0.5 residential acres
Septic systems (serves one single-family home)	R02	R02-3	B	Low	2	Zone B has 1 residential septic system
Highways and roads, paved (cement or asphalt)	X20	X20-6	B	Low	2	Zone B has 1 road identified.
Residential Areas	R01	R01-3	C	Low	2	Zone C has 3 residential acres identified.
Septic systems (serves one single-family home)	R02	R02-4	C	Low	2	Zone C has 1 residential septic system identified.


APPENDIX C

Highland Trailer Court Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)



Map 2-Highland Trailer Park: Potential and Existing Sources of Contamination


PWSID: 240503.001



0 2,000 4,000 Feet
 1:24,808
 Data Sources:
 Roads and parcels: Kenai Borough
 Aerial Photo: USGS and Microsoft Terraserver
 Topographic map: 63,360 USGS
 Potential Sources of Contamination: ADEC



Legend	
	Class A Public Water System
	Zone A Protection Area
	Zone B Protection Area
	Zone C Protection Area
	Zone D Protection Area
	Parcels
	Roads
	Water
	Rivers and Streams
	Taxi service/maintenance facilities (X34)
	Logging (E02)
	Septic systems (serves one single-family home and/or less than 20 people)(R02)
	Residential Area (R02)




Inset

APPENDIX D

Vulnerability Analysis for Highland Trailer Court Public Drinking Water Source (Charts 1-14)

Chart 1. Susceptibility of the wellhead - Highland Trailer Court PWSID 240503.001



Wellhead Susceptibility Ratings	
20 to 25 pts	very high
15 to < 20 pts	high
10 to < 15 pts	medium
< 10 pts	low

Chart 2. Susceptibility of the aquifer - Highland Trailer Court PWSID 240503.001







Chart 3. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Bacteria & Viruses



Risk Rankings for Contaminant Sources Identified in Zones A and B			
	Zone A	Zone B	Total
Very High(s)	0	0	0
High(s)	0	0	0
Medium(s)	0	0	0
Low(s)	3	3	6

	LOW 10 pts	MEDIUM 20 pts	HIGH 30 pts	VERY HIGH 40 pts
LOW	≥ 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	----
MEDIUM	----	≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH	----	----	≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH	----	----	----	≥ 1 source + 10 pts

Matrix Score 10

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.

Chart 3. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Bacteria & Viruses




Chart 4. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Bacteria & Viruses




Chart 5. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Nitrates and Nitrites




Chart 5. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Nitrates and Nitrites





Chart 5. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Nitrates and Nitrites






Chart 6. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Nitrates and Nitrites




Chart 7. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Volatile Organic Chemicals




Chart 7. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Volatile Organic Chemicals






Chart 7. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Volatile Organic Chemicals



+ 0 pts

- 10 pts





Chart 8. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Volatile Organic Chemicals




Chart 9. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 9. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Heavy Metals, Cyanide and Other Inorganic Chemicals





Chart 9. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 10. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Heavy Metals, Cyanide and Other Inorganic Chemicals




Chart 11. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Synthetic Organic Chemicals




Chart 11. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Synthetic Organic Chemicals





Chart 11. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Synthetic Organic Chemicals






Chart 12. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Synthetic Organic Chemicals




Chart 13. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Other Organic Chemicals




Chart 13. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Other Organic Chemicals





Chart 13. Contaminant risks for Highland Trailer Court PWSID 240503.001 - Other Organic Chemicals




Chart 14. Vulnerability analysis for Highland Trailer Court PWSID 240503.001 - Other Organic Chemicals

