



Source Water Assessment

A Hydrogeologic Susceptibility and Vulnerability Assessment for Tonka View Trailer Court, Petersburg, Alaska PWSID #130350

DRINKING WATER PROTECTION PROGRAM REPORT NO. 741

Alaska Department of Environmental Conservation

Source Water Assessment for Tonka View Trailer Court Petersburg, Alaska PWSID #130350

DRINKING WATER PROTECTION PROGRAM REPORT NO. 741

The Drinking Water Protection Program (DWPP) is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. It is anticipated this assessment will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of public drinking water source. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

CONTENTS

		Page
SECTION	Executive Summary	1
	Tonka View Trailer Court Public Drinking Water System	1
	Tonka View Trailer Court Drinking Water Protection Area	1
	Inventory of Potential and Existing Contaminant Sources	2
	Ranking of Contaminant Risks	2
	Vulnerability of Tonka View Trailer Court Drinking Water System	2
	References	5

TABLES

TABLE	1.	Definition of Zones	2
	2.	Susceptibility	3
	3.	Contaminant Risks	3
	4.	Overall Vulnerability	3

APPENDICES

APPENDIX

A.	Tonka	View	Trailer	Court	Drinking	Water	Protect	ion /	Area	(Map 1)	

B. Contaminant Source Inventory for Tonka View Trailer Court (Table 1)
 Contaminant Source Inventory and Risk Ranking for Tonka View Trailer Court - Bacteria and Viruses (Table 2)
 Contaminant Source Inventory and Risk Ranking for Tonka View Trailer Court –

Nitrates/Nitrites (Table 3)

Contaminant Source Inventory and Risk Ranking for Tonka View Trailer Court – Volatile Organic Chemicals (Table 4)

- C. Tonka View Trailer Court Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)
- D. Vulnerability Analysis for Contaminant Source Inventory and Risk Ranking for Tonka View Trailer Court Public Drinking Water Source (Charts 1 – 8)

Source Water Assessment for Tonka View Trailer Court, Petersburg, Alaska

Drinking Water Protection Program Alaska Department of Environmental Conservation

EXECUTIVE SUMMARY

The public water system for Tonka View Trailer Court is a Class B (transient/non-community) water system consisting of one well. The Tonka View Trailer Court is located approximately at 1126 Scow Bay Loop Road in Petersburg, Alaska. The wellhead received a susceptibility rating of Low and the aquifer received a susceptibility rating of High. Combining these two ratings produces a Medium rating for the natural susceptibility of the well. Identified potential and current sources of contaminants for Tonka View Trailer Court public drinking water source include: a largecapacity septic system, roads, and a car repair shop. These identified potential and existing sources of contamination are considered sources of bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals. Overall, the public water sources for Tonka View Trailer Court received a vulnerability rating of High for both bacteria and viruses and nitrates and nitrites, and Medium for volatile organic chemicals.

TONKA VIEW TRAILER COURT PUBLIC DRINKING WATER SYSTEM

Tonka View Trailer Court public water system is a Class B (transient/non-community) water system. The system consists of one well at 1126 Scow Bay Loop Road, Petersburg, Alaska (See Map 1 of Appendix A). Petersburg, Alaska is located at the northern end of Wrangell Narrows, halfway between Juneau and Ketchikan, on the northwest tip of Mitkof Island (please see the inset of Map 1 in Appendix A for location). The population of Petersburg is approximately 3,400.

Petersburg averages about 110 inches of precipitation per year, and approximately 97 inches of snow. The groundwater aquifers underlying the area are recharged through the infiltration of precipitation and surface water. Groundwater aquifers in the region generally occur in the fractured bedrock and unconsolidated sediments deposited by glaciers and/or rivers. The Petersburg area topography is near sea level.

According to a Sanitary Survey from July 28, 1998, the existing well was installed in 1969. The depth of the well is 110 feet below the ground surface, and it is assumed that the length of the well screen is 10 feet; and consists of 6-inch diameter casing.

The Sanitary Survey (7/28/98) for the water system indicates the land surface is appropriately sloped away from the well providing adequate surface water drainage. Because the well was apparently installed in 1969, it is assumed it was not grouted to the current ADEC guidelines. Proper grouting provides added protection against contaminants traveling along the well casing and into source waters.

This system operates year round and serves approximately 25 residents through 12 service connections.

TONKA VIEW TRAILER COURT DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the groundwater. These areas are determined by looking at the characteristics of the soil, groundwater, aquifer, and well.

The most probable area for contamination to reach the drinking water well is the area that contributes water to the well, the groundwater recharge area. This area is designated as the Drinking Water Protection Area (DWPA). Because releases of contaminants within the DWPA are most likely to impact the drinking water well, this area will serve as the focus for voluntary protection efforts.

An analytical calculation was used to determine the size and shape of the DWPA. The input parameters describing the attribute of the aquifer in this calculation were adopted from the U.S. Geological Survey (Patrick, Brabets, and Glass, 1989), and State of Alaska Department of Water Resources (*Jokela, et. al., 1991*). Additional methods were also used to take into account any uncertainties in groundwater flow and aquifer characteristics to arrive at a meaningful DPWA (Please refer to the Guidance Manual for Class B Public Water Systems for additional information).

The DWPAs established for wells by the ADEC are usually separated into four zones. These zones correspond to differences in the time-of-travel (TOT) of the water moving through the aquifer to the well. The TOT for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. The following is a summary of the four protection area zones for wells and the calculated time-of-travel for each:

Zone	Definition
А	¹ / ₄ the distance for the 2-yr. time-of-travel
В	Less than the 2 year time-of-travel
С	Less Than the 5 year time-of-travel
D	Less than the 10 year time-of-travel

 Table 1. Definition of Zones

The DWPA for Tonka View Trailer Court extends to the east of the well and includes only Zones A and B. Because the upland groundwater system may include fractured bedrock, the TOT may be more rapid than predicted. For this reason, the zones related to TOT have been expanded at the upland base. Development in the vicinity of the well is limited to only Zone A (See Map 1 of Appendix A).

INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Tonka View Trailer Court DWPA. This inventory was completed through a search of agency records and other publicly-available information. Potential sources of contamination to the drinking water aquifer include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development.

For the basis of all Class B public water system assessments, three categories of drinking water contaminants were inventoried. They include:

- Bacteria and viruses;
- Nitrates and/or nitrites;
- Volatile organic chemicals

The sources are displayed on Map 2 of Appendix C and summarized in Table 1 of Appendix B.

RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are assigned a ranking according to what type and level of risk they represent. Ranking of contaminant risks for a "potential" or "existing" source of contamination is a function of toxicity and volumes of specific contaminants associated with that source. Rankings include:

- Low;
- Medium;
- High; and
- Very High.

The TOT for contaminants within the water varies and is dependent on the physical and chemical characteristics of each contaminant. Bacteria and Viruses are only inventoried in Zones A and B because of their short life span. Only "Very High" and "High" rankings are inventoried within the outer Zone D due to the probability of contaminant dilution by the time the contaminants get to the well.

Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals.

VULNERABILITY OF TONKA VIEW TRAILER COURT DRINKING WATER SYSTEM

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural susceptibility; and
- Contaminant risks.

Appendix D contains eight charts, which together form the 'Vulnerability Analysis' for a source water assessment for a public drinking water source. Chart 1 analyzes the 'Susceptibility of the Wellhead' to contamination by looking at the construction of the well and its surrounding area. Chart 2 analyzes the 'Susceptibility of the Aquifer' to contamination by looking at the naturally occurring attributes of the water source and influences on the groundwater system that might lead to contamination. Chart 3 analyzes 'Contaminant Risks' for the drinking water source with respect to bacteria and viruses. The 'Contaminant Risks' portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the well. Lastly, Chart 4 contains the 'Vulnerability Analysis for Bacteria and Viruses'. Charts 5 through 8 contain the Contaminant Risks and Vulnerability Analyses for nitrates and nitrites and volatile organic chemicals, respectively.

A score for the Natural Susceptibility is reached by considering the properties of the well and the aquifer.

Susceptibility of the Wellhead (0 – 25 Points) (Chart 1 of Appendix D)

Susceptibility of the Aquifer (0 – 25 Points) (Chart 2 of Appendix D)

+

Natural Susceptibility (Susceptibility of the Well) (0 - 50 Points)

A ranking is assigned for the Natural Susceptibility according to the point score:

Natural Susceptibility Ratings

40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
$< 20 \text{ pts}^{-1}$	Low

The well for the Tonka View Trailer Court is completed in an unconfined aquifer. Because unconfined aquifers are recharged by surface water and precipitation that migrates downward from the surface, contaminants at the surface have the potential to adversely impact this aquifer. Table 2 shows the Susceptibility scores and ratings for Tonka View Trailer Court

Table 2. Susceptibility

	Score	Rating
Susceptibility of the		-
Wellhead	5	Low
Susceptibility of the		
Aquifer	16	High
Natural Susceptibility	21	Medium

Contaminant risks to a drinking water source depend on the type, number or density, and distribution of contaminant sources. This score has been derived from an examination of existing and historical contamination that has been detected at the drinking water source through routine sampling. It also evaluates potential sources of contamination. Flow charts are used to assign a point score, and ratings are assigned in the same way as for the natural susceptibility:

Contaminant Risk Ratings

40 to 50 pts	Very High
30 to < 40 pts	High
20 to < 30 pts	Medium
< 20 pts	Low

Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants.

Table 3. Contaminant Risks

Category	Score	Rating
Bacteria and Viruses	40	Very High
Nitrates and/or Nitrites	40	Very High
Volatile Organic Chemicals	25	Medium

Finally, an overall vulnerability score is assigned for each water system by combining each of the contaminant risk scores with the natural susceptibility score:

Natural Susceptibility (0 – 50 points)

+

Contaminant Risks (0 – 50 points)

=

Vulnerability of the Drinking Water Source to Contamination (0 – 100).

Again, rankings are assigned according to a point score:

Overall Vulnerability Ratings

80 to 100 pts	Very High
60 to < 80 pts	High
40 to < 60 pts	Medium
$< 40 \text{ pts}^{-1}$	Low

Table 4 contains the overall vulnerability scores (0 - 100) and ratings for each of the three categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability

Category	Score	Rating
Bacteria and Viruses	60	High
Nitrates and Nitrites	60	High
Volatile Organic Chemicals	45	Medium

Bacteria and Viruses

The contaminant risk for bacteria and viruses is **Very High** with a large-capacity septic system and roads located within Zone A representing the risks to the drinking water well (See Chart 3 – Contaminant Risks for Bacteria and Viruses in Appendix D).

Only a small amount of bacteria and viruses are required to endanger public health. Bacteria and

viruses have not been detected during recent water sampling of the system at the Tonka View Trailer Court. After combining the contaminant risks with the overall natural susceptibility of the well, the vulnerability of the well to contamination by bacteria and viruses is **High**.

Nitrates and Nitrites

The contaminant risk for nitrates and nitrites is **Very High** with a large-capacity septic system, logging, and roads representing the risks to this source of public drinking water (See Chart 5 - Contaminant Risks for Nitrates and/or Nitrites in Appendix D).

Sampling history for Tonka View Trailer Court has not reported detectable concentrations within the last five years. Due to the high solubility and weak retention by soil, nitrates are very mobile, moving at approximately the same rate as water. After combining the contaminant risk for nitrates and nitrites with the natural susceptibility of the well, the overall vulnerability of the well to contamination by nitrates and nitrites is **High**.

Volatile Organic Chemicals

The contaminant risk for volatile organic chemicals is **Medium** with a car repair shop; large-capacity septic system, and roads creating the only known risks for volatile organic chemicals (See Chart 7 – Contaminant Risks for Volatile Organic Chemicals in Appendix D).

The drinking water at Tonka View Trailer Court has not recently been sampled for volatile organic chemicals. However, after combining the contaminant risk for volatile organic chemicals with the natural susceptibility of the well, the overall vulnerability of the well to contamination by volatile organic chemicals is **Medium**.

REFERENCES

Alaska Department of Community and Economic Development (ADCED), 2002 [WWW document]. URL http://www.dced.state.ak.us/mra/CF_BLOCK.cfm.

Alaska Geospatial Data Clearinghouse, 2003. URL: http://agdc.usgs.gov/data/datasets.html.

- Gehrels, G.E., Berg, H.C., Geologic Map of Southeastern Alaska: U.S. Geological Survey Map (scale 1:600,000), Map I-1867, 1sheet.
- Jokela, J.B., Munter, J.A., and Evans, J.G., 1991, Ground-water resources of the Palmer-Big Lake area, Alaska: a conceptual model. Division of Geological &Geophysical Surveys Reports of Investigations 90-4, State of Alaska Department of Natural Resources, Fairbanks, AK.
- King, P.B., compiler, 1969, Tectonic map of North America: US Geological Survey Map, (scale 1:5,000,000) 2 sheets.
- Patrick, L.D., Brabets, T.P., and Glass, R.L., 1989, Simulation of ground-water flow at Anchorage, Alaska: US Geological Survey Water-Resources Investigations Report 88-4139, 41p.
- United States Environmental Protection Agency (EPA), 2002 [WWW document]. URL: http://www.epa.gov/safewater/mcl.html.

APPENDIX A

Tonka View Trailer Court Drinking Water Protection Area Location Map (Map 1)



aska Department	0	260	520	1,040	1,560	2,080
of Environmental Conservation				1:5,368		
		Data Sour	ces:			
Porection program		Backgrou	nd image - U	ISGS 1:63,000 mapping		

APPENDIX B

Contaminant Source Inventory and Risk Ranking for Tonka View Trailer Court (Tables 1-4)

Contaminant Source Inventory for Tonka View Trailer Court

PWSID 130350.001

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Map N	Number Comments	
Motor /motor vehicle repair shops	C31	C31-1	А	2	East of Trailer Court	
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1	А	2	Northeast of Trailer Court	
Logging (active or inactive?)	E02	E02-1	А	2	Southeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-1	А	2	Northeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-2	А	2	Southeast of Trailer Court	
Logging (active or inactive?)	E02	E02-2	В	2	Northeast of Trailer Court	

Contaminant Source Inventory and Risk Ranking for

PWSID 130350.001

Tonka View Trailer Court Sources of Bacteria and Viruses

	Contaminant	CS ID tag	Zone	Risk Ranking for Analysis	Map Number		
Contaminant Source Type	Source ID					Comments	
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1	А	High	2	Northeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-1	А	Low	2	Northeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-2	А	Low	2	Southeast of Trailer Court	

Table 2

Contaminant Source Inventory and Risk Ranking for

PWSID 130350.001

Tonka View Trailer Court

Sources of Nitrates/Nitrites

Contaminant Source Type	Contaminant Source ID	Risk Ranking CS ID tag	Map Zone	for Analysis	Number	Comments	
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1	А	High	2	Northeast of Trailer Court	
Logging (active or inactive?)	E02	E02-1	А	Low	2	Southeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-1	А	Low	2	Northeast of Trailer Court	
Highways and roads, dirt/gravel	X24	X24-2	А	Low	2	Southeast of Trailer Court	
Logging (active or inactive?)	E02	E02-2	В	Low	2	Northeast of Trailer Court	

Table 3

Contaminant Source Inventory and Risk Ranking for

PWSID 130350.001

Tonka View Trailer Court Sources of Volatile Organic Chemicals

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Risk Ranking for Analysis	Map Number	Comments
Motor /motor vehicle repair shops	C31	C31-1	А	Medium	2	East of Trailer Court
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1	А	Low	2	Northeast of Trailer Court
Logging (active or inactive?)	E02	E02-1	А	Low	2	Southeast of Trailer Court
Highways and roads, dirt/gravel	X24	X24-1	А	Low	2	Northeast of Trailer Court
Highways and roads, dirt/gravel	X24	X24-2	А	Low	2	Southeast of Trailer Court
Logging (active or inactive?)	E02	E02-2	В	Low	2	Northeast of Trailer Court

Table 4

APPENDIX C

Tonka View Trailer Court Drinking Water Protection Area and Potential and Existing Contaminant Sources (Map 2)





APPENDIX D

Vulnerability Analysis for Tonka View Trailer Court Public Drinking Water Source (Charts 1-8)



Chart 1. Susceptibility of the wellhead - Tonka View Trailer Court







Chart 3. Contaminant risks for Tonka View Trailer Court - Bacteria & Viruses



Chart 3. Contaminant risks for Tonka View Trailer Court - Bacteria & Viruses







- 0 pts

+ 10 pts

Chart 5. Contaminant risks for Tonka View Trailer Court - Nitrates and Nitrites









Chart 7. Contaminant risks for Tonka View Trailer Court - Volatile Organic Chemicals Initial assessment of risk posed by potential sources of contamination = 20 pts Is the source aquifer fractured rock or kars? NO NO Are all of the higher risk sources beyond NO Risk unchanged







Chart 8. Vulnerability analysis for Tonka View Trailer Court - Volatile Organic Chemicals