

Form 9-1503
(Feb. 1962)

U.S. DEPARTMENT OF INTERIOR
GEOLOGICAL SURVEY

19060000

Basin Index 13-D12 142 ✓

WATERPOWER OF THE UNITED STATES

State Alaska Stream Nooya Lake Site Nooya Lake 2592

County <u>First Judicial Division</u>	Owner _____
Mer. _____ T. _____ R. _____ Sec. _____	Constructed _____
Lat. <u>55</u> ° <u>37.5</u> ' N " Long. <u>130</u> ° <u>43.3</u> ' W. "	Storage <u>13,000</u> af <u>16,035,370</u> m ³
Miles above mouth _____	Installed capacity _____ mw
Drainage Area <u>9</u> sq. mi. <u>23.31</u> sq. km	Installable capacity _____ mw

FLOW			ELEVATIONS				HEAD		THEORETICAL POWER mw-100 % Eff.	ESTIMATED AVERAGE ANNUAL GENERATION mwh
Percent duration	cfs	m ³ /sec	Forebay		Tailrace		Gross			
			ft.	m	ft.	m	ft.	m		
95	8	0.2	350	106.7	50	15.2	300	91.4	0.20	
50	78	2.2							1.99	
mean	85	2.4							2.17	15,190

Remarks: **Ketchikan C-3 Quad**

Prepared by GCG Date _____

Form 9-1503
(Feb. 1962)

U.S. DEPARTMENT OF INTERIOR
GEOLOGICAL SURVEY

Basin Index _____

13 DD

WATERPOWER OF THE UNITED STATES

State Alaska Stream Nooya Lake Site Nooya Lake 2592

County <u>First Judicial Division</u>				Owner _____	
Mer. _____ T. _____ R. _____ Sec. _____				Constructed _____	
Lat. <u>55 ° 37.5 ' N</u> " Long. <u>130 ° 43.3 ' W.</u> "				Storage <u>13,000</u> af <u>16,035,370</u> m ³	
Miles above mouth _____				Installed capacity _____ mw	
Drainage Area <u>9</u> sq. mi. <u>23.31</u> sq. km				Installable capacity _____ mw	

FLOW			ELEVATIONS				HEAD		THEORETICAL POWER mw-100 % Eff.	ESTIMATED AVERAGE ANNUAL GENERATION mwh
Percent duration	cfs	m ³ /sec	Forebay		Tailrace		Gross			
			ft.	m	ft.	m	ft.	m		
95	8	.2	350	106.7	50	15.2	300	91.4	.204	
50	78	2.2							1989 1.99	
mean	85	2.4							2167 2.17	15,190

Remarks:

Prepared by _____ Date _____

Ketchikan C. 3

NOV 1918

1918

[Faint, illegible text, likely bleed-through from the reverse side of the page]

THE PACIFIC COAST LUMBER CO. LTD.

NOV 1918
KETCHIKAN

ST. MICHAEL