

Shoreline Segment Tracking Form

Zone

KODIAK

Unit-SubUnit-Segment ID

K6-1-SP 901

Date

8/13/89

Shoreline / Segment Name

SEIBA POINT

Predominant Sediment
(circle one)

Boulder
(>256 mm)

Cobble
(64-256 mm)

Pebble
(4-64 mm)

Gravel
(2-4 mm)

Sand
(0.06-2 mm)

Mud
(<0.06 mm)

Rock

Vertical Cliff

Impact.. Classification
(circle one) **

Heavy

Moderate

Light

Very Light

Oiling On Debris
(circle one)

Heavy

Moderate

Light

None

Seg. Length (yds)

42,240

Oiled Width (yds)

0

% of Seg.

Area* Oiled

0

Penetration (In.)

0

* Seg. Area = Seg. Length x Oiled Width

Treatment / Notes

Beach Treatment /
Gross Contamination Removal

Start Date

0

Completed Date

0

Form Filled Out By
(circle one)

SCAT

ADEC

ADF&G

NPS

USFWS

USCG

NOAA

Other

** Heavy - >50% discontinuous coverage or
>6m continuous band.

Moderate - 10 to 50% discontinuous coverage
or 3 to 6 m continuous band.


Light - 1 to 10% discontinuous coverage
or 1 to 3m continuous band.

Very Light - <1% discontinuous coverage
or <1m continuous band.

Observer: R.W. SCRUGGS ENS USCG

This form must be completed for any beach segment that is being treated, other than SCAT segments, and must be submitted with a map attached which shows the segment boundaries.

ACE 1852435



ACE 1852436

Shoreline Assessment Form

Sector

KODIAK

Location/Unit ID

K6-1

SCAT Segment ID

Shoreline / Segment Name

① Selva Point Vieques Bay

Predominant Sediment
(circle one)Boulder
(>256 mm)Cobble
(64-256 mm)Pebble
(4-64 mm)Gravel
(2-4 mm)Sand
(0.06-2 mm)Mud
(<0.06 mm)

Rock

Vertical Cliff

Degree of Oiling
(circle one) *

Heavy

Moderate

Light

Very Light

No Oil

Unobserved

Amount of Oiled
Debris (circle one)

Heavy

Moderate

Light

None

Seg. Length (yds)

100

Oiled Width (yds)

10

% of Seg.

Oiled

50

Penetration (in.)

6.0

Recommended Treatment / Comments

Beach Treatment /
Gross Contamination Removal

Start Date

Completed Date

Pre-assessment Done
By (circle one)

SCAT

ADEC

ADF&G

NPS

USFWS

USCG

NOAA

Other

Assessment Date

6/28/89

Approval Date

Observer:

Ann Dill

Reviewed By:

Entered By:

* Heavy - >50% discontinuous coverage or
>6m continuous band.Moderate - 10 to 50% discontinuous coverage
or 3 to 6 m continuous band.Light - 1 to 10% discontinuous coverage
or 1 to 3m continuous band.Very Light - <1% discontinuous coverage
or <1m continuous band.

ACE 1852437-12/5/HF