

# SEGMENT INSPECTION RECORD

RECEIVED  
7/29/89

ADEC # K5-6

Shoreline Segment:

Shoreline Treatment Process(es) Completed for this Segment

<input type="checkbox"/> Hot water wash	<input type="checkbox"/> Mechanical
<input type="checkbox"/> Warm water wash	<input checked="" type="checkbox"/> Non-mechanical
<input type="checkbox"/> Water deluge	<input type="checkbox"/> Other

Exxon

Treatment as indicated above has been completed. Request demobilization from this segment.

Comments

Signature Jack A Rickner

Date 29 JUL 89

Time 1140

Printed Name Jack Rickner

Existing Shoreline Condition As  
Visually Determined by USCG  
Surface Oil

Percent	Degree of Oiling
<input type="text"/>	Heavy
<input type="text"/>	Medium
<input type="text"/>	Light
<input type="text"/>	Very Light

100%

Subsurface Oil

☐ Yes ☒ No

Comment Below

☐ Reassessment  
☐ Yes - Necessary

☒ No - Not necessary unless re-oiled

ADEC Rep

Comments

Signature \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

Printed Name \_\_\_\_\_

FOSC Rep Type A Shoreline Demobilization approved/disapproved

Comments No evidence of subsurface oiling. No evidence of surface oil remaining on beaches. Bags of oiled vegetation located roadside. No future visits necessary.

Signature P.J. Cormier Date 30 July 89 Time 1945

Printed Name P.J. Cormier LT USCG

Copy: Exxon ADEC FOSC ISCC Return All Signed Originals to Exxon

ACE 1853340 + F/S/HF

## Shoreline Segment Tracking Form

Zone **KODIAK** Unit-SubUnit-Segment ID **K5-6 SP905** Date **8/18/89**

Shoreline / Segment Name

**MIDDLE RAY**

Predominant Sediment  
(circle one)

Boulder (>256 mm)	Cobble (64-256 mm)
Pebble (4-64 mm)	<b>Gravel (2-4 mm)</b>
<b>Sand (0.06-2 mm)</b>	Mud (<0.06 mm)
Rock	<b>Vertical Cliff</b>

Impact Classification  
(circle one) \*\*

Heavy	Moderate
Light	Very Light

**None observed**

Oiling On Debris  
(circle one)

Heavy	Moderate
Light	<b>None</b>

Seg. Length (yds)

**15,840**

Oiled Width (yds)

**1~2**

% of Seg.

Area\* Oiled

**67**

Penetration (in.)

**>1**

\* Seg. Area = Seg. Length x Oiled Width

Treatment / Notes


Beach Treatment /  
Gross Contamination Removal

Start Date
Completed Date

Form Filled Out By  
(circle one)

SCAT	ADEC	ADF&G	NPS
USFWS	<b>USCG</b>	NOAA	Other _____

\*\* Heavy - >50% discontinuous coverage or  
>6m continuous band.

Moderate - 10 to 50% discontinuous coverage  
or 3 to 6 m continuous band.

Light - 1 to 10% discontinuous coverage  
or 1 to 3m continuous band.

Very Light - <1% discontinuous coverage  
or <1m continuous band.

Observer: *PJ Corman*

This form must be completed for any beach segment that is being treated, other than SCAT segments, and must be submitted with a map attached which shows the segment boundaries.

IS 23 W.  
1:53


R 22 W

R 21 W

R 20 W  
30'

800 000 FEET

R 19 W



ACE 1853342-1/5/H F