

BP Exploration (Alaska) Inc.

Liberty Island Route

*Water / Sediment Sampling
March 18-19, 1998*

Revised and Corrected
Final Data Report - August 1998



MONTGOMERY WATSON

TABLE OF CONTENTS

Revisions included in the August, 1998, Final Data Report.....	iii
1. INTRODUCTION.....	1
1.1 BACKGROUND.....	1
1.1.1 <i>Water Quality Monitoring Objectives</i>	1
1.1.2 <i>Monitoring Program Organization and Responsibilities</i>	1
1.2 DATA REPORT.....	2
2. MONITORING PROCEDURES.....	2
2.1 LOCATION AND PROBLEM STATEMENT.....	2
2.2 SAMPLE LOCATIONS AND MOBILIZATION.....	2
2.3 SAMPLE COLLECTION PROCEDURES.....	3
3. MONITORING RESULTS.....	4
3.1 SAMPLING CHRONOLOGY.....	4
3.1.1 <i>Laboratory Analyses</i>	5
3.2 ANALYTICAL RESULTS.....	5
3.2.1 <i>Sea Water</i>	5
3.2.2 <i>Sediment Chemistry</i>	6
3.3 SEDIMENT QUALITY STANDARDS.....	6
4. DOCUMENTATION AND REPORTING.....	7
4.1 FIELD DOCUMENTATION.....	7
4.1.1 <i>Field Logbook</i>	8
4.1.2 <i>Field Note Forms</i>	8
4.1.3 <i>Chain-of-Custody Forms</i>	8
4.1.4 <i>Photographs</i>	8
4.1.5 <i>Sample Documentation</i>	8
4.1.6 <i>Laboratory Data Log</i>	9
4.1.7 <i>Data Reporting and Data Deliverables</i>	9
4.1.8 <i>Summary Statistics</i>	9
5. QUALITY ASSURANCE AND QUALITY CONTROL.....	9
5.1 QUALITY ASSURANCE OBJECTIVES.....	9
5.2 CALIBRATION PROCEDURES.....	10
5.2.1 <i>Field Equipment</i>	10
5.2.2 <i>Laboratory Instrumentation</i>	10
5.3 DATA VALIDATION SUMMARY.....	11

Figures

Figure 1 1998 Borehole Sampling Locations.....	12
Figure 2 Arsenic Concentrations by Sample Locations	13
Figure 3 Barium Concentrations by Sample Location	14
Figure 4 Chromium Concentrations by Sample Location.....	15
Figure 5 Lead Concentrations by Sample Location	16
Figure 6 Mercury Concentrations by Sample Location	17
Figure 7 Grain Size Distribution	18
Figure 8 Grain Size Distribution by Sample Location, Sorted by Depth.....	19
Figure 9 Total Suspended Solids by Ice Free Water Depth	20

Tables

Table 1 Sample Plan Checklist.....	21
Table 2 Water Quality Parameters	23
Table 3 Grain Size Results	25
Table 4 Summary of Analytical Results and Benchmark Criteria	26

Appendices

Appendix A	Field Note Forms
Appendix B	Chain-of-Custody Records
Appendix C	Photographs
Appendix D	Laboratory Data Sheets

Revisions included in the August, 1998, Final Data Report.

This document was originally published in May of 1998. The document was revised and corrected following comments received by BPXA in a letter from Jeffery Walker of Minerals Management Service to Peter Hanley dated August 3, 1998. Issues raised by MMS include the following, followed with a response from Montgomery Watson.

1. Discrepancy between field and laboratory turbidity.

A comparison of field and laboratory turbidity data to laboratory total suspended solids (TSS) data demonstrates some consistent patterns. Field turbidity data are uniformly higher than laboratory data for each individual water sample. Field turbidity data were reported to 3 significant figures, while BPXA laboratory data were reported to one significant figure, including 3 reported values of "0". We interpret "0" values from the BPXA laboratory to indicate less than a detection limit of 1.0 NTU. It is unreasonable to conclude that there would be "0" NTU's in the samples.

The holding time limitation for turbidity is 48 hours. Sample results are subject to particle aggregation and settling between the time of sample collection and the time of analysis. The laboratory did not report date and time of analysis; thus, compliance with holding times cannot be verified. The laboratory turbidity values may be biased low due to the interaction between particles over time. Alternatively, field values may reflect the presence of tiny ice crystals that would exist in the field at sub-freezing temperatures, but not be apparent in the laboratory at standard temperatures above freezing. 1997 field notes from the Liberty Island Route water quality analyses note complications with field turbidity measurements due to ice formation.

TSS analyses were performed on the seventh day of a seven-day holding time. Particles in seawater which make up TSS are subject to degradation by dissolution and/or biochemical reaction over time. TSS results may be biased low due to solute/solvent interaction in the manner suggested above for laboratory turbidity. Most of the TSS results were very close (within 150%) of the reported detection limit. Of the four values in excess of 200% of the stated detection limit, a consistent and reasonable relationship with turbidity can be discerned from both field and laboratory measurements. QC data reported by the laboratory showed good recovery of a spike sample at 60 mg/L TSS, but data is not provided which documents accuracy of reporting within 200% of the detection limit of 10 mg/L.

2. pH below expected range.

pH data from the 1997 Liberty Island water quality sampling effort was in the range of 7.5 to 8.4, using methods and instrumentation identical to the 1998 effort. Other recent North Slope investigations have yielded seawater pH values ranging from as low as 5.8 (Endicott NPDES Environmental Monitoring, April, 1995) to 8.06 (Northstar Development Project 1997 Data Report). The Beckman meter used in each of these efforts is a model programmed for internal temperature compensation. The particular unit used in March of 1998 was factory calibrated and checked in January, and a field calibration was performed at each site. The gel-filled probe on this model is more reliable for cold weather sampling than other probe types. The electronic meter box is often suspect when exposed in cold weather sampling. We ensured that the meter box was kept warm in an insulated container to prevent effects of frost on the meter workings. Calibration or machine error is unlikely.

3. Apparent density instability.

Densities were calculated and presented in Table 2 of the May, 1998, data report from temperature and salinity data that were transcribed incorrectly from the field data sheets. This edition features an update to Table 2, with corrected values of field and laboratory data for all samples. The corrected table indicates a density instability in the water column at station 98BPXLI14, with water slightly warmer and fresher (-0.5°C, 27 ppt salinity, 1021.7 kg/m³) underlying cooler saltier water (-1.0°C, 28 ppt salinity, 1022.5 kg/m³). The calculated densities yield a false impression of precision in the salinity and temperature measurements. Temperature and salinity field instruments have a resolution of 0.5 degrees and 1 ppt, respectively. A small error in either the salinity or temperature measured in the field could lead to a resultant change in the relative density of the samples. Conductivity measurements for both sample depths are the same, suggesting that there is no significant difference in salinity or density within the water column.

Table 2 has also been expanded to include results of metals analyses of the water samples. Text has been corrected to reflect the appropriate ranges of values of various water quality measurements.

4. Sample preservation.

The previous edition stated incorrectly that samples were “cooled to 4° Celsius”, which would be a common requirement for sampling in temperate weather. Samples from the March, 1998 sampling of the Beaufort Sea were maintained at temperatures less than +4° C prior to laboratory analysis.

Other changes made in the document include:

1. Section 1.1. Deleted reference to pipeline “shown in Figure 1”. The pipeline alignment is not shown in that figure, although the proposed alignment is shown in Appendix A in documentation of the sample sites provided by BPXA contract surveyors.
2. Section 2.3. Added references to metals sampling of the water column and clarified procedures for field measurements of water quality.
3. Section 3.1. Corrected sample locations.
4. Section 3.2.1. Revised and added commentary on water quality results.
5. Section 4.1.8. Referenced summary statistics on Table 4.
6. Figures 2-6. Added information to titles and legends to indicate data are for sediment samples, taken from various depths below the sea floor.
7. Figure 9. Revised to more clearly represent findings with respect to water depth.
8. Table 1. Revised and condensed to single page.
9. Table 2. Expanded to 2 pages to present metals results.

1. INTRODUCTION

1.1 BACKGROUND

The Liberty Island Development Project involves offshore exploration and production of oil and gas resources within Foggy Island Bay between Endicott and Liberty #1 Ice Island in the ice-ridden Beaufort Sea. Oil and gas produced by the project are intended to be brought to existing onshore delivery facilities by way of offshore pipeline.

1.1.1 Water Quality Monitoring Objectives

In 1997, geochemical characterization of sediments and water quality took place along several potential offshore pipeline alignments. In 1998, a final proposed alignment was selected, requiring further characterization for project engineering and National Environmental Policy Act (NEPA) documentation. A series of sampling stations was identified by BP Exploration (Alaska) Inc. (BPXA) (Figure 1). A water quality and geochemical sampling plan was prepared by Woodward-Clyde and was amended through discussions with BP Exploration and Montgomery Watson on March 7 and in accordance with input from John Malik of U.S. Environmental Protection Agency (USEPA) and Barbara Reilly of the U.S. Army Corps of Engineers (USACE).

The objective of this field study was to provide baseline water and sediment characterization along the final proposed offshore pipeline alignment. These results augment the 1997 work performed by Montgomery Watson on three alternative alignments for the Liberty Island pipeline route, thus confirming and supplementing existing data and information to the BPXA Liberty project team on the nature and dispersal of sediments which may be disturbed in the trenching operations.

1.1.2 Monitoring Program Organization and Responsibilities

Montgomery Watson performed this work under the direction of Mary Cocklan-Vendl of the Health Safety, and Environment Department of BPXA. The BPXA Prudhoe Bay laboratory performed water analysis for BOD₅ and turbidity. Quanterra's laboratory in West Sacramento, California, performed the soil and water analysis for metal parameters. Multichem Analytical Service, (MAS) in Anchorage, Alaska, completed the remainder of the analyses for the soil parameters. Montgomery Watson's project team was directed by Project Manager, J. Brett Jokela, P.E. in conjunction with field operations supervisor Bonnie McLean. Field work was undertaken by Bonnie McLean, Senior Environmental Scientist and Associate Geologist Sharon Sadlon. Bonnie McLean is experienced in offshore winter field operations on the North Slope, having participated in water quality and sediment monitoring at the Endicott NPDES Monitoring Program, the 1996 Northstar Pilot Offshore Trenching Program, and the Liberty Island Route water/sediment sampling. Lynn DeGeorge, Senior Environmental Scientist, reviewed the chemical data.

BPXA provided transportation to and from Deadhorse, accommodations, and workspace for mobilization and sample shipment preparation at the Endicott Spill Response Warehouse, Building 608.

Duane Miller and Associates provided logistical support for the fieldwork, under a separate project task authorization with BPXA. Duane Miller and Associates provided on-ice transportation through subcontracts to equipment operators. A tundra Rolligon was supplied by CATCO. The Rolligon was used to transport a skid mounted warming safety shack and Discovery Drilling's CME-75 drill rig, stationed in a rig enclosure (see Photo cover and Appendix C). This equipment was mobilized to four pre-located stations and was used to drill through the ice, allowing water quality sampling measurements and soil sample collection.

1.2 DATA REPORT

This report describes sampling sites, analytes, and methodologies; presents analytical findings; and describes quality control established for this field effort.

2. MONITORING PROCEDURES

2.1 LOCATION AND PROBLEM STATEMENT

The final proposed pipeline alignment for the Liberty Island project was identified by BPXA Inc. on a transect extending north-northeast from shore at SE 1/4, Section 24, T.10N, R.17E., Umiat Meridian through Foggy Island Bay and terminating at the proposed island. Sampling locations were established approximately 1/3 and 2/3 the distance from shore to the proposed island (sample I.D. DMA98-14 & DMA98-9, respectively) and at the proposed island pipeline riser location (sample I.D. DMA98-2). A fourth location (sample I.D. DMA98-30) was approximately 600m NW of the proposed island DMA98-1). Sampling was conducted at these four (4) sites in water (ice) depths ranging from approximately 20.7 to 6.8feet. Ice thickness varied from approximately 5.2 to 4.6 feet.

A shallow trench, 8 to 12 feet below the sea floor, has been proposed for Liberty pipeline construction, using a large hydraulic excavator working from a thickened ice pad on top of the sea ice. A major consideration is the potential occurrence of contaminants, including trace metals and hydrocarbons in the sediments. A baseline of sediment chemical quality is necessary to evaluate potential effects of construction activity on the marine environment. Work by Montgomery Watson at the Northstar Development Project (Montgomery Watson, April 1, 1996) demonstrated that sediment dispersal from trenching activities is most likely short in duration and limited to a small area near the trench. However, associated with the disruption of the sediment by trenching is the potential for release of toxic contaminants from the sediments that may affect the viability of epibenthos and/or plankton which live in the shallow waters of the nearshore Beaufort Sea. Background levels of trace metals and volatile and semi-volatile organic compounds were documented by measuring their concentrations at three discrete depths beneath the sediment surface.

2.2 SAMPLE LOCATIONS AND MOBILIZATION

Sample sites were positioned along the final proposed pipeline route at the locations identified on the map attached as Figure 1 at the end of this section. The locations were staked and identified with respect to Alaska State Plane coordinates and latitude/longitude in advance by BPXA contract surveyor support. Each of the sampling locations was located by the field sampling crew by navigating a Rolligon vehicle using the GPS coordinates provided by the BPXA contract surveyor.

One Rolligon was used during the sampling regimen, and two skids were towed separately to each location. One skid held an enclosed CME-75 drill rig, which augered through the sea ice and drove and retrieved the split spoons for soil samples. The second skid held a warming shack in which extra equipment and supplies were stored.

2.3 SAMPLE COLLECTION PROCEDURES

Data collection at each station was performed in the following order:

1. Locate station using GPS positioning
2. Bore through ice, measure and record distances from drill rig floor to ice
3. Measure and record thickness of ice
4. Measure and record distances from top of water in hole to top of ice
5. Measure and record bottom depth (depth to seafloor)
6. Conduct salinity, conductivity/temperature profiles
7. Collect sample for dissolved oxygen (DO), turbidity, metals, and pH at each distinct stratum
8. Collect total suspended solids (TSS), turbidity (laboratory), BOD₅, and TOC samples at each discrete sample point
9. Drive and retrieve 4" x 2' split spoon from surface to 2 feet below surface
10. Collect soil samples from 0.5' to 1' for organic, metal, and grain size analyses
11. Drive and retrieve 4" x 2' split spoon from 2' to 4' below surface
12. Collect soil samples from 2' to 3' for organic, metal, and grain size analyses
13. Drive and retrieve 4" x 5' split spoon from surface to 8 to 10 feet below surface
14. Collect soil samples from 8' to 9' for organic, metal, and grain size analyses
15. Confirm GPS location and close out site

Station positioning (Activities 1 and 15) have been outlined in Section 2.2. Field measurements and conditions are contained in the field note forms supplied in Appendix A and are summarized in Table 2. Techniques for each of the other activities are discussed below:

Activity 2, Activity 3, and Activity 4: Sea Ice Thickness

The CME-75 enclosed drill rig-mounted auger was used to bore through the ice for water column and sediment sampling. Depth of the boring was monitored closely; the auger was withdrawn for depth checking and clearing of ice chips several times as the drilling progressed.

Ice thickness and depth to water surface were measured using a graduated sounding rod equipped with a small hook to catch the ice edge. The top of the "black" sea ice was used as a datum.

Activity 5: Bottom Depth

The bottom depth was measured using a sounding lead and calibrated brass chain. Ice-free water depth was calculated as the difference of depth to bottom and ice-depth. The maximum ice-free water depth was 16.7 feet deep at the sampling location DMA98-2.

Activity 6: Conduct Salinity(Conductivity)/Temperature profiles

Temperature, conductivity and salinity measurements were made at 0.5-foot increments through the water profile.

Activity 7: Measure Dissolved Oxygen Turbidity and pH at each sampling station

Dissolved oxygen (DO), turbidity, and pH were measured in the field, *ex-situ*, from samples taken at each of the sampling points within the water column. DO measurements were completed with a Hach

2100 colorimeter and a high range (HR) standard. Field measurements for pH were made with a Beckman pH meter. Turbidity was measured by a Hach 2100P nephelometric turbidimeter.

Activity 8: Collect Samples for Turbidity, Total Organic Carbon, Biological Oxygen Demand, Metal, and Total Suspended Solids

Samples of under-ice free water were collected with a stainless steel point source sampler to document the occurrence of turbidity, total organic carbon (TOC), five-day biological oxygen demand (BOD₅), trace metals, and total suspended solids (TSS). Samples were contained in 1-liter, nalgene plastic bottles. Color and appearance were documented in the field note form for the site. Samples for turbidity and BOD₅ were submitted to the BPXA BOC laboratory for analysis. TSS and TOC samples were shipped off-site to be measured by MAS Laboratories in Anchorage. Metals samples were sent unfiltered to Quanterra Laboratories in Sacramento California for analysis of total arsenic, total barium, total chromium, total lead, and total mercury.

Activities 9 through 14: Sediment sampling

Soil samples were collected at three intervals in the following depth ranges below the soil/water interface: (1) one-half to one foot, (2) two to three feet, and (3) eight to nine feet.

In each instance, a split spoon was driven by a 340 lb. mechanical hammer with a 30-inch drop into the sediment. Each core was removed, drained, and troweled into sample jars, beginning with samples for volatile organics, and progressing to semivolatiles, total organic carbon, metals, and finally, grain size analysis.

Duplicate core samples were collected for all analyses at two stations (DMA98-2 and DMA98-30) selected at random in the field.

Activity 15: Site close-out

At the completion of each site sampling effort, the field team leader initialed the form to confirm that all field note form information had been entered. The final GPS location was recorded on the field note form prior to leaving the site.

3. MONITORING RESULTS

3.1 SAMPLING CHRONOLOGY

Sampling was performed over two days (two 12 hours shifts), from Wednesday, March 18, 1998 through Thursday, March 19, 1998. The following table relates the sampling order for this project:

Date	Site	Geodetic Location		Sampled by
03/18/98	DMA98-14	Lat: 70° 13' 43" N	Long: 147° 38' 45" W	BGM
03/18/98	DMA98-9	Lat: 70° 15' 11" N	Long: 147° 36' 7" W	BGM
03/18/98	DMA98-2	Lat: 70° 16' 38" N	Long: 147° 33' 31" W	SS
03/19/98	DMA98-30	Lat: 70° 16' 54" N	Long: 147° 34' 10" W	SS

BGM = Bonnie McLean, MW

SS = Sharon Sadlon, MW

3.1.1 Laboratory Analyses

BPXA BOC laboratory conducted analyses for turbidity and BOD₅. Other samples were analyzed by MAS Laboratory in Anchorage, Alaska and Quanterra Laboratory in West Sacramento, California. Appropriate methodologies are available in the following references:

- Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW-846, November 1990)
- Methods for Chemical Analysis of Water and Wastes (EPA 600/4-79-020, March 1982)

The following table summarizes project sampling requirements:

Measurement	Matrix	Method	Sample Container	Preservation Method	Holding Time
Salinity (Conductivity)	water	field measurement	field aliquot	n/a	n/a
Dissolved Oxygen	water	field measurement	field aliquot	n/a	n/a
Turbidity	water	field measurement EPA 180.1	field aliquot/ 500 ml. HDPE	n/a n/a	immediate 48 hours
Temperature	water	field measurement	in situ	n/a	immediate
pH	water	field measurement	field aliquot	n/a	immediate
BOD ₅	water	EPA 405.1	1 liter HDPE	n/a	12 hours
Total Suspended Solids	water	SWA 160.2	500 ml HDPE	Held at 2°- 4°C	28 days
Total Organic Carbon	soil	SWA 415.1	4oz Clear Wide Mouth	Held at 2°- 4°C	28 days
Arsenic (As)	soil, water	SWA 6020	4oz Clear Wide Mouth	Held at 2°- 4°C	6 months
Barium (Ba), Total ionic	soil, water	SWA 6020	"	Held at 2°- 4°C	6 months
Chromium (Cr), Total	soil, water	SWA 6020	"	Held at 2°- 4°C	6 months
Lead (Pb)	soil, water	SWA 6020	"	Held at 2°- 4°C	6 months
Mercury (Hg)	soil, water	SWA 7471 - CV	"	Held at 2°- 4°C	28 days
Volatile Organic Compounds	soil	8260a	2oz Clear Wide Mouth	Held at 2°- 4°C	14 days
Semi-volatile Organic Compounds	soil	8270	4oz Clear Wide Mouth	Held at 2°- 4°C	14 days
Grain Size	soil	ASTM D-422	1L polyethylene bag	n/a	indefinite
Particle Size	soil	ASTM D2487	1 gal. bag	n/a	indefinite

3.2 ANALYTICAL RESULTS

Tables and figures documenting results are provided at the end of this section. Table 1 is a sample plan checklist identifying what analyses were run on each sample. Table 2 is a summary of water quality parameters, including field measurements. Table 3 lists results of grain size analysis. Table 4 is a summary of the analytical results for soils and water. All laboratory and field data are included in Appendices.

3.2.1 Sea Water

Field measurements showed temperatures of -1 to -2 degrees Celsius, with salinities in the range from 27 to 33 parts per thousand. pH ranged from 6.3 to 7.6, while dissolved oxygen ranged from 7.4 to 11.0 ppm.

Turbidity field measurements ranged from a low of 6.12 NTU to a high of 17.6 NTU. Turbidity laboratory measurements ranged from a low of 0 NTU to a high of 11 NTU. Field turbidity may have

been affected by ice crystals.

All BOD₅ results were less than 1 mg/l (the laboratory reporting limit). Total suspended solids ranged from a low of less than 10 mg/l to a high of 74 mg/l, as illustrated in Figure 9. Trace metals results show some detected levels of arsenic in the water column near the reporting limit. Barium was found in each water sample, ranging from 0.0175 mg/L to 0.0551 mg/L. No chromium, lead, or mercury was reported in any of the water samples.

3.2.2 Sediment Chemistry

Results of metals analyses are shown in Figures 2 through 6 at the end of this section. Less than detection limit results are assigned a value of "0" for statistical purposes in Table 4. Arsenic averaged 5.5 mg/kg throughout the pipeline alignment. The coefficient of variation (the standard deviation of the samples divided by the mean) for all of the sites was 39%.

Barium averaged 44.8 mg/kg across the pipeline alignment with a coefficient of variation of 33%.

Chromium averaged 12.2 mg/kg across the pipeline alignment with a coefficient of variation of 41%.

Mercury averaged 0.035 mg/kg across the pipeline alignment with a coefficient of variation of 78%.

Lead averaged 5.36 mg/kg across the pipeline alignment with a coefficient of variation of 52 %.

Sediment grain size data are illustrated in Figures 7 and 8. All samples were shown to be predominantly silt with a trace to some sand, with the exception of the deep sample at Station 14, which was predominantly sand.

There were no detections of volatile organic compounds (VOC).

Six components of the Semi-volatile Organic Compounds (SVOC) exceeded the minimum report detection limit (see Table 4). These compounds are: bis-(2-ethylhexyl)phthalate, Benzo(a)pyrene, and 2-Methylnaphthalene, 4-Methyphenol (p-Cresol), Phenanthrene, and Phenol.

3.3 SEDIMENT QUALITY STANDARDS

Sediment quality standards are driven by the impacts of pollutants on benthic biota. State sediment quality standards have not been established by the state of Alaska, thus other benchmark criteria were sought for comparative analysis. As the work performed at Liberty Island is a baseline study of the water and sediment quality, all criteria are used for comparison only. Exceedances do not necessarily indicate concern.

Liberty Island Route sediment data were compared to the following benchmarks: EPA Ecotox Thresholds; Puget Sound Dredged Disposal Analysis; and EPA Region III's Risk-Based Concentrations.

EPA Ecotox Thresholds (ET): The EPA has developed a group of ecotoxicologically-based threshold criteria (ET) for use in ecological risk assessments at Superfund sites. The ETs are intended to provide technical information to EPA and other government employees but do not constitute rulemaking by the EPA. Benchmarks have been developed for surface water and sediments, with sediment benchmarks presented as sediment quality criteria (SQC) for fresh water and marine environments, sediment quality benchmarks (SQB), and effects range low (ERL). If neither SQC nor SQB has been calculated, the ERL will be used as the sediment ET. For the analytes detected at Liberty Island only ERLs have been

calculated. The ERL represents the lower 10th-percentile concentration associated with observation of biological effects. Accordingly, concentrations below the ERL would rarely be associated with adverse effects. Table 4 provides a summary of the analytical results and benchmark screening levels.

Puget Sound Dredged Disposal Analysis (PSDDA): PSDDA analytic methods and criteria have been established for the Puget Sound area in Washington state. PSDDA chemical analyses were developed by the collaborative efforts of EPA Region X (Seattle), the USACE and the Washington State Departments of Natural Resources and Ecology. The Washington Department of Ecology is responsible for issuing state certification for USACE Section 404 permits. Data and criteria are reviewed annually; however, no changes in numeric standards have been made since 1988.

Three levels of contaminant concentrations have been established by PSDDA: a screening level, a bioaccumulation level, and a maximum level. Standards for each level are derived from a statistical model, in which apparent effects thresholds are defined. The model is applied to a rigorously quality-controlled database of sediment chemistry and bio-effect data. The maximum level is the level of highest apparent effects. The screening level is established at either the lowest biological effects level or at 10% of the maximum effect level. Arsenic, lead, mercury, and 42 volatile and semi-volatile organic compounds are included in the list of PSDDA parameters. There are no PSDDA criteria for the barium or chromium species.

Liberty Island sediment results are uniformly below the PSDDA screening level criteria for all components shown in Table 4 except 4-Methylphenol (p-Cresol).

Risk-Based Concentrations (RBCs): EPA Region III has calculated separate carcinogenic and non-carcinogenic RBCs for various pathways of ingestion or inhalation. The lower of the two is presented in the RBC tables published by EPA Region III which are updated and distributed semi-annually. The various pathways include residential water, ambient air, edible fish, industrial soil ingestion, and residential soil ingestion (which are generally lower (more stringent) than industrial soil ingestion). There are no RBCs for diesel range organics.

Liberty Island sediment results are uniformly below the RBCs for all the metals sampled as shown in Table 4. Results of analyses for discrete volatile and semi-volatile compounds were all below detection levels, with the exception of Benzo(a)pyrene.

4. DOCUMENTATION AND REPORTING

4.1 FIELD DOCUMENTATION

The field team leader was responsible for maintaining records of field activities, including field analytical measurements, sample locations, and sample identification. Data was entered into a bound notebook while field activities were in progress. All field documents were supplied to the project manager at the end of the field investigation. Field results were incorporated into progress reports or final reports, as appropriate. A sample plan checklist was used to identify sample numbers, sample locations, sample matrices, analytical parameters, sample containers, and quality control samples. This checklist was prepared by the project manager prior to mobilization and provided the field team with a concise list of samples by location. The field team leader reviewed the checklist for completion following sample collection and prior to the shipment of samples or departing from the site.

4.1.1 Field Logbook

Logbooks and data forms are necessary to provide sufficient data and observations to enable participants to reconstruct events that occurred during the project and to refresh the memory of field personnel if called upon to give testimony during legal proceedings. All daily logs were kept in bound, waterproof notebooks containing numbered pages. All entries were dated and signed. No pages were removed for any reason. Unused pages were crossed through, signed, and dated by the field team leader or project manager. Corrections were made by drawing a single line through the original entry (so the original entry can still be read) and writing the corrected entry beside the original. Corrections were initialed and dated.

4.1.2 Field Note Forms

Field note forms were used to record all data pertaining to a particular sampling event at a single sampling station. Field note forms are designed to assist the field crews in completing the work at each station. Field note forms were reviewed for completeness and accuracy and initialed in the field by the field sampling task leader. Copies of the original field note forms are provided in Appendix A.

4.1.3 Chain-of-Custody Forms

The purpose of chain-of-custody procedures is to ensure that the integrity of samples is maintained during their collection, transportation, storage, and analysis. All chain-of-custody requirements comply with standard operating procedures indicated in EPA sample handling protocol. Chain-of-custody records are provided in Appendix B.

4.1.4 Photographs

Photographs were taken at the sampling locations as directed by the team leader. Selected photographs are provided in Appendix C. Documentation of a photograph is crucial to its validity as a representation of an existing situation.

4.1.5 Sample Documentation

The field crew recorded the location of all samples on scaled site maps.

Each sample was labeled and sealed immediately after collection. The sample label was filled out using waterproof ink and firmly affixed to the sample containers with clear waterproof tape. An alphanumeric code was assigned to each sample as an identification number to track samples at the site. The sample code is broken down as follows:

<u>Year</u>	<u>Project</u>	<u>Sample Location</u>	<u>Sample matrix</u>	<u>Sample</u>
98	BPXLI	2, 9, 14, 30	SD=Sediment WA=Water	01=primary 61=duplicate

The sample label contains the following identification:

- Date and time of collection;
- Sample identification number;
- Analysis required (including analytical method number);
- Preservation method used; and
- Initials of field team member compiling samples.

Sample volume levels were marked on each liquid sample container. After the sample was collected,

pertinent information, such as sample identification number, date and time of sample collection, sample collection method, description of sample, and any field measurements (temperature, salinity, turbidity, etc.), were recorded on the field note form, and the recorder initialed the entry.

4.1.6 Laboratory Data Log

All data generated was reviewed by comparing and interpreting results from chromatograms (responses, stability, retention times), accuracy (mean percent recovery of spiked samples), and precision (reproducibility of results). Laboratory Data Sheets are presented in Appendix D.

4.1.7 Data Reporting and Data Deliverables

All laboratory-generated data was supplied in both hard copy and electronic formats in compliance with EPA Tier 1 guidelines.

4.1.8 Summary Statistics

Station values for water quality parameters have been summarized in tabular and graphic form. Statistics are calculated and presented in Table 4.

5. QUALITY ASSURANCE AND QUALITY CONTROL

5.1 QUALITY ASSURANCE OBJECTIVES

Characteristics used to assess generated data were precision, accuracy, representativeness, completeness, and comparability, often referred to as PARCC parameters. PARCC parameters were integrated throughout the work plan and applied throughout the data collection process.

Project goals expressed specific PARCC parameters necessary to meet regulatory requirements, such as maximum level. Performance goals were specifically related to indicator quality control (QC) samples as quantitative measures of PARCC parameters. For example, analysis of one duplicate in ten samples is a performance goal and the results of duplicate analyses are an indicator of precision. The completeness goal for all analytes is 87.5%, or 7 of 8 results.

Accuracy and Precision Criteria

	Laboratory Precision (Duplicate Relative Percent Difference)	Laboratory Accuracy (Laboratory Control Sample % Recovery)		
Total Suspended Solids	20	80-120		
Total Organic Carbon	20	80-120		
Grain Size	n/a	n/a		
Arsenic (As)	20	80-120		
Barium (Ba), Total ionic	20	80-120		
Chromium (Cr), Total	20	80-120		
Lead (Pb)	20	80-120		
Mercury (Hg)	20	80-120		
Volatile Organic Compounds	1,1-Dichloroethene	22	1,1-Dichloroethene	54-138
	Benzene	21	Benzene	70-130
	Trichloroethene (TCE)	24	Trichloroethene (TCE)	57-132
	Toluene	21	Toluene	71-129
	Chlorobenzene	21	Chlorobenzene	72-128
Semi-volatile Organic Compounds	Phenol	35	Phenol	28-110
	2-Chlorophenol	50	2-Chlorophenol	22-110
	1,4-Dichlorobenzene	27	1,4-Dichlorobenzene	21-110
	N-Nitroso-di-n-propylamine	38	N-Nitroso-di-n-propylamine	24-110
	1,2,4-Trichlorobenzene	23	1,2,4-Trichlorobenzene	32-110
	4-Chloro-3-methylphenol	33	4-Chloro-3-methylphenol	35-112
	Acenaphthene	19	4-Nitrophenol	29-127
	4-Nitrophenol	50	2,4-Dinitrotoluene	51-112
	2,4-Dinitrotoluene	47	Pentachlorophenol	41-133
	Pentachlorophenol	47	Pyrene	45-135
Pyrene	36			

Note:

Only system monitoring compounds are listed for Volatile and Semi-volatile Organic Compounds.

n/a - Criteria do not apply due to the nature of the analysis

* - Because this parameter has no standard analysis method, Limits are advisory only.

5.2 CALIBRATION PROCEDURES

All instruments and equipment used during the sampling and analysis were operated, calibrated, and maintained according to the manufacturer's guidelines and recommendations as well as criteria set for the instrument in the applicable methodology references. Operation, calibration, and maintenance were performed by personnel properly trained in these procedures.

5.2.1 Field Equipment

Each field instrument was calibrated prior to use at each sample location and, in some instances where appropriate, before each use. These instruments include a portable digital temperature/salinity/conductivity meter, pH meter, dissolved oxygen meter, and a turbidity meter. Calibration assured accurate readings for each day of use and was noted in the Field Notebook of the calibrator.

5.2.2 Laboratory Instrumentation

Laboratory capabilities were initially demonstrated for instrument and reagent/standards performed as well as accuracy and precision of analytical methodology. Brief descriptions of calibration procedures for major instrument types are presented in the previously referenced methodologies.

5.3 DATA VALIDATION SUMMARY

DATA VALIDATION SUMMARY

Thirteen water and fourteen sediment samples were collected March 18 and 19, 1998 and submitted to three laboratories for the suite of analyses summarized in the following table.

<u>Laboratory</u>	<u>Analysis</u>	<u>Method</u>
Prudhoe Bay Laboratory	BOD-5 Turbidity	
Quanterra Environmental Services	Mercury Arsenic Barium Chromium Lead	EPA Method 7471 EPA Method 6020 EPA Method 6020 EPA Method 6020 EPA Method 6020
MultiChem Analytical Services	Volatile Organic Compounds Semi-Volatile Organic Compounds Total Organic Carbon Grain Size Particle Size Total Suspended Solids Hexachlorobenzene* Hexachlorobutadiene*	EPA Method 8260A EPA Method 8270 EPA Method 415.1 EPA Method 160.2 EPA Method 8081 EPA Method 8081

* - Hexachlorobenzene and Hexachlorobutadiene were analyzed using EPA Method 8081 to achieve lowest possible reporting levels. However, some samples with high moisture content yielded reporting levels above PSSDA action criteria.

Data were validated in accordance with accuracy and precision objectives established by the subcontracted laboratories: MultiChem Analytical Services (MAS) of Anchorage, Alaska, and Quanterra Environmental Services (Quanterra) of West Sacramento, California. In addition, data were evaluated for conformance with the Quality Assurance Objectives specified in Section 4 of the 1997 Technical Plan (MW, 1997). Acceptance criteria for accuracy, precision, and method reporting limits (MRLs) are provided in the laboratory reports. Where applicable, data validation guidance contained in the National Functional Guidelines for Organic and Inorganic Data Review (EPA, 1994) were followed. All data were considered valid as qualified using data quality objectives defined for the project.




FIGURE 1
 BP EXPLORATION (ALASKA) INC.
 LIBERTY ISLAND ROUTE WATER /SEDIMENT SAMPLING
1998 BOREHOLE SAMPLING LOCATIONS



MONTGOMERY WATSON
 Anchorage, Alaska

JOB No. 1185
 0101 TIMES: 04-SEP-1998 08:38
 FILE: S:\CAD\Proje\liberty\FIG1.DGN

Figure 2
Arsenic Concentrations in Sediment
by Sample Location




Figure 3
Barium Concentrations in Sediment
by Sample Location




Figure 4
Chromium Concentrations in Sediment
by Sample Location




Figure 4
Chromium Concentrations in Sediment
by Sample Location




Figure 6
Mercury Concentrations in Sediment
by Sample Location




Figure 7
Grain Size Distribution





Figure 9
Total Suspended Solids by Water Depth



T LE 1
Sample Plan Checklist
Liberty Island Pipeline Routes
Water and Sediment Sampling

Sample Identification	Borehole Number	Latitude	Longitude	Date	Time	MATRIX	FIELD PARAMETER						ANALYTICAL PARAMETERS								
						Soil/Sediment	Sea Water	Temperature	Conductivity	Salinity	pH	Turbidity	Dissolved Oxygen	Total Suspended Solids (EPA 160.2)	BOD5/Turbidity	VOC (EPA 8260)	SVOC (EPA 8270)	TOC(415.1)	Mercury (EPA 7471)	Metals (EPA 6020)	Particle Size (ASTM D2487)
98BPXLI02SD1 (01)	DMA 98-2	70 16 38	147 33 31	3/18/98	2210	X									X	X	X	X	X	X	
98BPXLI02SD2 (03)	DMA 98-2	70 16 38	147 33 31	3/18/98	2230	X									X	X	X	X	X	X	
98BPXLI02SD62 (03)	DMA 98-2	70 16 38	147 33 31	3/18/98	2220	X									X	X	X	X	X	X	X
98HPXLI02SD3 (09)	DMA 98-2	70 16 38	147 33 31	3/18/98	2330	X									X	X	X	X	X	X	
98BPXLI09SD1 (01)	DMA 98-9	70 15 11	147 36 07	3/18/98	1610	X									X	X	X	X	X	X	
98BPXLI09SD2 (03)	DMA 98-9	70 15 11	147 36 07	3/18/98	1620	X									X	X	X	X	X	X	
98BPXLI09SD3 (09)	DMA 98-9	70 15 11	147 36 07	3/18/98	1630	X									X	X	X	X	X	X	
98BPXLI14SD01 (01)	DMA 98-14	70 13 43	147 38 45	3/18/98	1330	X									X	X	X	X	X	X	
98BPXLI14SD02 (03)	DMA 98-14	70 13 43	147 38 45	3/18/98	1345	X												X			
98BPXLI14SD03 (09)	DMA 98-14	70 13 43	147 38 45	3/18/98	1400	X									X	X	X	X	X	X	
98BPXLI30SD01 (01)	DMA 98-30	70 16 54	147 34 10	3/18/98	0250	X									X	X	X	X	X	X	
98BPXLI30SD02 (03)	DMA 98-30	70 16 54	147 34 10	3/18/98	0300	X									X	X	X	X	X	X	
98BPXLI30SD62 (03)	DMA 98-30	70 16 54	147 34 10	3/18/98	0310	X									X	X	X	X	X	X	X
98BPXLI30SD03 (09)	DMA 98-30	70 16 54	147 34 10	3/18/98	0330	X									X	X	X	X	X	X	

Table 2
Water Quality Parameters
Liberty Island Pipeline Route
Water and Sediment Sampling

Station	Sample	Borehole Number	Date	Time	Depth to Water Surface (BTD) (ft)	Depth to Bottom (BTI) (ft)	Total Water Depth (ft)	Ice Thickness (ft)	Ice Free Water Depth (ft)	Sample Depth (BTI) (ft)	Temp (°C)	Salinity ² (ppt)	Calculated ¹ Seawater Density (kg/m ³)	Conductivity (umho/s)	pH	Dissolved Oxygen (mg/l)	Field Turbidity (NTU)
98BPXLI09	WA01	DMA 98-09	3/18/98	1610	1.0	17	16	5.2	11.8	8.6	-2	32	1025.7	25050	7.4	7.7	13.3
98BPXLI09	WA02	DMA 98-09	3/18/98	1540	1.0	17	16	5.2	11.8	11.1	-2	32	1025.7	25050	7.2	8.5	8.4
98BPXLI09	WA03	DMA 98-09	3/18/98	1550	1.0	17	16	5.2	11.8	14.1	-2	32	1025.7	25050	6.9	7.4	12.5
98BPXLI30	WA01	DMA 98-30	3/19/98	120	1.2	21.1	19.9	4.9	16.2	8.8	-2	33	1026.6	26500	7.3	9.6	8.4
98BPXLI30	WA02	DMA 98-30	3/19/98	140	1.2	21.1	19.9	4.9	16.2	12.8	-2	33	1026.6	26000	7.6	9.7	11.7
98BPXLI30	WA03	DMA 98-30	3/19/98	200	1.2	21.1	19.9	4.9	16.2	16.8	-2	33	1026.6	26000	7.6	9.6	12.8

BTI = Below Top of Ice

Note:

1. Millero, F.J. and A. Poisson. 1981. International one-atmosphere equation of state of sea water. Deep- Sea Research, Vol. 28A, No. 6. p. 625-626
2. Salinity in Parts Per Thousand (ppt) converted from percent (%)

**Table 2
Water Quality Parameters
Liberty Island Pipeline Route
Water and Sediment Sampling**

Station	Sample	Sample Depth (BTI) (ft)	Sample Depth above Ocean Floor (ft)	BOD5	Lab Turbidity (NTU)	Total Organic Carbon (mg/L)	Total Suspended Solids (TSS) (mg/l)	Arsenic (mg/L)	Barium (mg/L)	Chromium (mg/L)	Lead (mg/L)	Mercury (mg/L)
98BPXLI09	WA01	8.6	8.4	<1	11	1.2	74	<.02	0.0200	<.01	<.01	<.0002
98BPXLI09	WA02	11	5.9	<1	7	1.2	34	<.02	0.0218	<.01	<.01	<.0002
98BPXLI09	WA03	14	2.9	<1	11	1.2	48	0.0202	0.0254	<.01	<.01	<.0002
98BPXLI30	WA01	8.8	12	<1	0	1.7	< 10	0.0206	0.0179	<.01	<.01	<.0002
98BPXLI30	WA02	13	8.3	<1	0	1.2	10	0.0226	0.0175	<.01	<.01	<.0002
98BPXLI30	WA03	17	4.3	<1	6	1.2	17	0.0213	0.0195	<.01	<.01	<.0002

BTI = Below Top of Ice

TABLE 3
Grain Size Results
Liberty Island Pipeline Routes
Water and Sediment Sampling
(all data are % by dry weight)

Sample Identification	Borehole Location	Depth (ft.)	Medium gravel (4.75 mm) No. 4	Fine Gravel (2.00 mm) No. 10	Very Coarse Sand (0.850 mm) No. 20	Coarse Sand (0.425 mm) No. 40	Medium Sand (0.250 mm) No. 60	Fine Sand (0.106 mm) No. 100	Very Fine Sand (0.075 mm) No. 200	Engineering Class	Frost Class
98BPXLI02SD01 (1.0)	DMA 98-2	0.5-1 ft.	100	100	100	100	99	99	94	Silt, ML	F4
98BPXLI02SD02 (3.0)	DMA 98-2	2-3 ft.	100	100	100	100	99	99	94	Silt, ML	F4
98BPXLI02SD03 (9.0)	DMA 98-2	8-9 ft.	100	100	99	98	96	92	87	Silt, ML	F4
98BPXLI09SD02 (1.0)	DMA 98-9	0.5-1 ft.	100	100	100	99	98	88	62	Silt, ML	F4
98BPXLI09SD02 (3.0)	DMA 98-9	2-3 ft.	100	98	97	95	91	86	79	Silt w/Sand	F4
98BPXLI09SD03 (9.0)	DMA 98-9	8-9 ft.	98	97	96	94	85	74	58	Sandy Silt, ML	F4
98BPXLI14SD01 (1.0)	DMA 98-14	0.5-1 ft.	99	99	99	98	95	88	59	Sandy Silt	F4
98BPXLI14SD02 (3.0)	DMA 98-14	2-3 ft.	100	100	100	100	98	93	87	Silt, ML	F4
98BPXLI14SD03 (9.0)	DMA 98-14	8-9 ft.	96	94	93	83	41	15	83	SP-SM	N/A
98BPXLI30SD01 (1.0)	DMA 98-30	0.5-1 ft.	99	99	99	99	98	97	87	Silt, ML	F4
98BPXLI30SD02 (3.0)	DMA 98-30	2-3 ft.	100	100	100	99	99	98	91	Silt, ML	F4
98BPXLI30SD03 (9.0)	DMA 98-30	8-9 ft.	100	100	100	99	98	96	90	Fat Clay, CH	F4

All Samples = PI (Non Plastic)

TABLE 4
Summary of Analytical Results and Benchmark Criteria
Liberty Island Pipeline Routes
Water and Sediment Sampling
(all data are % by dry weight)

Analyte	units	Project Values and Statistics							PSDD Criteria				EPA Benchmarks	
		Minimum lab detection limit	Minimum report detection limit	Minimum result	Maximum result	Average result (includes 0 for ND)	STDEV	Coefficient of Variation	MDS for PSDDA	Screening Level	Bioaccumulation Level	Maximum Level	Risk Based Concentrations (RBC)	Ecotox Effects Range Low (ERL)
Percent Moisture	PERCENT	0.0000	0.000	18	41	28.728	5.947	20.703	0.1	--	--	--	--	--
Total Metals (SW6020 & SW7471)														
Arsenic	MG/KG	0.1186	0.250	3.3052	11.2429	5.506	2.123	38.560	2.5	57	507.1	700	23	8.2
Barium	MG/KG	0.0275	0.125	23.4768	86.1714	44.824	14.868	32.723	--	--	--	--	5,500	--
Chromium	MG/KG	0.1073	0.250	5.4262	27.4382	12.229	5.000	40.890	--	--	--	--	78,000	81
Lead	MG/KG	0.0062	0.125	2.2282	13.8598	5.358	2.777	51.824	0.5	66	--	660	660	47
Mercury	MG/KG	0.0037	0.025	ND	0.0852	0.035	0.028	77.617	0.02	0.21	1.5	2.1	2.1	0.15
Volatile Organic Compounds (SW8260a)														
1,2-Dichlorobenzene	UG/KG	2.000	2,000	ND	ND	0	0	0	3.2	19	37	350	7,000,000	340 (2)
1,3-Dichlorobenzene	UG/KG	2.0000	2,000	ND	ND	0	0	0	3.2	170	1241	--	7,000,000	1,700 (2)
1,4-Dichlorobenzene	UG/KG	2.000	2,000	ND	ND	0	0	0	3.2	26	190	260	27,000	350 (2)
1,2,4-Trichlorobenzene	UG/KG	6.000	6,000	ND	ND	0	0	0	6	13	--	64	780,000	--
Ethylbenzene	UG/KG	2.0000	2,000	ND	ND	0	0	0	3.2	10	27	50	7,800,000	3,600 (2)
Hexachlorobenzene (SW8081) (1)	UG/KG	2.0000	2,000	ND	ND	0	0	0	12	23	168	230	--	--
Tetrachloroethene	UG/KG	2.0000	2,000	ND	ND	0	0	0	3.2	14	102	210	12,000	530 (2)
Trichloroethene	UG/KG	2.0000	2,000	ND	ND	0	0	0	3.2	160	1168	1600	58,000	1,600 (2)
Xylenes	UG/KG	2.0000	2,000	ND	ND	0	0	0	3.2	12	--	160	320,000	--
Semi-volatile Organic Compounds (SW8270a)														
Acenaphthene	UG/KG	21.000	21,000	ND	ND	0	0	0	20	63	--	630	4,700,000	1,100 (2)
Acenaphthylene	UG/KG	19.000	19,000	ND	ND	0	0	0	20	64	--	640	--	--
Anthracene	UG/KG	22.000	22,000	ND	ND	0	0	0	20	130	--	1300	23,000,000	--
bis-(2-ethylhexyl)phthalate	UG/KG	31.000	31,000	46	560	189.4286	164.4998	86.84	20	3100	13870	--	46,000	--
Benzo(a)anthracene	UG/KG	27.000	27,000	ND	ND	0	0	0	20	450	--	4500	880	--
Benzo(a)pyrene	UG/KG	23.000	23,000	ND	92	6.5714	24.5880	374.17	20	680	4964	6800	88	430 (2)
Benzo(b)fluoranthene	UG/KG	29.000	29,000	ND	ND	0	0	0	20	800	--	8000	880	--
Benzo(k)fluoranthene	UG/KG	36.000	36,000	ND	ND	0	0	0	20	800	--	8000	8,800	--
Benzo(g,h,i)perylene	UG/KG	37.000	37,000	ND	ND	0	0	0	20	540	--	5400	--	--

T-4
 Summary of Analytical Results and Benchmark Criteria
 Liberty Island Pipeline Routes
 Water and Sediment Sampling
 (all data are % by dry weight)

Analyte	units	Project Values and Statistics								PSDD/Screening				RPA Benchmarks	
		Minimum lab detection limit	Minimum report detection limit	Minimum result	Maximum result	Average result (includes 0 for ND)	STDEV	Coefficient of Variation	MDS for PSDDA	Screening Level	Bioaccumulation Level	Maximum Level	Risk Based Concentrations (RBC)	Ecotox Effects Range Low (ERL)	
Soil (continued)															
Semi-volatile Organic Compounds (SW8270a) (continued)															
Benzoic acid	UG/KG	150.000	150.000	ND	ND	0	0	0	100	400	--	690	310,000,000	--	
Benzyl alcohol	UG/KG	32.000	32.000	ND	ND	0	0	0	6	25	--	73	23,000,000	--	
Benzyl butyl phthalate	UG/KG	37.000	37.000	ND	ND	0	0	0	20	470	--	--	16,000,000	11,000 (2)	
Chrysene	UG/KG	27.000	27.000	ND	ND	0	0	0	20	670	--	6700	88,000	--	
Dibenzo(a,h)anthracene	UG/KG	38.000	38.000	ND	ND	0	0	0	20	120	--	1200	88	--	
Dibenzofuran	UG/KG	21.000	21.000	ND	ND	0	0	0	20	54	--	540	310,000	2,000 (2)	
Diethyl Phthalate	UG/KG	49.000	49.000	ND	ND	0	0	0	20	97	--	--	63,000,000	630 (2)	
2,4-Dimethylphenol	UG/KG	19.000	19.000	ND	ND	0	0	0	6	29	--	50	--	--	
Dimethyl phthalate	UG/KG	42.000	42.000	ND	ND	0	0	0	20	160	1168	--	780,000,000	--	
Di-n-butyl phthalate	UG/KG	29.000	29.000	ND	ND	0	0	0	20	1400	10220	--	7,800,000	11,000 (2)	
Di-n-octyl phthalate	UG/KG	35.000	35.000	ND	ND	0	0	0	20	6200	--	--	1,600,000	--	
Fluoranthene	UG/KG	23.000	23.000	ND	ND	0	0	0	20	630	4600	6300	3,100,000	1,400 (2)	
Fluorene	UG/KG	24.000	24.000	ND	ND	0	0	0	20	64	--	640	3,100,000	540 (2)	
Hexachlorobutadiene (SW8081) (1)	UG/KG	2.000	2.000	ND	ND	0	0	0	20	29	212	290	8,200	--	
Hexachloroethane	UG/KG	23.000	23.000	ND	ND	0	0	0	20	1400	10220	14000	46,000	1,000 (2)	
Indeno(1,2,3-cd)pyrene	UG/KG	36.000	36.000	ND	ND	0	0	0	20	69	--	5200	880	--	
2-Methylnaphthalene	UG/KG	20.000	20.000	ND	31	5.7857	11.5770	200.1	20	67	--	670	--	--	
2-Methylphenol (o-Cresol)	UG/KG	20.000	20.000	ND	ND	0	0	0	6	20	--	72	3,900,000	--	
4-Methylphenol (p-Cresol)	UG/KG	22.000	22.000	ND	280	31.6429	75.2898	237.94	20	120	--	1200	--	--	
Naphthalene	UG/KG	21.000	21.000	ND	ND	0	0	0	20	210	--	2100	3,100,000	480 (2)	
n-Nitrosodiphenylamine	UG/KG	25.000	25.000	ND	ND	0	0	0	12	28	161	220	130,000	--	
Pentachlorophenol	UG/KG	35.000	35.000	ND	ND	0	0	0	61	100	504	690	5,300	--	
Phenanthrene	UG/KG	24.000	24.000	ND	33	8.8571	14.5964	164.8	20	320	--	3200	--	1,100 (2)	
Phenol	UG/KG	19.000	19.000	ND	38	2.7143	10.1559	374.17	20	120	876	1200	47,000,000	--	
Pyrene	UG/KG	29.000	29.000	ND	ND	0	0	0	20	430	--	7300	2,300,000	660 (2)	
Total Organic Carbon (TOC) (E415.1)	MG/KG	0.100	0.1	0.42	6.5	2.3057	1.6941	73.476	0.1	--	--	--	--	--	

T. 4
 Summary of Analytical Results and Benchmark Criteria
 Liberty Island Pipeline Routes
 Water and Sediment Sampling
 (all data are % by dry weight)

Analyte	units	Project Values and Statistics							PSDDA Criteria				EPA Benchmarks	
		Minimum lab detection limit	Minimum report detection limit	Minimum result	Maximum result	Average result (includes 0 for ND)	STDEV	Coefficient of Variation	MDS for PSDDA	Screening Level	Bioaccumulation Level	Maximum Level	Risk Based Concentrations (RBC)	Ecotox Effects Range Low (ERL)
Water														
Total Metals (SW6020 & SW7470)														
Arsenic	MG/L	0.0114	0.020	ND	0.0226	0.0097	0.0109	112.575	--	--	--	--	0.011	0.036
Barium	MG/L	0.0013	0.010	0.0175	0.0551	0.0252	0.0098	38.932	--	--	--	--	2.6	--
Chromium	MG/L	0.0084	0.010	ND	ND	0	0	0	--	--	--	--	--	--
Lead	MG/L	0.0007	0.010	ND	ND	0	0	0	--	--	--	--	--	0.0081
Mercury	MG/L	0.0001	0.000	ND	ND	0	0	0	--	--	--	--	0.023	0.0011
Suspended Solids (E160.2)	MG/L	10.0000	10.000	ND	74	21.0769	21.4727	101.88	--	--	--	--	--	--
Total Organic Carbon (TOC) (E415.1)	MG/L	0.5000	0.500	1.1	1.7	1.3231	0.1833	13.852	--	--	--	--	--	--
Symbols														
--	Not Applicable or Not Available	MG/KG	milligrams / kilogram											
UG/KG	micrograms / kilogram	MG/L	milligrams / liter											
		ND	not detected above the reporting limit											
Footnotes														
(1)	Analyzed with an alternate method to achieve lower detection limits for comparison to PSDDA criteria.													
(2)	Ecotox value assumes the fraction of carbon in salt water sediments is 1%.													

APPENDIX A
Field Notes and Logs

p

Station No. 98-02 Air Temp 1°F
Wind 5e
Sky clear

Date 3/18/98
Crew Sharon Sadler, Tom C. Kien, Gary Cormier, Ken Halsten
Start Time 19:30

ICE - Datum Below Platform Decking		Location	
a	Depth to Top of Ice	4.7	Description Liberty Island
b	Depth to Bottom of Ice	9.3	
c	Depth to Seafloor	26	
d	Ice Thickness	4.6	Latitude
e	Ice Free Water	21.3	Longitude
f	Depth to Water	5.3	Northing
g	Water Column	20.7	Easting

Latitude: 70-16-38
Longitude: 147-33-31
Northing: 5953376.54 ASP
Easting: 307357.18 ASP

ADD .7 feet to sounder reading

Water Column Profile (every 0.5 feet) Datum Below Platform Decking								
Depth (feet)	Temp (°C)	EC uhms	DO mg/L	pH	Turbidity HNU	Salinity ppm	Temp (°C) for salinity	
2.0	-2	76000				33	-2	
2.5	-2	76000				33		
3.0	-2	76000				33		
3.5	-2	76000				33		
4.0	-2	76000				32		
4.5	-2	76000				32		
5.0	-2	76000				32		
5.5	-2	76000	10.9	6.4	9.3	32		
6.0	-2	76000				32		
6.5	-2	76000				32		
7.0	-2	76000				32		
7.5	-2	76000				32		
8.0	-2	76000				32		
8.5	-2	76000				32		
9.0	-2	76000				32		
9.5	-2	76000				32		
10.0	-2	76000				32		
10.5	-2	76000				32		
11.0	-2	76000	8.7	6.3	7.16	32		
11.5	-2	75000				32		
12.0	-2	76100				32		

Water Sample(s) - add .1 foot to bomb depth measurement

Dwp	Depth	Time	Date	Methods
98BPXLI 02 WA01	6.1	21:00	3/18/98	Bomb Dwp 21:10
98BPXLI 02 WA02	18.0	21:30	↓	Bomb
98BPXLI 02 WA03	22.5	22:00	↓	Bomb

Sediment Samples

Depth	Time	Date	Methods
98BPXLI 02 SD01(01)	0-1	22:10	3/18/98 S S
98BPXLI 02 SD02(03)	2-3	22:30	↓
98BPXLI 02 SD03(06)	B9	23:30	↓
Duplicate 98BPXLI 02 SD62-1(03)	0-1	22:20	↓

Comments

Meters used: YSI 300PT-CL STD. 1413
HACH 2100P, Turbidimeter S110NTU STD reads 5.20 NTU
HACH, Colorimeter, DO, LR
YSI 33, S-T-L-PH, STD. 1413
Beckman ϕ 11pHmeter, STD. 487

pg 2 of 2

Station No. 98-02 Air Temp Date 3-18-98
 Wind Crew
 Sky Start Time

ICE Datum Below Platform Decking		Location	
a	Depth to Top of Ice	4.7	Description
b	Depth to Bottom of Ice	9.3	
c	Depth to Seafloor	2.6	
d	Ice Thickness		Latitude
e	Ice Free Water		Longitude
f	Depth to Water		Northing
g	Water Column		Easting

ADD .7 feet to sounder reading

Water Column Profile (every 0.5 feet) Datum Below Platform Decking								
Depth (feet)	Temp (°C)	EC uhmos	DO mg/l %	pH	Turbidity HNU	Salinity ppm	Temp (°C) for salinity	
16.5	-2	26.000				32	-2	
16.0	-2	26.000				32		
15.5	-2	26.000				32		
15.0	-2	26.000				32		
14.5	-2	26.000				32		
14.0	-2	26.000	9.1	6.6	6.12	32		
13.5	-2	26.000				32		
13.0	-2	26.000				32		
12.5	-2	26.000				32		
12.0	-2	26.000				32		
11.5	-2	26.000				32		
11.0	-2	26.000				32		
10.5	-2	26.000				32		
10.0	-2	26.000				32		
9.5	-2	26.000				32		

WA01

Water Sample(s) _____ add 1 foot to bomb depth measurement

	Depth	Time	Date	Methods
98BPXLI WA01				
98BPXLI WA02				
98BPXLI WA03				

Sediment Samples _____

	Depth	Time	Date	Methods
98BPXLI SD01(01)				
98BPXLI SD02(03)				
98BPXLI SD03(06)				
Duplicate				
98BPXLI SD6_1(01)				

Comments _____

Meters used: YSI 300, T-C-L
 HACH 2100P, Turbidimeter
 HACH, Colorimeter, DO
 YSI 33, S-T-L-pH

98101

Station No. 09 Air Temp -29.9 Date 3-18-98
 Wind 16 km Crew BSM / WP
 Sky Clear Start Time 1510 - 1700

ICE - Datum Below Platform Decking		Location	
a	Depth to Top of Ice	4.4	Description
b	Depth to Bottom of Ice	9.6	
c	Depth to Seafloor	21.4	
d	Ice Thickness	5.2	Latitude <u>70-16-38</u>
e	Ice Free Water	13.2	Longitude <u>147-33-31</u>
f	Depth to Water	5.4	Northing <u>-5953376.54</u>
g	Water Column	14.2	Easting <u>307397.18</u>

ADD .7 feet to sounder reading

Water Column Profile (every 0.5 feet) - Datum Below Platform Decking							
Depth (feet)	Temp (°C)	EC (uhms)	DO (mg/L)	pH	Turbidity (HNU)	Salinity (ppt)	Temp (°C) for salinity
21.0	-2.0	25050			Field	32	-2.0
20.5	"	"				"	"
20.0	"	"				"	"
19.5	"	"				"	"
19.0	"	"				"	"
18.5	"	"	7.4	6.9	12.5	"	"
18.0	"	"				"	"
17.5	"	"				"	"
17.0	"	"				"	"
16.5	"	"				"	"
16.0	"	"				"	"
15.5	"	"	6.5	7.2	8.4	"	"
15.0	"	"				"	"
14.5	"	"				"	"
14.0	"	"				"	"
13.0	"	"	7.7	7.4	13.3	"	-2.0
12.0	"	"				"	-2.5
11.0	"	"				"	-2.8
10.0	"	"				"	-2.7

WA03
WA02
WA01

Water Sample(s) - add 1 foot to bomb depth measurement

	Depth	Time	Date	Methods
98BPXLI 09 WA01	13.0	1530	3-18	"Bomb" pt source sampler
98BPXLI 09 WA02	15.5	1540	3-18	"
98BPXLI 09 WA03	18.5	1550	3-18	"

Sediment Samples

	Depth	Time	Date	Methods
98BPXLI 09 SD01(01)	5-1	1610	3-18	SS, 18" x 4"
98BPXLI 09 SD02(03)	2-3	1620	3-18	
98BPXLI 09 SD03(08)	8-9	1630	3-18	↓
Duplicate				
98BPXLI SD6_1(01)	N/A			

Comments

Meters used: YSI 3006T-CL, 1413 STD ⇒ 1445
 HACH 2100P, Turbidimeter, 53.1 ⇒ 53.4
 HACH, Colorimeter, DO, LR
 YSI 33, S-T-L-pH 1413 STD ⇒ 1441
 Beckman 11, pH, STD 4.7
 Decon complete

BSM

pg 1 of 1

Station No. 98-14

Air Temp -35
Wind 15-20km
Sky clear

Date 3-18-98
Crew Bgm
Start Time 1215

ICE Datum Below Platform Decking		Location	
a	Depth to Top of Ice	4.5	Description
b	Depth to Bottom of Ice	9.4	
c	Depth to Seafloor	12.1	
d	Ice Thickness	5.1	Latitude <u>70-13-43</u>
e	Ice Free Water	3.3	Longitude <u>147-38-45</u>
f	Depth to Water	5.3	Northing <u>5935509.00</u>
g	Water Column	3.3	Easting <u>296088.00</u>

ADD .7 foot to sounder reading

Water Column Profile (every 0.5 feet) Datum Below Platform Decking								
Depth (feet)	Temp (°C)	EC (µmhos)	DO (mg/l)	pH	Turbidity (HNU)	Salinity (ppm)	Temp (°C) for salinity	
10.0	-1	24600	11.2	—	—	28	-1.8	
10.5	-1	24000	11.0	6.7	17.6	28	-1.7	←
11.5	-0.5	24000	—	—	—	27	-0.5	←
12.0	0	24000	10.4	6.8	17.6	27	-0.5	←

← 0.1
← 0.2

Water Sample(s) add .7 foot to bomb depth measurement

Sample ID	Depth	Time	Date	Methods
98BPXLI <u>14</u> WA01	10.2	1300	3-18	Bomb Pt. Source Sampler
98BPXLI <u>14</u> WA02	11.8	1315	3-18	Bomb
98BPXLI <u>14</u> WA03	N/A			

Sediment Samples

Sample ID	Depth	Time	Date	Methods
98BPXLI <u>14</u> SD01(01)	5-1	1330	3-18	5.5 18" x 4"
98BPXLI <u>14</u> SD02(03)	7-3	1345	3-18	↓
98BPXLI <u>14</u> SD03(08)09	8-9	1400	3-18	↓
Duplicate 98BPXLI <u>14</u> SD6 1(01)				

Comments

Meters used: YSI 3007-C-L 1413 STD
HACH 2100P, Turbidimeter, 53.1 → 53.7 Beckman 11, pH 7 & 4 STD.
HACH, Colorimeter, DO, LR
YSI 33, S-T-L-pH
Beckman 11, pH, STD. 4 & 7 used
Dean complete

Bgm

Page 1 of 2

Station No. 98-30 Air Temp -3 F Date 3/19/98
 Wind 7 E Crew Sharon Sisson
 Sky Clear Start Time 00:30

ICE - Datum Below Platform Decking		Location	
a	Depth to Top of Ice	4.7	Description <u>Liberty Island</u>
b	Depth to Bottom of Ice	7.6	
c	Depth to Seafloor	25.8	70.1, 38.67N 147 34 10.662W
d	Ice Thickness	4.9	Latitude <u>70-16-54</u>
e	Ice Free Water	16.2	Longitude <u>147-34-10</u>
f	Depth to Water	5.5	Northing <u>5955095</u> <u>ASP</u>
g	Water Column	20.3	Easting <u>306049</u>

ADD .7 feet to sounder reading

Depth (feet)	Temp (°C)	EC uhms	DO mg/l %	pH	Turbidity HNU	Salinity ppm	Temp (°C) for salinity
25.5	-2	27000				33	-2
25.0	-2	27000				33	
24.5	-2	26000				33	
24.0	-2	26000				33	
23.5	-2	26000				33	
23.0	-2	26000				33	
22.5	-2	26000				33	
22.0	-2	26000				33	
21.5	-2	26000	8.4/9.6	7.59/7.59	9.4/2.8	33	
21.0	-2	26000				33	
20.5	-2	26000				33	
20.0	-2	26000				33	
19.5	-2	26000				33	
19.0	-2	27000				33	
18.5	-2	27000				33	
18.0	-2	26000				33	
17.5	-2	26000	10.5/9.7	7.51/7.56	7.06/11.7	33	
17.0	-2	27000				33	
16.5	-2	26500				33	

Water Sample(s) add 1 foot to bomb depth measurement

Sample ID	Depth (ft)	Time	Date	Methods
98BPXLI 30 WA01	13.5	01:20	3/19/98	
98BPXLI 30 WA02 #62	17.5	01:40		Dup 01:50
98BPXLI 30 WA03	21.5	02:00		

Sediment Samples

Sample ID	Depth	Time	Date	Methods
98BPXLI 30 SD01(01)	0-1	02:50	3/19/98	
98BPXLI 30 SD02(03)	2-3	03:00		
98BPXLI 30 SD03(06)	8-9	03:30		
Duplicate 98BPXLI 30 SD6 21(07)	2-3	03:10		

Comments

Meters used: YSI 300pT-C-L
 HACH 2100P, Turbidimeter
 HACH, Colorimeter, DO, LR
 YSI 33, S-T-L-pH

pg 2 of 2

Station No. 96-30 Air Temp Date
 Wind Crew
 Sky Start Time

ICE - Datum Below Platform Decking		Location	
a	Depth to Top of Ice	Description	
b	Depth to Bottom of Ice		
c	Depth to Seafloor		
d	Ice Thickness	Latitude	<input type="text"/>
e	Ice Free Water	Longitude	<input type="text"/>
f	Depth to Water	Northing	<input type="text"/>
g	Water Column	Easting	<input type="text"/>

ADD .7 feet to sounder reading

Depth (feet)	Temp (°C)	EC (µmhos)	DO (%)	pH	Turbidity (HNU)	Salinity (ppm)	Temp (°C) for salinity
16.0	-2	26000				33	-2
15.5	-2	26500				33	
15.0	-2	26500				33	
14.5	-2	27000				33	
14.0	-2	26000				33	
13.5	-2	26500	9.6	7.26	8.36	33	
13.0	-2	26000				33	
12.5	-2	26000				33	
12.0	-2	26500				33	
11.5	-2	26000				33	
11.0	-2	26000				33	
10.5	-2	26000				33	
10.0	-2	26500				33	
9.5	-2	26000				33	

Water Sample(s) add .1 foot to bomb depth measurement

Sample ID	Depth	Time	Date	Methods
98BPXLI WA01				
98BPXLI WA02				
98BPXLI WA03				

Sediment Samples

Sample ID	Depth	Time	Date	Methods
98BPXLI SD01(01)				
98BPXLI SD02(03)				
98BPXLI SD03(06)				
Duplicate 98BPXLI SD6_1(01)				

Comments

Meters used: YSI 300, T-C-L
 HACH 2100P, Turbidimeter
 HACH, Colorimeter, DO
 YSI 33, S-T-L-pH

[The page contains several paragraphs of text that are extremely faint and illegible due to low contrast and scan quality. The text appears to be organized into sections, possibly separated by horizontal lines, but the content cannot be discerned.]



Project: LIBERTY Hole No. 98-02
Job No. 4119.33 Total Depth 9.5'
Contractor: ... Operator ... Logged By ...

Sheet 1 of 1

Location of Hole LIBERTY 98-02 (MW)

4.7' DEEP TO ICE
9.3' DEEP TO BOTTOM ICE
21.0' DEEP TO MUD

Conditions -1°F, SE, CLEAR

Rig Type CME-7
Sampling Methods 4"SS
Hammer Wt. and Drop 340# 120"
Hammer Type MANUAL ~~AUTOMATIC~~
Started TIME 7:43 PM DATE 3/10/98
Completed TIME 11:23 PM DATE 3/10/98

Hole Depth (Ft)			
Casing Depth (Ft)			
Water Depth (Ft)			
Time			
Date			

Surface Elevation _____ Datum _____

Instrumentation 110215 Date _____
Backfilled TIME NA DATE _____ BY _____

Sample No.	Sample Depth	Sampler Type	Blows / 6-in.	Inches Driven	Inches Recovered	Depth in Feet	Sample	Graphic Log	Frozen?
	0.0'	MW	0	18	18	1			
	2.0'	MW	3/10	18		2			
						3			
						4			
						5			
						6			
						7			
						8			
	8.0'	MW	3	18	18	9			
			5			10			
						11			

0.0' - dark gray to black SILT (ML), scattered twelve shells - color change @ 1.2' to gray. Weight of hammer caused sample to penetrate, no blow. Sample retained in MW.

3.0' - gray SILT (SP) w/ trace SILT, fine grained, loose. Sample retained by MW.

8.0' - gray SILT (ML) w/ trace CLAY, soft. 8.0' to 8.4' trace ORGANICS w/ trace gray SILT. Sample retained by MW. Organics non-phosphorus, white. Both @ 9.5' @ 2323 3/10/98. No TVL.

SENT BY: Xerox telecopier 7020 : 3-20-98 : 5:38 :

8076586594+

907 346 1636:W 4



Duane Miller & Associates
Arctic & Geotechnical Engineering
FIELD LOG

Project: LIBERTY Hole No. M-2
Job No. 2-11-98 Total Depth 9.5
Contractor: Duane Miller Assoc Operator David Miller Logged By David Miller

DMA 98-01

Location of Hole: St. 104+01.12
Conditions: Drill to 10 4.4, Test 5.2, H₂O = 11.8
Drill to Mud 2.11

Rig Type: C-150
Sampling Method: 3.5" split barrel sampler
Hammer Wt. and Drop: 220 lbs
Hammer Type: MANUAL AUTOMATIC
Started TIME: 3:15 PM DATE: 18 MAR 98
Completed TIME: 5:45 PM DATE: 19 MAR 98

Hole Depth (FT) [] [] [] []
Casing Depth (FT) [] [] [] []
Water Depth (FT) [] [] [] []

Surface Elevation: -17.0 Datum: S.L. I.L. Time: _____

Instrumentation: NLOG Date: _____

Backfilled TIME: N/A DATE: _____ BY: _____

Sample No.	Sample Depth	Sampler Type	Blows / 6-in.	Inches Driven	Inches Recovered	Depth in Feet	Graphic Log	Notes
	0.0	S35	1	6	6	0.0		
			1	6	6	1		
			2	6	6	2		
	2.0	S35	1	6	6	2.0		
			1	6	6	3		
			2	6	6	4		
						5		
						6		
						7		
						8		
						9		
						10		
						11		

0.0 - 0.2 Brown Sand w/ some shells
0.2 - 0.5 bluish organic silt
with organic pieces, wood & shells
0.5 - 2.3 Dark Grey Silt
2.3 - 3.0 Two levels of brown
silty part w/ distinct odor
of decomposition - with 2"
into bedrock - some silt layers
3.0 - 6.0 Dk Grey Silt
driller: "sand" @ 6ft
6.0 - 9.5 Interbedded
Grey Sand and Dark Grey
Silt

Duane Miller & Associates
 Arctic & Geotechnical Engineering
FIELD LOG

Project: LIBERTY Hole No. DNA 98-14
 Job No. A/C. 23 Total Depth 0.
 Contractor: Duane Miller / CATCO Operator Scott Logged By Phillip / Reiman

Location of Hole 10 ft E of Loc DNA 98-14
 Sta 207+07, 10'L
 (nearest 74+29, 3.3L)
 Conditions Deck to 100 ft 9A' 100 to 5.0' 400 20'
 Deck to next 12A'

Rig Type CHC-75
 Sampling Methods 3.5" split sp. - SB
 Hammer Wt. and Drop 360# - 30"
 Hammer Type MANUAL AUTOMATIC
 Started TIME 12:30 PM DATE 18 MAR 98
 Completed TIME 2:30 PM DATE 18 MAR 98

Hole Depth (FT)	9.5		
Casing Depth (FT)	21.6		
Water Depth (FT)	+7.7		
Time	1:00 P		
Date	18 MAR		

Surface Elevation -7.7' Datum Rock surface

Instrumentation NONE Date _____
 Recalled TIME _____ DATE _____ BY _____

Sample No.	Sample Depth	Sampler Type	Blows / 6-in.	Inches Driven	Inches Recovered	Depth in Feet	Graphic Log
	0.0	SB	2	6	6	0.0	[Hatched pattern]
			3	6	6	1	
	1.5	SB	1	6	6	2	
			2	6	6	3	
			4	6	6	4	[Dotted pattern]
						5	
						6	
						7	
						8	[Dotted pattern]
80		SB	2	6	6	9	
			3	6	6	10	
			2	6	6	11	

0.0 - 0.5 Brown Sand, sand is
 med. grain, well sorted (SP)
 0.5 - 4.5 Dk Gray Silt
 4.5 - 9.5 Gray Sand w/ scattered
 small pebbles



Project: LIBERTY Hole No. 98-30
Job No. 4114-2 Total Depth 9.5
Contractor: WISCONSIN Operator CC Logged By CC

Sheet
1/1

Location of Hole LIBERTY
98-30 (MW)

4.7' DECK TO ICE
9.6' DECK TO BOTTOM OF
25.0' DECK TO MUD

Conditions -30F, FE, CLEAR

Rig Type CRUISER
Sampling Methods 4" SS
Hammer Wt. and Drop 340" 30"
Hammer Type MANUAL AUTOMATIC
Started TIME 12:10 PM DATE 3/19/98
Completed TIME 3:27 AM DATE 3/19/98

Hole Depth (Ft)				
Casing Depth (Ft)				
Water Depth (Ft)				
Time				
Date				

Surface Elevation _____ Datum _____

Sample No.	Sample Depth	Sampler Type	Blows / 6-in.	Inches Driven	Inches Recovered	Depth in Feet	Sample	Graphic Log	Frozen?
	0.0	MW	2	18	12	1			
			2			2			
			3			3			
		MW	2	18	15	4			
			2			5			
			5			6			
						7			
						8			
	8.0	MW	2	18	16	9			
			3			10			
			4			11			

Instrumentation NONE Date _____
Backfilled TIME NA DATE _____ BY _____

0.0' - open SILT (ML) w/ trace black amorphous ORGANICS & trace fine EPID, scattered bitum. fragments, soft. Sample retained by MW. Weight of hammer used sampler 0' to 0.5'.


2.0' - gray SAND (SM) w/ some SILT & 2 pieces subangular GRAVEL (0.6" & 1.5" φ)

2.7' to 2.9' - trace amorphous ORGANICS w/ interlayers of gray SILT ± 0.2" thick.

2.9' - open SILT (ML) w/ some CLAY, soft. Sample retained by MW.

8.0' - gray CLAY, firm. Sample retained by MW.

BOH @ 9.3' @ 0327 3/19/98. Ab TK



F. Robert Bell and Associates

Surveyors / Engineers

Prudhoe Bay

Phone 659-5000/5005

FAX 659-5065



Transmittal Cover Sheet

Date: March 24, 1998

To: Jeffrey Cotton

Fax: 564-5020

From: Steve Stoll

Subject: LIBERTY

Pages Following Cover: 1

Post-It™ brand fax transmittal memo 7671		# of pages	2
To	CONNIE McLEAN		
From	DUANE		
Co.	MW		
Dept.			
Fax #	248-8884	Phone #	
		Fax #	

Comments:

Attached are two sheets with Liberty sketches.
The following are coords points you are interested in.

Current Zone: AK-3

>>Point number: 10201 DMA 98-30
 Grid Northing: 5955095 Grid Easting: 306049
 Convergence: -1-28-39 Scale factor: 0.999942732097
 Latitude: 70-16-54 Longitude: 147-34-10

>>Point number: 10105 DMA 98-02
 Northing: 5953376.54 Easting: 307357.18
 Convergence: -1-28-02 Scale factor: 0.999942157796
 Latitude: 70-16-38 Longitude: 147-33-31

>>Point number: 10116 DMA 98-9
 Grid Northing: 5944702.00 Grid Easting: 301770.00
 Convergence: -1-30-28 Scale factor: 0.999944638807
 Latitude: 70-15-11 Longitude: 147-36-07

>>Point number: 10126 DMA 98-14
 Grid Northing: 5935909.00 Grid Easting: 296088.00
 Convergence: -1-32-56 Scale factor: 0.999947234682
 Latitude: 70-13-43 Longitude: 147-38-45

THESE ARE
THE REAL
LOCATIONS
DRILLED
FOR YOU.

MAR. 25. 1998 6:10PM


BP X MSE AK
IV.

MAR 25 '98


NO. 656 No. P. 5/69.02

NOTES

1. COORDINATES SHOWN ARE ALASKA STATE PLANE ZONE 3, NAD 1927.
2. LOCATION BASED ON STATION "DELTA" AND WCMC3 USS 8120.
3. REFERENCE GPS FILE: EX031998
4. DATES OF SURVEY: MARCH 18-19, 1998.



REVISIONS FOR INFORMATION REVISION BY DATE	F. Robert DUANE MILLER ASSOCIATES ENGINEERS AND SURVEYORS 10000 Highway 100 Anchorage, Alaska 99504	STATION NO. 001 DATE 3/24/98 SCALE 1" = 5000'	BP EXPLORATION	SHEET LIBERTY ISLAND DRILLHOLE LOCATIONS 1 of 2
		PROJECT NO. 001		



This map is based on U.S.G.S. quad Beechy Point (S-2-B-1, A-2-A-1) and on the Unit Operator's Facility Maps.



- ⊕ Boring less than 50' deep
- ⊙ Boring greater than 50' deep

Within T11NR17E Sec. 8, 9, 14, 15, 16, 23, 24, 25
 T11NR18E Sec. 29, 30, 32, 33
 T10NR17E Sec. 24
 T10NR18E Sec. 3, 4, 5, 7, 8, 10, 16, 18, 19, 22, 23

BP EXPLORATION (ALASKA) INC.

**LIBERTY
 GEOTECHNICAL
 BORE HOLE LOCATIONS
 PERMIT APPLICATION**

DATE:
1/28/97


SCALE:
1" = 1.25 Miles

SHEET:
2 OF 3

APPENDIX B
Chain of Custody Records

mix results to


248-8884

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: P&C Laboratory (BP) West Prudhoe Bay, Alaska (907) 659-4334		SOIL						WATER		Comments
		Attn: Al Kukla MW Job Number: 48-hour holding time								Turbidity- EPA 180.1 100 ml poly	BOD5- EPA 405.1 1 l poly	
Sampler's Signature 1998 <i>Bonches</i>				Cool to 4 degrees C						Cool to 4 degrees C		
Date	Time	Sample ID	Matrix	Total Containers								
3-18	2100	98BPXLI 02 WA01	W	2						✓	✓	
3-18	2130	98BPXLI 02 WA02	W	2						✓	✓	
3-18	2200	98BPXLI 02 WA03	W	2						✓	✓	
3-18	1530	98BPXLI 09 WA01	W	2						✓	✓	
3-18	1540	98BPXLI 09 WA02	W	2						✓	✓	
3-18	1550	98BPXLI 09 WA03	W	2						✓	✓	
3-18	1300	98BPXLI 14 WA01	W	2						✓	✓	
3-18	1315	98BPXLI 14 WA02	W	2						✓	✓	
3-19	0700	98BPXLI 30 WA03	W	2						✓	✓	
3-19	0120	98BPXLI 30 WA01	W	2						✓	✓	
3-19	0140	98BPXLI 30 WA02	W	2						✓	✓	
		98BPXLI WA03										
3-19	0150	98BPXLI 30 WA62	W	1						NO	✓	
3-18	2110	98BPXLI 02 WA61	W	1						NO	✓	
		98BPXLI WA										
		98BPXLI WA										
Relinquished by:				Date	Hand Delivered	Shipped Via	Airbill Number		Date			
				Time	Y N	N/A			Time			
Received for Laboratory by:				Date	Cooler Temperature			°C	Laboratory Notified			
				Time	Upon Arrival				Faxed			

BOD only
BOD only

FO' 0

MAS 821354

Mangrove Water 4180 Spruce Road Anchorage AK 99517 (907) 248-8983 Fax (907) 248-8384 ATTN: Lynn DeGeorge		Labatory: Molecular Analytical Services 2008 West International Airport Road Anchorage, Alaska 99502 (907) 248-8773 (907) 248-8773 FAX Attn: Mike Vogel		SOIL				WATER		Comments	
		MVT Job Number: 1187002 21-DAY 330101 FURNAROUND		VOC-2844 2 x 2-oz amber glass	VOC-2879 1 x 8-oz amber glass	TOC-4151 1 x 4-oz amber glass	Grain Size - ASTM D421 1 x 8-oz amber glass	Particle Size - ASTM D4247 1 x 4-oz amber glass	TSS-1043 250 ml poly		TOC-4151 1 x 250 ml amber
Sample's Location 1998 <u>Burchan</u>											
MAS#											
-1	3-18	2210	98BPXLI 02 WA01	W	2				✓	✓	
-2	3-18	2130	98BPXLI 02 WA02	W	2				✓	✓	
-3	3-18	2200	98BPXLI 02 WA03	W	2				✓	✓	
-4	3-18	1530	98BPXLI 09 WA01	W	2				✓	✓	INSI MSD
-5	3-18	1540	98BPXLI 09 WA02	W	2				✓	✓	
-6	3-18	1550	98BPXLI 09 WA03	W	2				✓	✓	
-7	3-18	1300	98BPXLI 14 WA01	W	2				✓	✓	
-8	3-18	1315	98BPXLI 14 WA02	W	2				✓	✓	
-9	3-19	0200	98BPXLI 30 WA03	W	2				✓	✓	
-10	3-19	0120	98BPXLI 30 WA01	W	2				✓	✓	
-11	3-19	0140	98BPXLI 30 WA02	W	2				✓	✓	
			98BPXLI WA01								No Sample
-12	3-19	0150	98BPXLI 30 WA02		2				✓	✓	
-13	3-18	2110	98BPXLI 02 WA01		2				✓	✓	
			98BPXLI WA								
			98BPXLI WA								
Collected by <u>Cornelia</u>			Date <u>5-20-88</u> Time <u>10:50</u>	Rapid Delivery <input checked="" type="checkbox"/> M Skipped Via	MAS Number	Date					
Received by Laboratory <u>Ray Fisher</u>			Date <u>3/80</u> Time <u>10:00</u>	Order Temperature <u>4.8° 3.7°</u> °C Upon Arrival <u>5.1° 11.7°</u> °C	Laboratory Method						

P.2


W. T. P. H. L. A. U. T. I. R. L. S. O. N.

BS-3144

INSI MSD

No Sample

LAST

<p>Montgomery Watson 4100 Spenced Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge</p> 		<p>Laboratory: Molecular Analytical Services 2000 West International Airport Road Anchorage, Alaska 99502 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel</p> <p>1189002 330101 3/20 M/W Job Number: G.P. 118922-3001 21-DAY TURNAROUND</p>		<p>SOIL</p> <p>VOCs - 8500s 2 x 2-oz amber glass</p> <p>SVOCs - 8270 1 x 8-oz amber glass</p> <p>TOC - 4151 1 x 4-oz amber glass</p> <p>Grain Res - ASTM D422 1 x 8-oz amber glass</p> <p>Particle Size - ASTM D2487 1 x 4-oz amber glass</p>					<p>WATER</p> <p>TSS - 1602 250 ml poly</p> <p>TOC - 4151 1 x 250 ml amber</p>		<p>MAS 821354</p>			
<p>Inspector's Signature 998 <i>Burchan</i></p>														
MAS#														
-14	3-18	2210	98BFXLI 02 SD01(01)	S	S	✓	✓	✓	✓	✓				
-15	3-18	2230	98BFXLI 02 SD02(03)	S	S									
-16	3-18	2330	98BFXLI 02 SD03(09)	S	S									
-17	3-18	1610	98BFXLI 09 SD01(01)	S	S								M/S/MSD	
-18	3-18	1620	98BFXLI 09 SD02(03)	S	S									
-19	3-18	1630	98BFXLI 09 SD03(09)	S	S									
-20	3-18	1330	98BFXLI 14 SD01(01)	S	S									
-21	3-18	1345	98BFXLI 14 SD02(03)	S	S									
-22	3-18	1400	98BFXLI 14 SD03(09)	S	S									
23	3-19	0250	98BFXLI 30 SD01(01)	S	S									
-24	3-19	0300	98BFXLI 30 SD02(03)	S	S					✓	✓			
-25	3-19	0330	98BFXLI 30 SD03(09)	S	S	✓	✓	✓	✓	✓	✓			
-26	3-19	0910	98BFXLI 30 SD12(03)	S	S	✓	✓	✓						
-27	3-18	2200	98BFXLI 02 SD02(03)	S	S	✓	✓	✓						
			98BFXLI SD ()											
			98BFXLI SD ()											
<p>Inspected by: <i>Burchan</i></p>			<p>Date: 3-20-98</p>	<p>Time: 10:30</p>	<p>Field Defensed: <input checked="" type="checkbox"/></p>	<p>Shipped Via: <input checked="" type="checkbox"/></p>	<p>MSW Number: _____</p>	<p>Date: _____</p>						
<p>Handled by Laboratory by: <i>Gregg Fisher</i></p>			<p>Date: 3-20-98</p>	<p>Time: 0:00</p>	<p>Cooler Temperature: _____ °C</p>	<p>Urem Arched: _____</p>	<p>Laboratory Method: _____</p>	<p>Found: _____</p>						

MAS#
 -14
 -15
 -16
 -17
 -18
 -19
 -20
 -21
 -22
 23
 -24
 -25
 -26
 -27

MultiChem Analytical Services, LLC

Anchorage, AK

SAMPLE LOG IN CHECKLIST

SESSION #: 821354 SUBCONTRACT WORK? YES / NO
 CLIENT NAME: Montgomery Watson TO LAB (circle): MAS-R OTHER: AK Test Labs
 SCHEDULED-IN BY (print): Gary Fisher (sign): Gary Fisher
 received: 3/20/08 Client's Cooler # (if any): _____
 the project for: ACOE? YES / NO NAVY? YES / NO

Did cooler arrive with shipping document?	(Hand delivery) <u>N/A</u>	YES	NO
Are Custody seals present on cooler?	YES / <u>NO</u> How many? _____ Where? _____		
Seal date:	Seal name:	Intact?	N/A
Are Custody seals present on sample containers?		YES	NO
If "YES", intact?		N/A	YES
Is the Chain of Custody (C-O-C) sealed in plastic bag?	YES / <u>NO</u> Taped to cooler lid?	YES	<u>NO</u>
Is the C-O-C complete? *	Relinquished by client: YES / NO	Analyses marked off:	YES / NO
C-O-C or other representative documents, letters, and/or shipping memos.	Signed/received by lab:	YES	NO
Is the C-O-C in agreement with samples received?			
Sample ID's:	<u>YES</u> / NO	Matrix:	<u>YES</u> / NO
Date sampled:	<u>YES</u> / NO	# Containers:	YES / <u>NO</u>
Has the main logbook been filled out properly?			<u>YES</u> / NO
If samples are RUSH has notice been given?		<u>N/A</u>	YES / NO
proper preservation indicated on label(s)?		<u>N/A</u>	YES / NO
Did pH check verify preservative indicated?	(Volatiles) <u>N/A</u>	YES	NO
Are sufficient sample volume for analyses?		<u>YES</u>	NO
Are samples in proper containers? (see reference chart)		<u>YES</u>	NO
Are all samples within holding times for requested analysis?		<u>YES</u>	NO
Are all sample containers intact? (i.e. not broken, leaking...)		<u>YES</u>	NO
Are samples individually bagged?		<u>YES</u>	NO
Are all volatile samples headspace-free (< pea-size for waters)?		<u>N/A</u>	YES / NO
Shipping container (circle one):	<u>Cooler</u> / Box / Other:		
Type of packing material used (circle one):	<u>Bubble Wrap</u> / Styrofoam Peanuts / Vermiculite / None		
Refrigerant (circle one):	<u>Gel Ice</u> / Loose Ice / Other:		/ None
Was refrigerant frozen upon receipt?		<u>YES</u>	NO
Cooler temperature(s):	<u>#3) 5.1 °C #2) 11.7 °C #1) 4.8 °C</u>	#2: <u>3.7 °C</u>	
Was a tagging check for QC:			
Are ID's issued in order of appearance on C-O-C:		YES	NO
Are labels placed in appropriate areas of sample containers:		<u>YES</u>	NO
Name of reviewer:			
Describe any "NO" items from checklist above: <u>Samples #1 Time on label = 21:00, on COC = 22:10, all else matches</u> <u>Samples #14-25 only four of each not five as listed</u> <u>on COC. Samples #7-13 only two of each not two as listed.</u>			

Client contacted: YES / NO / N/A Date: _____ Name of person contacted: _____
 Client instructions or actions taken: _____

Quanterra Incorporated - West Sacramento PROJECT RECEIPT CHECKLIST

Client Name: Montgomery Watson Log #: 50-2

Project # (LIMS ID): 98184 Project copied: _____

Location(s): W28 Initials _____ Date _____

Date Received: 3-21-98 Time Received: 0930 Initials MH Date 3-21-98

Delivered by: Federal Express Airborne
 Courier Express DHL
 White Cotton Delivers UPS
 Over the counter (OTC) Go-Getters
Other: _____

Custody Seal Status: Intact Broken N/A

Custody Seal Number(s): 17451, 17452

Shipping Container(s): Quanterra Client N/A

Temperature Record (in °C):
COC#: _____ N/A
Temp Blank: _____
Ambient Temp: _____ 40C

pH Measured: Yes Anomaly N/A

Sample(s) Labeled By: _____

Sample Labeling Checked By: _____

Short Hold Time Notification: Sample Receiving N/A
Wet Chem N/A
Metals (Fill/Pres) N/A

Complete shipment received in good condition, with appropriate temperatures, containers, and preservatives. N/A

Anomaly (-ies)/comments: _____ Temperature exceeded (2°C-6°C)

_____ PM notified N/A

Montgomery Watson
 4100 Spencer Road
 Anchorage AK 99517
 (907) 248-8883
 Fax (907) 248-8884
 ATTN: Lynn DeGeorge



Laboratory:
 Quanta
 980 Riverside Parkway
 West Sacramento, CA 95606
 (916) 374-4427
 (916) 372-1099 FAX
 Attn: NDE Lgl

MW Job Number:
 21-DAY
 TURNAROUND

Metals- Mercury-7471,
 Arsenic, Barium, Chromium, Lead-6020,
 For glass

SOIL WATER

Comments

Date	Time	Sample ID	Matrix	Test Container	Comments
3-18	2210	98BPXL1 02 SD01(01)	S	✓	
3-18	2230	98BPXL1 02 SD02(03)	S	✓	
3-18	2330	98BPXL1 02 SD03(09)	S	✓	
3-18	1610	98BPXL1 09 SD01(01)	S	✓	MS/MSD
3-18	1620	98BPXL1 09 SD02(03)	S	✓	
3-18	1630	98BPXL1 09 SD03(09)	S	✓	
3-18	1330	98BPXL1 14 SD01(01)	S	✓	
3-18	1345	98BPXL1 14 SD02(03)	S	✓	
3-18	1400	98BPXL1 14 SD03(09)	S	✓	
3-19	0250	98BPXL1 30 SD01(01)	S	✓	
3-19	0350	98BPXL1 30 SD02(03)	S	✓	
3-19	0330	98BPXL1 30 SD03(09)	S	✓	
3-18	2220	98BPXL1 02 SD02(03)	S	✓	
3-10	0310	98BPXL1 30 SD02(03)	S	✓	
		98BPXL1 SD ()			LAST ITEM
		98BPXL1 SD ()			80169935 8828

Retransmitted by: *Burdman*
 Received by Laboratory by: *CAH/Bluffs*

Date: 3-19-98
 Time: 1700
 Hand Delivered: Y N
 Shipped Via: *FEDEX*
 Airbill Number: *032198*
 Date: *032198*
 Time: *1100*
 Cooler Temperature: *40L 032198*
 Upon Arrival: *mm*
 Laboratory Method: *mm*
 Head: *mm*

Keep in good condition
032198 mm
15:30

LABORATORY METHOD SHEET

Montgomery Watson
4100 Spenced Road
Anchorage AK 99517
(907)248-8883
Fax (907) 248-8884
ATTN: Lynn DeGeorge



Laboratory:
(Continium)
2000 Riverdale Parkway
West Sacramento, CA 95604
(916) 374-4477
(916) 572-0299 FAX
Attn: Mike Lipt

MW Job Number:

21-DAY
TURNAROUND

SOIL

WATER

Methods:
Asst. Barium, Chromium, Lead-6020,
Mercury-7471
1 party

Comments

Sampler's Signature
1998

Bonchen

Dist to 4 @ 100m C

Date	Time	Sample ID	Mark	Total Containers							
3-18	2100	98BPXLI02 WA01	W	1							
3-18	2130	98BPXLI02 WA02	W	1							
3-18	2200	98BPXLI02 WA03	W	1							
3-18	1530	98BPXLI09 WA01	W	1							
3-18	1540	98BPXLI09 WA02	W	1							
3-18	1550	98BPXLI09 WA03	W	1							
3-18	1300	98BPXLI14 WA01	W	1							
3-19	1315	98BPXLI14 WA02	W	1							
3-19	0700	98BPXLI30 WA01	W	1							
3-19	0120	98BPXLI30 WA01	W	1							
3-19	140	98BPXLI30 WA02	W	1							
		98BPXLI WA03			NO SAMPLE						
3-19	150	98BPXLI30 WA02	W	1							
3-19	2110	98BPXLI02 WA01	W	1							
		98BPXLI WA			LAST ITEM						
		98BPXLI WA									801695358828

Relinquished by: *Bonchen*
Received for Laboratory by: *Clay Dyer*

Date 3-19-98
Time 1700
Date 3-21-98
Time 1100

Head Drilled Shipped Via
v. C Red X
Cooler Temperature 40C
Upon Arrival

Alert Number
Date
Time
Laboratory Notified
Facid *malalaw 05498*

*032198
MLP used in good
condition*

MONTGOMERY WATSON

P.04

CALLAB-098184

Terra Environmental Services, Sacramento -
Fairview Parkway

Sacramento, California 95605
3-5600

Date Received : 21 MAR 98 09:30

Tom DeGeorge
Mary Watson -
Penard Road
Orange, Alaska

99517

248-8883

Fax: (907) 248-8884

Project ID,
EPA Case, RMA Lot : ICPMS Metals + Hg

P.O. Number :

Delivered By :

Storage Location : W2E

Logged in by : KGONYEA

1) and aqueous(13) samples received in good condition under
-of-Custody. Delivered by Federal Express.

ID	Client's label info	Date/Time Samp.	Containers
4-0001-SA	98BPXLI02SD01(01)	18 MAR 98 22:10	125CGJ
0002-SA	98BPXLI02SD02(03)	18 MAR 98 22:30	125CGJ
0003-SA	98BPXLI02SD03(09)	18 MAR 98 23:30	125CGJ
4-0004-SA	98BPXLI09SD01(01)	18 MAR 98 16:10	125CGJ
4-0004-MS	98BPXLI09SD01(01) Matrix Spike	18 MAR 98 16:10	Matrix Spike
0004-SB	98BPXLI09SD01(01) Matrix Spike	18 MAR 98 16:10	Matrix Spike Dup
0005-SA	98BPXLI09SD02(03)	18 MAR 98 16:20	125CGJ
0006-SA	98BPXLI09SD03(09)	18 MAR 98 16:30	125CGJ
0007-SA	98BPXLI14SD01(01)	18 MAR 98 13:30	125CGJ
0008-SA	98BPXLI14SD02(03)	18 MAR 98 13:45	125CGJ
0009-SA	98BPXLI14SD03(09)	18 MAR 98 14:00	125CGJ
4-0010-SA	98BPXLI30SD01(01)	19 MAR 98 02:50	125CGJ
0011-SA	98BPXLI30SD02(03)	19 MAR 98 03:00	125CGJ
0012-SA	98BPXLI30SD03(09)	19 MAR 98 03:30	125CGJ
4-0013-SA	98BPXLI02SD62(03)	18 MAR 98 22:20	125CGJ
4-0014-SA	98BPXLI30SD62(03)	18 MAR 98 03:10	125CGJ
0015-SA	98BPXLI02WA01	18 MAR 98 21:00	500PBn
0016-SA	98BPXLI02WA02	18 MAR 98 21:30	500PBn
4-0017-SA	98BPXLI02WA03	18 MAR 98 22:00	500PBn
4-0018-SA	98BPXLI09WA01	18 MAR 98 15:30	500PBn
0019-SA	98BPXLI09WA02	18 MAR 98 15:40	500PBn
0020-SA	98BPXLI09WA03	18 MAR 98 15:50	500PBn
4-0021-SA	98BPXLI14WA01	18 MAR 98 13:00	500PBn
0022-SA	98BPXLI14WA02	18 MAR 98 13:15	500PBn
0023-SA	98BPXLI30WA03	19 MAR 98 02:00	500PBn

Samples not destroyed in testing are retained a maximum
of thirty (30) days unless otherwise requested.


Manager:

Client's label info	Date/Time Samp. Containers
024-SA 98BPXLI30WA01	19 MAR 98 01:20 500PBn
0025-SA 98BPXLI30WA02	19 MAR 98 01:40 500PBn
0026-SA 98BPXLI30WA62	19 MAR 98 01:50 500PBn
84-0027-SA 98BPXLI02WA61	18 MAR 98 21:10 500PBn

Samples not destroyed in testing are retained a maximum of thirty (30) days unless otherwise requested.

: Manager:

APPENDIX C
Photographs



Roligon and drill rig with enclosure on skid



Sampling location DMA 98-2

JOB No. 1
300101




MONTGOMERY WATSON

Anchorage, Alaska

BP EXPLORATION (ALASKA) INC.
LIBERTY ISLAND ROUTE WATER / SEDIMENT SAMPLING

1998 SAMPLING LOCATION DMA 98-2



JOB No. 1
300101




MONTGOMERY WATSON

Anchorage, Alaska

BP EXPLORATION (ALASKA) INC.
LIBERTY ISLAND ROUTE WATER / SEDIMENT SAMPLING

1998 SAMPLING LOCATION 98-9



Drilling rig enclosure on skid at DMA 98-14



Sampling Location DMA 98-14

JOB No. 300101



MONTGOMERY WATSON

Anchorage, Alaska

BP EXPLORATION (ALASKA) INC.
LIBERTY ISLAND ROUTE WATER / SEDIMENT SAMPLING

1998 SAMPLING LOCATION DMA 98-14

APPENDIX D
a. Laboratory Data Sheets-Quanterra



Quanterra Incorporated
880 Riverside Parkway
West Sacramento, California 95605

916 373-5600 Telephone
916 372-1059 Fax

May 5, 1998

QUANTERRA INCORPORATED PROJECT NUMBER: 098184
PO/CONTRACT: NA

Lynn DeGeorge
Montgomery Watson
4100 Spenard Road
Anchorage, AK 99517

Dear Ms DeGeorge,

This report contains the analytical results for the fourteen soil and thirteen aqueous samples received under chain of custody by Quanterra Incorporated on March 21, 1998.

The case narrative is an integral part of this report.

If you have any questions, please feel free to call me at (916)374-4381.

Sincerely,

A large, stylized handwritten signature in black ink, appearing to read "Jon Gildersleeve". The signature is written over a horizontal line and extends significantly to the left and right.

Jon Gildersleeve
Project Manager

TABLE OF CONTENTS

QUANTERRA INCORPORATED PROJECT NUMBER 098184

Case Narrative

Quanterra's Quality Assurance Program

Sample Description Information

Chain of Custody Documentation

COELT Error Summary Log

Summary Report - Selected Metals - Methods 6020 & 7471

Sample(s): 1 - 27

Sample Data Sheets

Method Blank Reports

Laboratory QC Reports

CASE NARRATIVE

QUANTERRA INCORPORATED PROJECT NUMBER 098184

General Comments

All samples were received in good condition. The cooler ambient temperature was recorded to be 4°C.

All soil sample results are reported in dry weight.

Selected Metals - Methods 6020 & 7471

Due to matrix interference all aqueous samples were analyzed at 10x dilutions (when analyzed at 1x and 5x dilutions, CCV recoveries and CCV/CCB internal standard recoveries could not be maintained within criteria).

Matrix QC performed on sample 98BPXLI09SD01(01) (Lab Id: 098184-0004) had above limit recoveries of the spiked analyte Barium (161% and 131%). Re-analysis confirmed the high recoveries which are attributed to matrix.

There were no other anomalies associated with this project.

Quanterra - Western Region
Quality Control Definitions

QC Parameter	Definition
QC Batch	A set of up to 20 field samples plus associated laboratory QC samples that are similar in composition (matrix) and that are processed within the same time period with the same reagent and standard lots.
Duplicate Control Sample (DCS)	Consist of a pair of LCSs analyzed within the same QC batch to monitor precision and accuracy independent of sample matrix effects. This QC is performed only if required by client or when insufficient sample is available to perform MS/MSD.
Duplicate Sample (DU)	A second aliquot of an environmental sample, taken from the same sample container when possible, that is processed independently with the first sample aliquot. The results are used to assess the effect of the sample matrix on the precision of the analytical process. The precision estimated using this sample is not necessarily representative of the precision for other samples in the batch.
Laboratory Control Sample (LCS)	A volume of reagent water for aqueous samples or a contaminant-free solid matrix (Ottawa sand) for soil and sediment samples which is spiked with known amounts of representative target analytes and required surrogates. An LCS is carried through the entire analytical process and is used to monitor the accuracy of the analytical process independent of potential matrix effects.
Matrix Spike and Matrix Spike Duplicate (MS/MSD)	A field sample fortified with known quantities of target analytes that are also added to the LCS. Matrix spike duplicate is a second matrix spike sample. MSs/MSDs are carried through the entire analytical process and are used to determine sample matrix effect on accuracy of the measurement system. The accuracy and precision estimated using MS/MSD is only representative of the precision of the sample that was spiked.
Method Blank (MB)	A sample composed of all the reagents (in the same quantities) in reagent water carried through the entire analytical process. The method blank is used to monitor the level of contamination introduced during sample preparation steps.
Surrogate Spike	Organic constituents not expected to be detected in environmental media and are added to every sample and QC at a known concentration. Surrogates are used to determine the efficiency of the sample preparation and the analytical process.


Source: Quanterra® Quality Control Program, Policy QA-003, Rev. 0, 8/19/96.



Environmental
Services

SAMPLE DESCRIPTION INFORMATION
for
Montgomery Watson

Lab ID	Client ID	Matrix	Sampled		Received Date
			Date	Time	
098184-0001-SA	98BPXLI02SD01(01)	SOIL	18 MAR 98	22:10	21 MAR 98
098184-0002-SA	98BPXLI02SD02(03)	SOIL	18 MAR 98	22:30	21 MAR 98
098184-0003-SA	98BPXLI02SD03(09)	SOIL	18 MAR 98	23:30	21 MAR 98
098184-0004-SA	98BPXLI09SD01(01)	SOIL	18 MAR 98	16:10	21 MAR 98
098184-0004-MS	98BPXLI09SD01(01)	Matrix Spike	18 MAR 98	16:10	21 MAR 98
098184-0004-SD	98BPXLI09SD01(01)	Matrix Spike	18 MAR 98	16:10	21 MAR 98
098184-0005-SA	98BPXLI09SD02(03)	SOIL	18 MAR 98	16:20	21 MAR 98
098184-0006-SA	98BPXLI09SD03(09)	SOIL	18 MAR 98	16:30	21 MAR 98
098184-0007-SA	98BPXLI14SD01(01)	SOIL	18 MAR 98	13:30	21 MAR 98
098184-0008-SA	98BPXLI14SD02(03)	SOIL	18 MAR 98	13:45	21 MAR 98
098184-0009-SA	98BPXLI14SD03(09)	SOIL	18 MAR 98	14:00	21 MAR 98
098184-0010-SA	98BPXLI30SD01(01)	SOIL	19 MAR 98	02:50	21 MAR 98
098184-0011-SA	98BPXLI30SD02(03)	SOIL	19 MAR 98	03:00	21 MAR 98
098184-0012-SA	98BPXLI30SD03(09)	SOIL	19 MAR 98	03:30	21 MAR 98
098184-0013-SA	98BPXLI02SD62(03)	SOIL	18 MAR 98	22:20	21 MAR 98
098184-0014-SA	98BPXLI30SD62(03)	SOIL	18 MAR 98	03:10	21 MAR 98
098184-0015-SA	98BPXLI02WA01	AQUEOUS	18 MAR 98	21:00	21 MAR 98
098184-0016-SA	98BPXLI02WA02	AQUEOUS	18 MAR 98	21:30	21 MAR 98
098184-0017-SA	98BPXLI02WA03	AQUEOUS	18 MAR 98	22:00	21 MAR 98
098184-0018-SA	98BPXLI09WA01	AQUEOUS	18 MAR 98	15:30	21 MAR 98
098184-0019-SA	98BPXLI09WA02	AQUEOUS	18 MAR 98	15:40	21 MAR 98
098184-0020-SA	98BPXLI09WA03	AQUEOUS	18 MAR 98	15:50	21 MAR 98
098184-0021-SA	98BPXLI14WA01	AQUEOUS	18 MAR 98	13:00	21 MAR 98
098184-0022-SA	98BPXLI14WA02	AQUEOUS	18 MAR 98	13:15	21 MAR 98
098184-0023-SA	98BPXLI30WA03	AQUEOUS	19 MAR 98	02:00	21 MAR 98
098184-0024-SA	98BPXLI30WA01	AQUEOUS	19 MAR 98	01:20	21 MAR 98
098184-0025-SA	98BPXLI30WA02	AQUEOUS	19 MAR 98	01:40	21 MAR 98
098184-0026-SA	98BPXLI30WA62	AQUEOUS	19 MAR 98	01:50	21 MAR 98
098184-0027-SA	98BPXLI02WA61	AQUEOUS	18 MAR 98	21:10	21 MAR 98
098184-0027-MS	98BPXLI02WA61	AQUEOUS	18 MAR 98	21:10	21 MAR 98
098184-0027-SD	98BPXLI02WA61	AQUEOUS	18 MAR 98	21:10	21 MAR 98


Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Quanta 880 Riverside Parkway West Sacramento, CA 95606 (916) 374-4427 (916) 372-1059 FAX Attn: Nilo Ligi	Still					WATER	
			MW Job Number: 21-DAY TURNAROUND	Metals- Mercury- 7471, Arsenic, Barium, Chromium, Lead- 6020, 8-oz glass					Comments

Sampler's Signature 1498 <i>Burchman</i>		Cool to 4 degrees C					Comments	
Date	Time	Sample ID	Matrix	Total Containers				
3-18	2210	98BPXLI 02 SD01(01)	S	1	✓			
3-18	2230	98BPXLI 02 SD02(03)	S	1	✓			
3-18	2330	98BPXLI 02 SD03(09)	S	1	✓			
3-18	1610	98BPXLI 09 SD01(01)	S	1	✓		MS/MSD	
3-18	1620	98BPXLI 09 SD02(03)	S	1	✓			
3-18	1630	98BPXLI 09 SD03(09)	S	1	✓			
3-18	1330	98BPXLI 14 SD01(01)	S	1	✓			
3-18	1345	98BPXLI 14 SD02(03)	S	1	✓			
3-18	1400	98BPXLI 14 SD03(09)	S	1	✓			
3-19	0250	98BPXLI 30 SD01(01)	S	1	✓			
3-19	0350	98BPXLI 30 SD02(03)	S	1	✓			
3-19	0330	98BPXLI 30 SD03(09)	S	1	✓			
3-18	2220	98BPXLI 02 SD62(03)	S	1	✓			
3-18	0310	98BPXLI 30 SD62(03)	S	1	✓			
		98BPXLI SD ()				LAST Item		
		98BPXLI SD ()				80169935 8828		

Relinquished by <i>Burchman</i>	Date 3-19-98 Time 1700	Hand Delivered Y (N) Shipped Via FedEx	Airbill Number Date
Received for Laboratory by <i>Clayton</i>	Date 3-21-98 Time 1100	Cooler Temperature Upon Arrival 40L 032198	Laboratory Notified Faxed <i>manalado</i> 032198

Rec'd in good condition
 032198 mm 00
 15:30

173 000

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Quamers 881 Riverside Parkway West Sacramento, CA 95606 (916) 374-4427 (916) 372-1059 FAX Ann: Niki Lipi		SOIL					WATER		Metals Arsenic, Barium, Chromium, Lead-6020, Mercury-7471 11 poly	Comments
		MW Job Number:										
Sampler's Signature 1998 <i>Bonchev</i>				Cool to 4 degrees C					Cool to 4 degrees C			
Date	Time	Sample ID	Matrix	Total Containers						HNO ₃		
3-18	2100	98BPXLI 02 WA01	W	1							✓	
3-18	2130	98BPXLI 02 WA02	W	1							✓	
3-18	2200	98BPXLI 02 WA03	W	1							✓	
3-18	1530	98BPXLI 09 WA01	W	1							✓	
3-18	1540	98BPXLI 09 WA02	W	1							✓	
3-18	1550	98BPXLI 09 WA03	W	1							✓	
3-18	1300	98BPXLI 14 WA01	W	1								
3-18	1315	98BPXLI 14 WA02	W	1								
3-19	0200	98BPXLI 30 WA03	W	1								
3-19	0120	98BPXLI 30 WA01	W	1								
3-19	140	98BPXLI 30 WA02	W	1								
		98BPXLI WA03	NO SAMPLE									
3-19	150	98BPXLI 30 WA02	W	1								
3-19	2110	98BPXLI 02 WA01	W	1								
		98BPXLI WA	LAST ITEM									
		98BPXLI WA										801695358828
Relinquished by: <i>Bonchev</i>		Date: 3-19-98 Time: 1700	Hand Delivered: Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	Shipped Via: Fed X	Airbill Number:		Date:					
Received for Laboratory by: <i>Cheryl Hester</i>		Date: 3-21-98 Time: 1100	Cooler Temperature: 40°C	Upon Arrival:	Laboratory Notified: <i>Metal Lab</i>		Date: 052498 Time: 15:30					

032198
 MLP
 kept in good condition
 15:30

**Quanterra Incorporated - West Sacramento
PROJECT RECEIPT CHECKLIST**

Client Name: Montgomery Watson Log #: 50-2

Project # (LIMS ID): 98184 Project copied: _____

Location(s): W2E

Date Received: 3-21-98 Time Received: 0930 Initials: AT Date: 3-21-98

Delivered by:

<input checked="" type="checkbox"/> Federal Express	<input type="checkbox"/> Airborne
<input type="checkbox"/> Courier Express	<input type="checkbox"/> DHL
<input type="checkbox"/> White Cotton Delivers	<input type="checkbox"/> UPS
<input type="checkbox"/> Over the counter (OTC)	<input type="checkbox"/> Ge-Getters
Other: _____	

Custody Seal Status: Intact Broken N/A

Custody Seal Number(s): 17451, 17452

Shipping Container(s): Quanterra Client N/A

Temperature Record (in °C):
COCF: _____ N/A

Temp Blank: _____

Ambient Temp: _____ 4°C

pH Measured: Yes Anomaly N/A

Sample(s) Labeled By: _____

Sample Labeling Checked By: _____

Short Hold Time Notification:

Sample Receiving	<input checked="" type="checkbox"/> N/A
Wet Chem	<input checked="" type="checkbox"/> N/A
Metals (Filt/Pres)	<input checked="" type="checkbox"/> N/A

Complete shipment received in good condition, with appropriate temperatures, containers, and preservatives. N/A

<input type="checkbox"/> Anomaly (-ies)/comments:	<input type="checkbox"/> Temperature exceeded (2°C-6°C)
_____	<input type="checkbox"/> PM notified <input checked="" type="checkbox"/> N/A

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OA	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
OA _h	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
GB																				
GB _s																				
OAGB																				
OAGB _n																				
OAGB _s																				
OAGB _{na}																				
GJ																				
OAGB/AGJ																				
OAGJ																				
CGJ																				
OCCJ																				
OCCJ																				
5 CGJ/AGJ																				
/PJ																				
n/PJ _n																				
JPB																				
JPB _n																				
JPB _{na}																				
JPBzn/na																				
JPB																				
JPB _n																				
JPB _{na}																				
JPBzn/na																				
CT																				
der/Filter																				
F																				
TRI																				
D Trap																				
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

#1-4

032198
#15-27

#15-27

#2

h = hydrochloric acid na = sodium hydroxide n = nitric acid zn = zinc acetate s = sulfuric acid
 * Number of VOA's with air bubbles present

COELT Error
Summary Report

Error Summary Log

05/04/98

EDF 1.2a All files present in deliverable.

Laboratory:	Quanterra Environmental Services, Sacramento, CA
Lab Report Number:	098184
Project Name:	General Analytical
Work Order Number:	N/A
Control Sheet Number:	N/A

Report Summary

Labreport	Sample	LabSample	Mtfx	QC	Anncdate	ExmCode	Logdate	Extdate	Anadate	LablotCU	Run Sub
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02WA01	0981840015SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA01	0981840015SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA02	0981840016SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA02	0981840016SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA03	0981840017SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA03	0981840017SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA61	0981840027SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA61	0981840027SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09WA01	0981840018SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA01	0981840018SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09WA02	0981840019SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA02	0981840019SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09WA03	0981840020SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA03	0981840020SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1

Report Summary

Labreport	Sampleid	Labsampleid	Mlrx	QC	Armcode	Exmcode	Logdate	Exldate	Anadate	Lablotcll	Run Sub
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14WA01	0981840021SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI14WA01	0981840021SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI14WA02	0981840022SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI14WA02	0981840022SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	D2216	NONE	03/19/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	SW6020	SW3050	03/19/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	SW7471	METHOD	03/19/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	D2216	NONE	03/19/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	SW7471	METHOD	03/19/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30WA01	0981840024SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA01	0981840024SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA02	0981840025SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA02	0981840025SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA03	0981840023SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA03	0981840023SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA62	0981840026SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA62	0981840026SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
		0981840004DU	SO	LR1	D2216	NONE	//	04/29/98	04/29/98	098184	1
		BS980403F	SQ	BS1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		LB980403F	SQ	LB1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		0981840004MS	SO	MS1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		0981840004SD	SO	SD1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		BS980410B	SQ	BS1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		LB980410B	SQ	LB1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		0981840004MS	SO	MS1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		0981840004SD	SO	SD1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1

Report Summary

Labreport	sample	Labsampid	Mix	QC	Anmcode	Exmcode	Logdate	Extdate	Anadate	Lablotcl	Run Sub
		BS980402M	WQ	BS1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		LB980402M	WQ	LB1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		0981840027MS	WG	MS1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		0981840027SD	WG	SD1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		BS980409B	WQ	BS1	SW7470	METHOD	//	04/09/98	04/10/98	W980409BX	1
		LB980409B	WQ	LB1	SW7470	METHOD	//	04/09/98	04/10/98	W980409BX	1
		0981840027MB	WG	MS1	SW7470	METHOD	//	04/10/98	04/10/98	W980409BX	1
		0981840027SD	WG	SD1	SW7470	METHOD	//	04/10/98	04/10/98	W980409BX	1

Npdlisamp: Error Summary Log

050498

Error type	Logcode	Projname	Npdlwo	Sampid	Matrix
There are no errors in this data file					

Npdlite Error Summary Log

05/04/98

Error type	Labsampid	Qccode	Anmcode	Exmcode	Anadate	Run number
There are no errors in this data file					11	0

Npdires: Error Summary Log

05/04/98

Error type	Labsampid	QcCode	Matrix	AltCode	PVCode	ANdate	Run number	Parlab
There are no errors in this data file						//	0	

Npdlq Error Summary Log

05/04/98

Error type	Lablrcu	Anncode	Parlabl	Liccode	Labqcid
There are no errors in this data files					

Npdicl: Error Summary Log

050498

Error type	Cirevdate	Anncode	Extcode	Parlabel	Cicode
There are no errors in this data file	//				

Summary Report Selected Metals

Laboratory Report Project Overview

EDF 1.2a

Laboratory:	Quanterra Environmental Services, Sacramento, CA
Lab Report Number:	098184
Project Name:	General Analytical
Work Order Number:	N/A
Control Sheet Number:	N/A

Report summary

Labreport	Sampled	Labsampid	Mtrx	QC	Anmcode	Exmcode	Logdate	Extdate	Analdate	Lablotcll	Run Sub
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD01(01)	0981840001SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD02(03)	0981840002SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD03(09)	0981840003SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI02SD62(03)	0981840013SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI02WA01	0981840015SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA01	0981840015SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA02	0981840016SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA02	0981840016SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA03	0981840017SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA03	0981840017SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI02WA61	0981840027SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI02WA61	0981840027SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD01(01)	0981840004SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD02(03)	0981840005SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI09SD03(09)	0981840006SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI09WA01	0981840018SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA01	0981840018SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09WA02	0981840019SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA02	0981840019SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI09WA03	0981840020SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI09WA03	0981840020SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1

05/04/98

Report Summary

Labreport	Sampleid	Labsampleid	Mix	QC	Animcode	Exmcode	Logdate	Extdate	Anadate	Labiocli	Run sub
098184	98BPXLI14SD01(01)	0981840007SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI14SD02(03)	0981840008SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI14SD03(09)	0981840009SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI14WA01	0981840021SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI14WA01	0981840021SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI14WA02	0981840022SA	WG	CS	SW6020	SW3020	03/18/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI14WA02	0981840022SA	WG	CS	SW7470	METHOD	03/18/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	D2216	NONE	03/19/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	SW6020	SW3050	03/19/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD01(01)	0981840010SA	SO	CS	SW7471	METHOD	03/19/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	D2216	NONE	03/19/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	SW6020	SW3050	03/19/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD02(03)	0981840011SA	SO	CS	SW7471	METHOD	03/19/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	D2216	NONE	03/19/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	SW6020	SW3050	03/19/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD03(09)	0981840012SA	SO	CS	SW7471	METHOD	03/19/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	D2216	NONE	03/18/98	04/15/98	04/15/98	098184	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	SW6020	SW3050	03/18/98	04/03/98	04/09/98	S980403FX	1
098184	98BPXLI30SD62(03)	0981840014SA	SO	CS	SW7471	METHOD	03/18/98	04/10/98	04/11/98	S980410BX	1
098184	98BPXLI30WA01	0981840024SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA01	0981840024SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA02	0981840025SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA02	0981840025SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA03	0981840023SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA03	0981840023SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
098184	98BPXLI30WA62	0981840026SA	WG	CS	SW6020	SW3020	03/19/98	04/02/98	04/08/98	W980402MX	1
098184	98BPXLI30WA62	0981840026SA	WG	CS	SW7470	METHOD	03/19/98	04/10/98	04/10/98	W980409BX	1
		BS980402M	WQ	BS1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		BS980403F	SQ	BS1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		BS980409B	WQ	BS1	SW7470	METHOD	//	04/09/98	04/10/98	W980409BX	1
		BS980410B	SQ	BS1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		LB980402M	WQ	LB1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		LB980403F	SQ	LB1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1

05/04/98

Report summary

Labreport	Sampleid	Labsampleid	Mix	QC	Anncode	Exmcode	Logdate	Extdate	Anadate	Lablotct	RUN SUB
		LB980409B	WQ	LB1	SW7470	METHOD	//	04/09/98	04/10/98	W980409BX	1
		LB980410B	SQ	LB1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		0981840004DU	SO	LR1	D2215	NONE	//	04/29/98	04/29/98	098184	1
		0981840004MS	SO	MS1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		0981840004MS	SO	MS1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		0981840027MS	WG	MS1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		0981840027MS	WG	MS1	SW7470	METHOD	//	04/10/98	04/10/98	W980409BX	1
		0981840004SD	SO	SD1	SW6020	SW3050	//	04/03/98	04/09/98	S980403FX	1
		0981840004SD	SO	SD1	SW7471	METHOD	//	04/10/98	04/11/98	S980410BX	1
		0981840027SD	WG	SD1	SW6020	SW3020	//	04/02/98	04/08/98	W980402MX	1
		0981840027SD	WG	SD1	SW7470	METHOD	//	04/10/98	04/10/98	W980409BX	1


05/04/98

Lab Report No.: 098184 Date: 05/04/98

Page: 1

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD01(01)		Sample Date: 03/18/98			Basis: Dry					
Descr/Location: 98B		Sample Time: 2210			Matrix: Soil					
		Lab Samp ID: 0981840001SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1320	0.2779PQL		5.1557	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0306	0.1390PQL		52.5717	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1195	0.2779PQL		11.5260	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0069	0.1390PQL		5.7830	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 2

Project Name: General Analytical				Project No: N/A						
Field ID: 988PXL102SD02(03)		Sample Date: 03/18/98			Basis: Dry					
Descr/Location: 98B		Sample Time: 2230			Matrix: Soil					
								Lab Samp ID: 0981840002SA		
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1461	0.3075PQL		4.5284	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0338	0.1538PQL		40.7448	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1322	0.3075PQL		13.9137	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0077	0.1538PQL		4.7311	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 3

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD03(09)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 2330		Matrix: Soil						
Lab Samp ID: 0981840003SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1354	0.2851PQL		7.7323	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0314	0.1426PQL		48.2845	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1226	0.2851PQL		11.2065	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0071	0.1426PQL		6.4270	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:




Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 4

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD62(03)		Sample Date: 03/18/98				Basis: Dry				
Descr/Location: 98B		Sample Time: 2220				Matrix: Soil				
		Lab Samp ID: 0981840013SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1267	0.2668PQL		11.2429	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0293	0.1334PQL		86.1714	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1147	0.2668PQL		27.4382	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0067	0.1334PQL		13.8598	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by: 


Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 5

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD01(01)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1610		Matrix: Soil						
Lab Samp ID: 0981840004SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1407	0.2961PQL		5.4423	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0326	0.1481PQL		33.6984	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1273	0.2961PQL		10.6462	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0074	0.1481PQL		4.8054	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 6

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD02(03)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1620		Matrix: Soil						
Lab Samp ID: 0981840005SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1464	0.3082PQL		7.5678	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0339	0.1541PQL		43.4884	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1325	0.3082PQL		12.6548	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0077	0.1541PQL		7.1493	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:




Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 7

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD03(09)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1630		Matrix: Soil						
		Lab Samp ID: 0981840006SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1187	0.2498PQL		3.7117	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0275	0.1249PQL		38.1624	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1074	0.2498PQL		7.0558	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0062	0.1249PQL		3.0943	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by: 


Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 8

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLH14SD01(01)				Sample Date: 03/18/98			Basis: Dry			
Descr/Location: 98B				Sample Time: 1330			Matrix: Soil			
				Lab Samp ID: 0981840007SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1249	0.2629PQL		5.1296	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Barium	0.0289	0.1315PQL		27.9007	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Chromium	0.1131	0.2629PQL		9.3918	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Lead	0.0066	0.1315PQL		4.6579	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 9

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI14SD02(03)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1345		Matrix: Soil						
Lab Samp ID: 0981840008SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1186	0.2496PQL		4.6997	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0275	0.1248PQL		45.3274	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1073	0.2496PQL		12.7658	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0062	0.1248PQL		4.2933	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:




Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 10


Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI14SD03(09)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1400		Matrix: Soil						
		Lab Samp ID: 0981840009SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1286	0.2708PQL		3.3052	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0298	0.1354PQL		23.4768	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1165	0.2708PQL		5.4262	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0068	0.1354PQL		2.2282	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by: 

Date: 5/5/98

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD01(01)				Sample Date: 03/19/98			Basis: Dry			
Descr/Location: 98B				Sample Time: 0250			Matrix: Soil			
				Lab Samp ID: 0981840010SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1330	0.2800PQL		6.0916	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0308	0.1400PQL		53.7164	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1204	0.2800PQL		12.8973	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0070	0.1400PQL		5.7362	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:

5/5/98

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD02(03)				Sample Date:03/19/98			Basis: Dry			
Descr/Location: 98B				Sample Time:0300			Matrix: Soil			
				Lab Samp ID:0981840011SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1285	0.2706PQL		4.1759	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Barium	0.0298	0.1353PQL		43.5598	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Chromium	0.1164	0.2706PQL		11.3012	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX
Lead	0.0068	0.1353PQL		3.5541	MG/KG dw	1.0	SW3050	SW8020	04/09/98	S980403FX

Approved by: 

Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 13

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD03(09)				Sample Date:03/19/98			Basis: Dry			
Descr/Location: 98B				Sample Time:0330			Matrix: Soil			
				Lab Samp ID:0981840012SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1419	0.2988PQL		4.7554	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0329	0.1494PQL		46.8357	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1285	0.2988PQL		13.8785	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0075	0.1494PQL		4.9353	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 14

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD62(03)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 0310		Matrix: Soil						
Lab Samp ID: 0981840014SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.1307	0.2751PQL		3.5411	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Barium	0.0303	0.1376PQL		43.5918	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Chromium	0.1183	0.2751PQL		11.1048	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX
Lead	0.0069	0.1376PQL		3.7499	MG/KG dw	1.0	SW3050	SW6020	04/09/98	S980403FX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 15

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL102SD01(01)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 2210		Matrix: Soil						
Lab Samp ID: 0981840001SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0042	0.0278PQL		0.0852	MG/KG dw	1.0	METROB	SW7471	04/11/98	S980410BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 16


Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI02SD02(03)		Sample Date: 03/18/98		Basis: Dry					
Descr/Location: 98B		Sample Time: 2230		Matrix: Soil					
Lab Samp ID: 0981840002SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0046	0.0308PQL		0.0423	MG/KG dw 1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 17

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD03(09)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 88B		Sample Time: 2330		Matrix: Soil						
Lab Samp ID: 0981840003SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0043	0.0285PQL		0.0472	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 18

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD62(03)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 2220		Matrix: Soil						
Lab Samp ID: 0981840013SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0040	0.0267PQL		0.0701	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 19

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD01(01)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1610		Matrix: Soil						
		Lab Samp ID: 0981840004SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0044	0.0298PQL		0.0476	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 20

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD02(03)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1620		Matrix: Soil						
		Lab Samp ID: 0981840005SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0046	0.0308PQL		0.0816	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:




Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 21

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD03(09)		Sample Date: 03/18/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 1630		Matrix: Soil						
Lab Samp ID: 0981840006SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0037	0.0250PQL		ND	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 22

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL114SD01(01)				Sample Date: 03/18/98			Basis: Dry			
Descr/Location: 98B				Sample Time: 1330			Matrix: Soil			
				Lab Samp ID: 0981840007SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0039	0.0263PQL		ND	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 23

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL14SD02(03)				Sample Date: 03/18/98			Basis: Dry			
Descr/Location: 98B				Sample Time: 1345			Matrix: Soil			
				Lab Samp ID: 0981840008SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0037	0.0250PQL		0.0280	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 24

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL114SD03(09)		Sample Date: 03/18/98				Basis: Dry				
Descr/Location: 98B		Sample Time: 1400				Matrix: Soil				
Lab Samp ID: 0981840009SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0041	0.0271PQL		ND	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 25

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD01(01)		Sample Date: 03/19/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 0250		Matrix: Soil						
Lab Samp ID: 0981840010SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0042	0.0280PQL		0.0426	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:


Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 26

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL130SD02(03)		Sample Date: 03/19/98		Basis: Dry						
Descr/Location: 98B		Sample Time: 0300		Matrix: Soil						
Lab Samp ID: 0981840011SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	DII	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0041	0.0271PQL		ND	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX


Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 27

Project Name: General Analytical			Project No: N/A							
Field ID: 98BPXLI30SD03(09)			Sample Date: 03/19/98			Basis: Dry				
Descr/Location: 98B			Sample Time: 0330			Matrix: Soil				
			Lab Samp ID: 0981840012SA							
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0045	0.0299PQL		0.0378	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 28

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD62(03)				Sample Date: 03/18/98			Basis: Dry			
Descr/Location: 98B				Sample Time: 0310			Matrix: Soil			
				Lab Samp ID: 0981840014SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0041	0.0275PQL		0.0337	MG/KG dw	1.0	METHOD	SW7471	04/11/98	S980410BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 29

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI02SD01(01)		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 2210		Matrix: Soil					
Lab Samp ID: 0981840001SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		28.0400	PERCE ww 1.0	NONE	D2218	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 30

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL102SD02(03)				Sample Date: 03/18/98			Basis: Wet			
Descr/Location: 98B				Sample Time: 2230			Matrix: Soil			
				Lab Samp ID: 0981840002SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		34.9600	PERCE	ww 1.0	NONE	D2216	04/15/88	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 31

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD03(09)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2330		Matrix: Soil						
Lab Samp ID: 0981840003SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		29.8500	PERCE ww	1.0	NONE	D2216	04/15/98	098184

Approved by:

Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 32

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02SD62(03)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2220		Matrix: Soil						
Lab Samp ID: 0981840013SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Diff	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		25.0300	PERCE	ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 33

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD01(01)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1810		Matrix: Soil						
Lab Samp ID: 0981840004SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		32.4600	PERCE	ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 34

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09SD02(03)				Sample Date: 03/18/98			Basis: Wet			
Descr/Location: 98B				Sample Time: 1620			Matrix: Soil			
				Lab Samp ID: 0981840005SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		35.1000	PERCE	ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 35

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXL109SD03(09)		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 1630		Matrix: Soil					
Lab Samp ID: 0981840006SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		19.9500	PERCE ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 36

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI14SD01(01)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1330		Matrix: Soil						
Lab Samp ID: 0981840007SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		23.9300	PERCE	ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 37

Project Name: General Analytical				Project No: N/A						
Field ID: 986PXL114SD02(03)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1345		Matrix: Soil						
Lab Samp ID: 0981840008SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		19.8800	PERCE ww	1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 38

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL114SD03(09)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1400		Matrix: Soil						
Lab Samp ID: 0981840009SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		28.1500	PERCE ww	1.0	NONE	D2218	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 39

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30SD01(01)		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0250		Matrix: Soil					
Lab Samp ID: 0981840010SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		28.5600	PERCE ww 1.0	NONE	D2218	04/15/98	098184

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 40

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30SD02(03)		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0300		Matrix: Soil					
Lab Samp ID: 0981840011SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		26.0900	PERCE ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 41

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30SD03(09)		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0330		Matrix: Soil					
Lab Samp ID: 0981840012SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		33.0700	PERCE ww 1.0	NONE	D2216	04/15/98	098184

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 42

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30SD62(03)		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 0310		Matrix: Soil						
Lab Samp ID: 0981840014SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Percent Moisture	NA	NA		27.3000	PERCE ww	1.0	NONE	D2216	04/15/98	098184


Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 43

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA01		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2100		Matrix: Ground Water						
		Lab Samp ID: 0981840015SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0257	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 44

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA02		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2130		Matrix: Ground Water						
Lab Samp ID: 0981840016SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	DII	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MG/L	ww 10	SW3020	SW8020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0233	MG/L	ww 10	SW3020	SW8020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW8020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW8020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 45

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA03				Sample Date: 03/18/98			Basis: Wet			
Descr/Location: 98B				Sample Time: 2200			Matrix: Ground Water			
				Lab Samp ID: 0981840017SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MGL	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0203	MGL	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MGL	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MGL	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 46

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI02WA61		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 2110		Matrix: Ground Water					
Lab Samp ID: 0981840027SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MGL ww 10	SW3020	SW8020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0227	MGL ww 10	SW3020	SW8020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MGL ww 10	SW3020	SW8020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MGL ww 10	SW3020	SW8020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences									

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 47

Project Name: General Analytical					Project No: N/A					
Field ID: 98BPXLI09WA01			Sample Date: 03/18/98			Basis: Wet				
Descr/Location: 98B			Sample Time: 1530			Matrix: Ground Water				
Lab Samp ID: 0981840018SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0200	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 48

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI09WA02		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 1540		Matrix: Ground Water					
Lab Samp ID: 0981840019SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0218	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences									

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98


Page: 49

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09WA03				Sample Date: 03/18/98			Basis: Wet			
Descr/Location: 98B				Sample Time: 1550			Matrix: Ground Water			
				Lab Samp ID: 0981840020SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	0.0202	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0254	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:




Lab Report No.: 098184 Date: 05/04/98

Page: 50

Project Name: General Analytical				Project No: N/A							
Field ID: 98BPXL114WA01				Sample Date: 03/18/98				Basis: Wet			
Descr/Location: 98B				Sample Time: 1300				Matrix: Ground Water			
				Lab Samp ID: 0981840021SA							
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch	
Arsenic	0.0114	0.0200PQL	DF	0.0204	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX	
Barium	0.0013	0.0100PQL	DF	0.0551	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX	
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX	
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX	
DF: Reporting limits elevated due to matrix interferences											

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 51

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI14WA02		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 1315		Matrix: Ground Water					
Lab Samp ID: 0981840022SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0314	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences									

Approved by:

Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 52

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30WA01		Sample Date: 03/19/98			Basis: Wet					
Descr/Location: 98B		Sample Time: 0120			Matrix: Ground Water					
		Lab Samp ID: 0981840024SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	0.0206	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0179	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 53

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI30WA02		Sample Date: 03/19/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 0140		Matrix: Ground Water						
Lab Samp ID: 0981840025SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	0.0226	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0175	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										


Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 54

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL130WA03		Sample Date: 03/19/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 0200		Matrix: Ground Water						
Lab Samp ID: 0981840023SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	0.0213	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0195	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 55

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL130WA62		Sample Date: 03/19/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 0150		Matrix: Ground Water						
Lab Samp ID: 0981840026SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Arsenic	0.0114	0.0200PQL	DF	0.0213	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Barium	0.0013	0.0100PQL	DF	0.0266	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Chromium	0.0084	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
Lead	0.0007	0.0100PQL	DF	ND	MG/L	ww 10	SW3020	SW6020	04/08/98	W980402MX
DF: Reporting limits elevated due to matrix interferences										

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 56

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA01		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2100		Matrix: Ground Water						
Lab Samp ID: 0981840015SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980408BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 57

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA02		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2130		Matrix: Ground Water						
Lab Samp ID: 0981840016SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002	PQL	ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 58

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA03				Sample Date: 03/18/98			Basis: Wet			
Descr/Location: 98B				Sample Time: 2200			Matrix: Ground Water			
				Lab Samp ID: 0981840017SA						
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 59

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI02WA61		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 2110		Matrix: Ground Water						
		Lab Samp ID: 0981840027SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980408BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 60

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09WA01		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1530		Matrix: Ground Water						
Lab Samp ID: 0981840018SA										
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 61

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09WA02		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1540		Matrix: Ground Water						
		Lab Samp ID: 0981840019SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:




Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 62

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXLI09WA03		Sample Date: 03/18/98				Basis: Wet				
Descr/Location: 98B		Sample Time: 1550				Matrix: Ground Water				
		Lab Samp ID: 0981840020SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MGL	ww 1.0	METHOD	SW7470	04/10/98	W980409BX


Approved by:  Date: 5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 63

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXL114WA01		Sample Date: 03/18/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 1300		Matrix: Ground Water					
Lab Samp ID: 0981840021SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:


5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 64

Project Name: General Analytical				Project No: N/A						
Field ID: 98BPXL114WA02		Sample Date: 03/18/98		Basis: Wet						
Descr/Location: 98B		Sample Time: 1315		Matrix: Ground Water						
		Lab Samp ID: 0981840022SA								
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	DI	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L	ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 65

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30WA01		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0120		Matrix: Ground Water					
Lab Samp ID: 0981840024SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:

6/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 66

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXL130WA02		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0140		Matrix: Ground Water					
Lab Samp ID: 0981840025SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 67

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30WA03		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0200		Matrix: Ground Water					
Lab Samp ID: 0981840023SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:

5/5/98

Lab Report No.: 098184 Date: 05/04/98

Page: 68

Project Name: General Analytical				Project No: N/A					
Field ID: 98BPXLI30WA62		Sample Date: 03/19/98		Basis: Wet					
Descr/Location: 98B		Sample Time: 0150		Matrix: Ground Water					
Lab Samp ID: 0981840026SA									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units Dil	Prep Method	Analysis Method	Analysis Date	QC Batch
Mercury	0.0001	0.0002PQL		ND	MG/L ww 1.0	METHOD	SW7470	04/10/98	W980409BX

Approved by:



Date:

5/5/98

QA/QC Report Lab Duplicate Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 69

QC Batch: 098184 Matrix: Soil Lab Samp ID: 0981840004DU Basis: Wet				Project Name: General Analytical Project No.: N/A Field ID: 98BPXLI09SD01(01) Lab Ref ID: 0981840004SA					
Analyte	Analysis Method	Detection Limit	Reporting Limit	Result	Duplicate Result	Units	Average RPD	Acceptance Criteria	
Percent Moisture	D2216	NA	NA PQL	32.4600	34.4600	PERCENT	33.4600 6.0	20MLR	

A/C Report
Method Bla Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 70

QC Batch: S980403FX Matrix: Soil/Solid Quality Control Matrix Lab Samp ID: LB980403F									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date
Arsenic	0.0950	0.2000PQL		ND	MG/KG	1.0	SW3050	SW6020	04/09/98
Barium	0.0220	0.1000PQL		ND	MG/KG	1.0	SW3050	SW6020	04/09/98
Chromium	0.0860	0.2000PQL		ND	MG/KG	1.0	SW3050	SW6020	04/09/98
Lead	0.0050	0.1000PQL		ND	MG/KG	1.0	SW3050	SW6020	04/09/98

QA/QC Report
Matrix Spike/Duplicate Matrix Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 71

QC Batch: S980403FX Matrix: Soil Lab Samp ID: 0981840004MS Basis: Dry					Project Name: General Analytical Project No.: N/A Field ID: 98BPXLI09SD01(01) Lab Ref ID: 0981840004SA								
Analyte	Analysis Method	Spike Level		Sample Result	Spike Result		Units	% Recoveries			Acceptance Criteria		
		MS	DMS		MS	DMS		MS	DMS	RPD	% Rec	RPD	
Arsenic	SW6020	29.612	29.612	5.4423	31.3480	32.5612	MG/KG dw	87.5	91.6	4.8	125-75	MSA	35MSP
Barium	SW6020	29.6121	29.6121	33.6984	81.2348	72.5628	MG/KG dw	1611	1311	21	125-75	MSA	35MSP
Chromium	SW6020	29.6120	29.6120	10.6462	41.7751	40.7374	MG/KG dw	105	102	2.9	125-75	MSA	35MSP
Lead	SW6020	29.612	29.612	4.8054	30.7357	30.7762	MG/KG dw	87.6	87.7	0.11	125-75	MSA	35MSP

QA Report
Blank Spike/Duplicate Blank Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 72

QC Batch: S980403FX Matrix: Soil/Solid Quality Control Matrix Lab Samp ID: BS980403F													
Analyte	Analysis Method	Spike Level		Spike Result		Units		% Recoveries			Acceptance Criteria		
		LCS	LCD	LCS	LCD			LCS	LCD	RPD	%Rec	RPD	
Arsenic	SW6020	20.0000	NA	17.3243	NA	MG/KG	dw	88.6	NA	NA	120-80	LSA	NA
Barium	SW6020	20.0000	NA	19.1559	NA	MG/KG	dw	95.8	NA	NA	120-80	LSA	NA
Chromium	SW6020	20.0000	NA	20.2187	NA	MG/KG	dw	101	NA	NA	120-80	LSA	NA
Lead	SW6020	20.0000	NA	21.0364	NA	MG/KG	dw	105	NA	NA	120-80	LSA	NA

QA/QC Report
Method Blank Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 73

QC Batch: S980410BX Matrix: Soil/Solid Quality Control Matrix Lab Samp ID: LB980410B										
Analyte	Detection Reporting		Note	Result	Units	DII	Prep Method	Analysis Method	Analysis Date	
	Limit	Limit								
Mercury	0.0030	0.0200PQL		ND	MG/KG	1.0	METHOD	SW7471	04/11/98	

- IQC -
Matrix Spike/Duplicate Matrix Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 74

QC Batch: S980410BX Matrix: Soil Lab Samp ID: 0981840004MS Basis: Dry				Project Name: General Analytical Project No.: N/A Field ID: 98BPXLI09SD01(01) Lab Ref ID: 0981840004SA								
Analyte	Analysis Method	Spike Level		Sample Result	Spike Result		Units	% Recoveries			Acceptance Criteria	
		MS	DMS		MS	DMS		MS	DMS	RPD	% Rec	RPD
Mercury	SW7471	0.3702	0.3702	0.0476	0.4076	0.4091	MG/KG dw	97.2	97.6	0.41	125-75	MSA 35MSP

QA/QC Report
Blank Spike/Duplicate Blank Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 75

QC Batch: S980410BX Matrix: Soil/Solid Quality Control Matrix Lab Samp ID: BS980410B												
Analyte	Analysis Method	Spike Level		Spike Result		Units		% Recoveries			Acceptance Criteria	
		LCS	LCD	LCS	LCD			LCS	LCD	RPD	%Rec	RPD
Mercury	SW7471	0.0833	NA	0.0864	NA	MG/KG	dw	104	NA	NA	125-75 LSA	NA

Method Bla. Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 76

QC Batch: W980402MX Matrix: Water Quality Control Matrix Lab Samp ID: LB980402M									
Analyte	Detection Limit	Reporting Limit	Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date
Arsenic	0.0011	0.0020PQL		ND	MG/L	1.0	SW3020	SW6020	04/08/98
Barium	0.0001	0.0010PQL		ND	MG/L	1.0	SW3020	SW6020	04/08/98
Chromium	0.0008	0.0010PQL		ND	MG/L	1.0	SW3020	SW6020	04/08/98
Lead	0.0001	0.0010PQL		ND	MG/L	1.0	SW3020	SW6020	04/08/98

QA/QC Report
Matrix Spike/Duplicate Matrix Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 77

QC Batch: W980402MX Matrix: Ground Water Lab Samp ID: 0981840027MS Basis: Wet					Project Name: General Analytical Project No.: N/A Field ID: 98BPXLI02WA61 Lab Ref ID: 0981840027SA									
Analyte	Analysis Method	Spike Level		Sample Result	Spike Result		Units	% Recoveries			Acceptance Criteria			
		MS	DMS		MS	DMS		MS	DMS	RPD	% Rec	MSA	RPD	
Arsenic	SW6020	0.2000	0.2000	ND	0.2014	0.2065	MG/L	ww	101	103	2.0	125-75	MSA	20MSP
Barium	SW6020	0.2000	0.2000	0.0227	0.2264	0.2282	MG/L	ww	102	103	0.98	125-75	MSA	20MSP
Chromium	SW6020	0.2000	0.2000	ND	0.2257	0.2176	MG/L	ww	113	109	3.6	125-75	MSA	20MSP
Lead	SW6020	0.2000	0.2000	ND	0.1738	0.1587	MG/L	ww	86.9	84.4	2.9	125-75	MSA	20MSP

QA Report
 Blank Spike/Duplicate Blank Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 78

QC Batch: W980402MX Matrix: Water Quality Control Matrix Lab Samp ID: BS980402M													
Analyte	Analysis Method	Spike Level		Spike Result		Units		% Recoveries			Acceptance Criteria		
		LCS	LCD	LCS	LCD			LCS	LCD	RPD	%Rec	RPD	
Arsenic	SW5020	0.2000	NA	0.2017	NA	MG/L	ww	101	NA	NA	120-80	LSA	NA
Barium	SW5020	0.2000	NA	0.2020	NA	MG/L	ww	101	NA	NA	120-80	LSA	NA
Chromium	SW5020	0.2000	NA	0.2248	NA	MG/L	ww	112	NA	NA	120-80	LSA	NA
Lead	SW5020	0.2000	NA	0.2146	NA	MG/L	ww	107	NA	NA	120-80	LSA	NA

QA/QC Report
Method Blank Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 79

QC Batch: W980409BX Matrix: Water Quality Control Matrix Lab Samp ID: LB980409B										
Analyte	Detection Reporting		Note	Result	Units	Dil	Prep Method	Analysis Method	Analysis Date	
	Limit	Limit								
Mercury	0.0001	0.0002PQL		ND	MG/L	1.0	METHOD	SW7470	04/10/98	

- JQC -
Matrix Spike/Duplicate Matrix Spike Summary

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 80

QC Batch: W980409BX Matrix: Ground Water Lab Samp ID: 0981840027MS Basis: Wet	Project Name: General Analytical Project No.: N/A Field ID: 98BPXLI02WA61 Lab Ref ID: 0981840027SA
--	---

Analyte	Analysis Method	Spike Level		Sample Result	Spike Result		% Recoveries			Acceptance Criteria				
		MS	DMS		MS	DMS	MS	DMS	RPD	% Rec	RPD			
Mercury	SW7470	0.0010	0.0010	ND	0.0011	0.0010	MG/L	ww	110	100	9.5	120-80	MSA	20MSP

**QA/QC Report
Blank Spike/Duplicate Blank Spike Summary**

Quanterra Environmental Services, Sacramento, CA

Lab Report No.: 098184 Date: 05/04/98

Page: 81

QC Batch: W980409BX Matrix: Water Quality Control Matrix Lab Samp ID: BS980409B													
Analyte	Analysis Method	Spike Level		Spike Result		Units		% Recoveries			Acceptance Criteria		
		LCS	LCD	LCS	LCD			LCS	LCD	RPD	%Rec	RPD	
Mercury	SW7470	0.0010	NA	0.0010	NA	MGL	ww	100	NA	NA	120-80	L5A	NA

APPENDIX D

b. Laboratory Data Sheets--MultiChem



April 27, 1998

MAS I. D. # 821354

Montgomery Watson
4100 Spenard Road
Anchorage, AK 99517

Attn: Lynn DeGeorge

Project Name: Liberty Island Sediments

Project Number: 1189002.330101

Dear Ms. DeGeorge:

On March 20, 1998, MultiChem Analytical Services, LLC of Alaska received twenty seven samples for analysis in conjunction with the above listed project. The requested analyses were performed using EPA or equivalent methods. The reports of analyses and deliverables are enclosed. Below is an outline of the laboratories that participated in this project.


MAS-WA Analysis Performed: Volatile Organics (8260), Semivolatile Organics (8270), Pesticides/PCBs (8081), Total Organic Carbon (TOC) and Total Suspended Solids (TSS)

Dowl/Alaska Testlabs Analysis Performed: Grain Size and Particle Size Distribution (ASTM D-422)

***Please note:** this report is a partial report, containing all analyses and raw data with the exception of the 8270 results. These results are in the final stages and will be forwarded as quickly as possible.

Please do not hesitate to contact us at (907) 248-8273, if you have any questions or comments.

Sincerely,
MultiChem Analytical Services


Victoria L. Bayly
Project Manager

Sample ID. Cross Reference Sheet

Client: Montgomery Watson
Project #: 1189002.330101
Project Name: Liberty Island Sediments


MAS I.D.: 821354

MAS ID #	Client Description	Sample Date
821354 1	98BPXLI02WA01	3/18/98
821354 2	98BPXLI02WA02	3/18/98
821354 3	98BPXLI02WA03	3/18/98
821354 4	98BPXLI09WA01	3/18/98
821354 5	98BPXLI09WA02	3/18/98
821354 6	98BPXLI09WA03	3/18/98
821354 7	98BPXLI14WA01	3/18/98
821354 8	98BPXLI14WA02	3/18/98
821354 9	98BPXLI30WA03	3/19/98
821354 10	98BPXLI30WA01	3/19/98
821354 11	98BPXLI30WA02	3/19/98
821354 12	98BPXLI30WA62	3/19/98
821354 13	98BPXLI02WA61	3/18/98
821354 14	98BPXLI02SD01(01)	3/18/98
821354 15	98BPXLI02SD02(03)	3/18/98
821354 16	98BPXLI02SD03(09)	3/18/98
821354 17	98BPXLI09SD01(01)	3/18/98
821354 18	98BPXLI09SD02(03)	3/18/98
821354 19	98BPXLI09SD03(09)	3/18/98
821354 20	98BPXLI14SD01(01)	3/18/98
821354 21	98BPXLI14SD02(03)	3/18/98
821354 22	98BPXLI14SD03(09)	3/18/98
821354 23	98BPXLI30SD01(01)	3/19/98
821354 24	98BPXLI30SD02(03)	3/19/98
821354 25	98BPXLI30SD03(09)	3/19/98
821354 26	98BPXLI30SD62(03)	3/19/98
821354 27	98BPXLI02SD62(03)	3/18/98

MAS STANDARD DISPOSAL PRACTICE

The samples from this project will be disposed of in thirty (30) days from the date of the report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.


MAS 821354

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Mulchem Analytical Services 2000 West International Airport Road Anchorage, Alaska 99502 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel		SOIL				WATER		Comments		
		MW Job Number: 1187002 21-DAY 330101 TURNAROUND		VOCs- 8260s 2 x 2-oz amber glass	SVOCs- 8270 1 x 8-oz amber glass	TOC- 415.1 1 x 4-oz amber glass	Grain Size - ASTM D422 1 x 8-oz amber glass	Particle Size- ASTM D2487 1 x 4-oz amber glass	TSS- 160.2 250 ml poly		TOC- 415.1 1 x 250 ml amber	
Sampler's Signature 1998 <i>Borchan</i>				Cool to 4°C				Cool to 4°C		Comments		
AS#	Date	Time	Sample ID	Matrix	Total Containers	VOCs	SVOCs	TOC	Grain Size		Particle Size	TSS
-1	3-18	2210	98BPXLI 02 WA01	W	2						✓	✓
-2	3-18	2130	98BPXLI 02 WA02	W	2						✓	✓
-3	3-18	2200	98BPXLI 02 WA03	W	2						✓	✓
-4	3-18	1530	98BPXLI 09 WA01	W	2						✓	✓
-5	3-18	1540	98BPXLI 09 WA02	W	2						✓	✓
-6	3-18	1550	98BPXLI 09 WA03	W	2						✓	✓
-7	3-18	1300	98BPXLI 14 WA01	W	2						✓	✓
-8	3-18	1315	98BPXLI 14 WA02	W	2						✓	✓
-9	3-19	0200	98BPXLI 30 WA03	W	2						✓	✓
-10	3-19	0120	98BPXLI 30 WA01	W	2						✓	✓
-11	3-19	0140	98BPXLI 30 WA02	W	2						✓	✓
			98BPXLI WA03									
-12	3-19	0150	98BPXLI 30 WA62		2						✓	✓
-13	3-18	2110	98BPXLI 02 WA61		2						✓	✓
			98BPXLI WA									
			98BPXLI WA									
Relinquished by <i>Borchan</i>			Date 5-20-98	Hand Delivered <input checked="" type="checkbox"/> N	Shipped Via <i>hand</i>	Airbill Number	Date					
Received for Laboratory by <i>Lynn DeGeorge</i>			Date 5/20/98	Cooler Temperature 4.8° 3.7° °C	Laboratory Notified	Time	Time					
			Time 10:00	Upon Arrival 5.1° 11.7° °C	Faxed							

MS/MSD

No Sample

LAST

Montgomery Watson 4101 Spensard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Multichem Analytical Services 2000 West International Airport Road Anchorage, Alaska 99512 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel		SOIL						WATER		MAS 821354
		1189002, 330101 MW Job Number: GP 118922-30101 21-DAY TURNAROUND		VOCs- 8260a 2 x 2-oz amber glass SVOCs- 8270 1 x 8-oz amber glass TOC- 415.1 1 x 4-oz amber glass Grain Size - ASTM D422 1 x 8-oz amber glass Particle Size- ASTM D2487 1 x 4-oz amber glass 8081 3/21/98 per L. DeGeorge						TSS- 160.2 250 ml poly TOC- 415.1 1 x 250 ml amber		
Sampler's Signature 1998 <i>[Signature]</i>		Cool to 4 degrees C						Cool to 4 degrees C		H2SO4	Comments	
AS#	Date	Time	Sample ID	Matrix	Total Containers							
-14	3-18	2210	98BPXLI 02 SD01(01)	S	5	✓	✓	✓	✓	✓	8081 for hexachlorobenzene	
-15	3-18	2230	98BPXLI 02 SD02(03)	S	5						+ butadiene	
-16	3-18	2330	98BPXLI 02 SD03(09)	S	5						8260 for 1,2,4-trichlorobenzene	
-17	3-18	1610	98BPXLI 09 SD01(01)	S	5						MS/MSD 3/21/98	
-18	3-18	1620	98BPXLI 09 SD02(03)	S	5							
-19	3-18	1630	98BPXLI 09 SD03(09)	S	5							
-20	3-18	1330	98BPXLI 14 SD01(01)	S	5							
-21	3-18	1345	98BPXLI 14 SD02(03)	S	5							
-22	3-18	1400	98BPXLI 14 SD03(09)	S	5							
23	3-19	0250	98BPXLI 30 SD01(01)	S	5							
-24	3-19	0300	98BPXLI 30 SD02(03)	S	5							
-25	3-19	0330	98BPXLI 30 SD03(09)	S	5	✓	✓	✓	✓	✓		
-26	3-19	0310	98BPXLI 30 SD6 2(03)	S	3	✓	✓	✓		✓		
-27	3-18	2200	98BPXLI 02 SD6 2(03)	S	3	✓	✓	✓		✓		
			98BPXLI SD ()									
			98BPXLI SD ()									
Relinquished by: <i>[Signature]</i>		Date: 3-20-98 Time: 10:00		Hand Delivered: <input checked="" type="checkbox"/>	Shipped Via: <i>hand</i>	Airbill Number: _____ Date: _____		Time: _____				
Received for Laboratory by: <i>[Signature]</i>		Date: 3-20-98 Time: 10:00		Cooler Temperature: _____ °C Upon Arrival: _____		Laboratory Notified: _____ Faxed: _____						

SAMPLE LOG-IN CHECKLIST

SESSION #: 821354 SUBCONTRACT WORK? YES / NO
 CLIENT NAME: Montgomery Winters TO LAB (circle): MAS-R OTHER: AK Test Labs
 LOGGED-IN BY (print): Gary Fisher (sign): Gary Fisher
 Date received: 3/20/98 Client's Cooler # (if any): _____
 Is the project for: ACOE? YES / NO NAVY? YES / NO

1. Did cooler arrive with shipping document?	(Hand delivery) <u>N/A</u>	YES	NO
2. Are Custody seals present on cooler?	YES / <u>NO</u> How many? _____ Where? _____		
Seal date: _____ Seal name: _____ Intact? _____	<u>N/A</u>	YES	NO
3. Are Custody seals present on sample containers?		YES	NO
If "YES", intact? _____	<u>N/A</u>	YES	<u>NO</u>
4. Is the Chain of Custody (C-O-C) sealed in plastic bag?	YES / <u>NO</u> Taped to cooler lid?	YES	<u>NO</u>
5. Is the C-O-C complete? * Relinquished by client: YES / NO	Analyses marked off: _____	YES	NO
* C-O-C or other representative documents, letters, and/or shipping memos.	Signed/received by lab: _____	YES	NO
6. Is the C-O-C in agreement with samples received?			
Sample ID's: <u>YES</u> / NO	Matrix: _____	<u>YES</u>	NO
Date sampled: <u>YES</u> / NO	# Containers: _____	YES	<u>NO</u>
7. Has the main logbook been filled out properly?		<u>YES</u>	NO
8. If samples are RUSH has notice been given?	<u>N/A</u>	YES	NO
9. Is proper preservation indicated on label(s)?	<u>N/A</u>	YES	NO
Did pH check verify preservative indicated?	(Volatiles) <u>N/A</u>	YES	NO
10. Is there sufficient sample volume for analyses?		<u>YES</u>	NO
11. Are samples in proper containers? (see reference chart)		<u>YES</u>	NO
12. Are all samples within holding times for requested analysis?		<u>YES</u>	NO
13. Are all sample containers intact? (i.e. not broken, leaking...)		<u>YES</u>	NO
14. Are samples individually bagged?		<u>YES</u>	NO
15. Are all volatile samples headspace-free (< pea-size for waters)?	<u>N/A</u>	YES	NO
16. Shipping container (circle one):	<u>Cooler</u> / Box / Other: _____		
17. Type of packing material used (circle one):	<u>Bubble Wrap</u> / Styrofoam Peanuts / Vermiculite / None		
18. Refrigerant (circle one):	<u>Gel Ice</u> / Loose Ice / Other: _____ / None		
19. Was refrigerant frozen upon receipt?		<u>YES</u>	NO
20. Cooler temperature(s):	#3) <u>5.1°C</u> #4) <u>11.7°C</u> #1: <u>4.8°C</u> #2: <u>3.7°C</u>		

Sample tagging check for QC:

Sample ID's issued in order of appearance on C-O-C:	YES	NO
Tags placed in appropriate areas of sample containers:	<u>YES</u>	NO

Initials of reviewer: _____
 Describe any "NO" items from checklist above: Sample #1 Time on label = 21.00, on C-O-C = 2210, call #15 note
Samples # 14-25 only four of each not five as 1's end
Oil COCl. Samples # 1-13 only two of each not five as 1's end.

Client contacted: YES / NO / N/A Date: _____ Name of person contacted: _____
 Describe client instructions or actions taken: _____

URGENT-
VERIFICATION
REQUESTED.



MultiChem
ANALYTICAL SERVICES

FAX Cover Sheet

To:	Lynn DeGeorge	FAX Number:	248-8884
Company:	Montgomery Watson	Date:	3/26/98
From:	Victoria (Tari) Bayly	No. of Pages:	2
Phone:	907/248-8273	(including	
Fax:	907/248/8274	cover page):	

Lynn,

A couple of questions have arisen regarding the Liberty Island project. I apologize that I did not have time to go over this in detail before the samples arrived, but if we could clarify/verify now we will still be OK for TAT/Holding times, etc.

1) The original fax you sent to Mike with the compound lists and limits... we are assuming that the limits we are using are the ones under the PSDDA (1) SL column for screening levels (we have not seen the "blessed" copy of the QAAP yet). Based on this, it appears that according to the requested methods you have listed we would not be able to meet the limit for one compound. Under chlorinated hydrocarbons, 1,2,4-Trichlorobenzene by 8270 we can only reach a 15.4 mg/Kg reporting limit (table lists 13 mg/Kg). By 8260, we can reach a 5.0 mg/Kg, which is less than the limit requested. Which method would you prefer? Also, do you need us to report at the limits in your table, or can we report our limits as long as they are lower than yours?

Action: Please analyze for 1,2,4-trichlorobenzene using Method 8260 allowing us to achieve the lower detection limit (5.0 mg/kg).

You may use your reporting limits when providing the analytical results.

2) Two compounds requested by 8270 are actually analyzed by 8081... Hexachlorobenzene and hexachlorobutadiene. By 8270 we would not be able to meet the limits, and they are not on our normal list. We would need to add 8081 to the CDC to accommodate these two compounds if you indeed require them.

17.4
10.1

Action: Please analyze for Hexachlorobenzene and Hexachlorobutadiene using Method 8081 instead of 8270 allowing us to achieve the lower detection limit.

Thank you for your help!

Signed *L. DeGeorge*

Date 3-31-97

JTB

ADEC DATA PACKAGE
8260, 8270, TOC
8081, TSS

Client:

Montgomery Watson
Lynn DeGeorge

Project Name:

Liberty Island Sediments

Project Number:

1189002.330101

Accession No.:

821354

DATA PACKAGE
Grain Size and Particle Size
Distribution

Client:

Montgomery Watson
Lynn DeGeorge

Project Name:
Liberty Island Sediments

Project Number:
1189002.330101

Accession No.:
821354



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXL102SD01(01)

Submitted by Client

PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION


W.O. A27722

Lab No. 515

Received: March 20, 1998

Engineering Classification: SILT, ML

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 346.4g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	100%
No. 50	
No. 60	99%
No. 80	
No. 100	99%
No. 200	94%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXLI02SD02(03)

Submitted by Client

PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION


W.O. A27722

Lab No. 516

Received: March 20, 1998

Engineering Classification: SILT, ML

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	
Total Wt. of Coarse Fraction = 141.5g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	100%
No. 50	
No. 60	100%
No. 80	
No. 100	99%
No. 200	94%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXLI02SD03(09)

Submitted by Client

LL = 52, PI = 21

**PARTICLE-SIZE
 DISTRIBUTION**


W.O. A27722

Lab No. 517

Received: March 20, 1998

Engineering Classification: Elastic SILT, MH

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 329.2g	
No. 8	
No. 10	100%
No. 16	
No. 20	99%
No. 30	
No. 40	98%
No. 50	
No. 60	96%
No. 80	
No. 100	92%
No. 200	87%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager




A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services
 Project: Liberty Island P.O. AK-8517
 Location: 98BPXLI09SD01(01)
 Submitted by Client
 PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION

W.O. A27722
 Lab No. 518
 Received: March 20, 1998

Engineering Classification: Sandy SILT, ML
Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 363g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	99%
No. 50	
No. 60	98%
No. 80	
No. 100	88%
No. 200	62%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXLI109SD02(03)

Submitted by Client

PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION


W.O. A27722

Lab No. 519

Received: March 20, 1998

Engineering Classification: SILT with Sand, ML

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 305g	
No. 8	
No. 10	98%
No. 16	
No. 20	97%
No. 30	
No. 40	95%
No. 50	
No. 60	91%
No. 80	
No. 100	86%
No. 200	79%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager




A Division of DDWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services
 Project: Liberty Island P.O. AK-8517
 Location: 98BXL109SD03(09)
 Submitted by Client
 PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION

W.O. A27722
 Lab No. 520
 Received: March 20, 1998

Engineering Classification: Sandy SILT, ML
 Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	100%
1/2"	99%
3/8"	98%
No. 4	98%
Total Wt. of Coarse Fraction = 526g	
No. 8	
No. 10	97%
No. 16	
No. 20	96%
No. 30	
No. 40	94%
No. 50	
No. 60	85%
No. 80	
No. 100	74%
No. 200	58%
Total Wt. of Fine Fraction = 514.1g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953


Client: MultiChem Analytical Services
 Project: Liberty Island P.O. AK-8517

Location: 98BPXLI14SD01(01)
 Submitted by Client
 PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION

W.O. A27722
 Lab No. 521
 Received: March 20, 1998

Engineering Classification: Sandy SILT, ML
 Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	100%
3/8"	99%
No. 4	99%
Total Wt. of Coarse Fraction = 906g	
No. 8	
No. 10	99%
No. 16	
No. 20	99%
No. 30	
No. 40	98%
No. 50	
No. 60	95%
No. 80	
No. 100	88%
No. 200	59%
Total Wt. of Fine Fraction = 340.7g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated,
4040 B Street Anchorage, Alaska 99503
(907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXL114SD02(03)

Submitted by Client

PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION


W.O. A27722

Lab No. 522

Received: March 20, 1998

Engineering Classification: SILT, ML

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 360.1g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	100%
No. 50	
No. 60	98%
No. 80	
No. 100	93%
No. 200	87%
Total Wt. of Fine Fraction = 0g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXLI14SD03(09)

Submitted by Client

PI = Non Plastic

**PARTICLE-SIZE
 DISTRIBUTION**


W.O. A27722

Lab No. 523

Received: March 20, 1998

Engineering Classification: Poorly Graded SAND with Silt, SP-SM

Frost Classification: Not Measured



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	100%
3/8"	99%
No. 4	96%
Total Wt. of Coarse Fraction = 848.6g	
No. 8	
No. 10	94%
No. 16	
No. 20	93%
No. 30	
No. 40	83%
No. 50	
No. 60	41%
No. 80	
No. 100	15%
No. 200	8.3%
Total Wt. of Fine Fraction = 380.4g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager




A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services
 Project: Liberty Island P.O. AK-8517
 Location: 98BPXLI30SD01(01)
 Submitted by Client
 PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION

W.O. A27722
 Lab No. 524
 Received: March 20, 1998

Engineering Classification: SILT, ML
 Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	100%
No. 4	99%
Total Wt. of Coarse Fraction = 491.9g	
No. 8	
No. 10	99%
No. 16	
No. 20	99%
No. 30	
No. 40	99%
No. 50	
No. 60	98%
No. 80	
No. 100	97%
No. 200	87%
Total Wt. of Fine Fraction = 307.8g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXLI30SD02(03)

Submitted by Client

PI = Non Plastic

PARTICLE-SIZE DISTRIBUTION


W.O. A27722

Lab No. 525

Received: March 20, 1998

Engineering Classification: SILT, ML

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = -0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	100%
No. 4	100%
Total Wt. of Coarse Fraction = 623.4g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	99%
No. 50	
No. 60	99%
No. 80	
No. 100	98%
No. 200	91%
Total Wt. of Fine Fraction = 339.2g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



A Division of DOWL, Incorporated
 4040 B Street Anchorage, Alaska 99503
 (907) 562-2000 FAX (907) 563-3953

Client: MultiChem Analytical Services

Project: Liberty Island P.O. AK-8517

Location: 98BPXL130SD03(09)

Submitted by Client

LL = 52, PI = 24

**PARTICLE-SIZE
DISTRIBUTION**


W.O. A27722

Lab No. 526

Received: March 20, 1998

Engineering Classification: Fat CLAY, CH

Frost Classification: F4



SIZE	PASSING SPECIFICATION
+3 in Not Included in Test = ~0%	
3"	
2"	
1 1/2"	
1"	
3/4"	
1/2"	
3/8"	
No. 4	100%
Total Wt. of Coarse Fraction = 306.7g	
No. 8	
No. 10	100%
No. 16	
No. 20	100%
No. 30	
No. 40	99%
No. 50	
No. 60	98%
No. 80	
No. 100	96%
No. 200	90%
Total Wt. of Fine Fraction = 306.7g	
0.02 mm	

© Alaska Testlab, 1996

David L. Andersen, P.E., General Manager



MultiChem
ANALYTICAL SERVICES

MAS I.D. # 821354
UST - 026

April 24, 1998

Montgomery Watson
4100 Spenard
Anchorage AK 99517-2901

Attention : Lynn DeGeorge

Project Number : 1189002.330101

Project Name : Liberty Island

Dear Ms. DeGeorge:

On March 21, 1998, MultiChem Analytical Services received 27 samples for analysis. The samples were analyzed with EPA methodology or equivalent methods as specified in the attached analytical schedule. The results, sample cross reference, and quality control data are enclosed.

This is a partial report including all analyses with the exception of the semivolatiles analysis. This data will be sent as soon as it becomes available.

Sincerely,

Elaine M. Walker
Project Manager

EMW/hal/trm

Enclosure

MAS I.D. # 821354



SAMPLE CROSS REFERENCE SHEET

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MAS #	CLIENT DESCRIPTION	DATE SAMPLED	MATRIX
821354-1	98BPXLI02WA01	03/18/98	WATER
821354-2	98BPXLI02WA02	03/18/98	WATER
821354-3	98BPXLI02WA03	03/18/98	WATER
821354-4	98BPXLI09WA01	03/18/98	WATER
821354-5	98BPXLI09WA02	03/18/98	WATER
821354-6	98BPXLI09WA03	03/18/98	WATER
821354-7	98BPXLI14WA01	03/18/98	WATER
821354-8	98BPXLI14WA02	03/18/98	WATER
821354-9	98BPXLI30WA03	03/19/98	WATER
821354-10	98BPXLI30WA01	03/19/98	WATER
821354-11	98BPXLI30WA02	03/19/98	WATER
821354-12	98BPXLI30WA62	03/19/98	WATER
821354-13	98BPXLI02WA61	03/18/98	WATER
821354-14	98BPXLI02SD01 (01)	03/18/98	SEDIMENT
821354-15	98BPXLI02SD02 (03)	03/18/98	SEDIMENT
821354-16	98BPXLI02SD03 (09)	03/18/98	SEDIMENT
821354-17	98BPXLI09SD01 (01)	03/18/98	SEDIMENT
821354-18	98BPXLI09SD02 (03)	03/18/98	SEDIMENT
821354-19	98BPXLI09SD03 (09)	03/18/98	SEDIMENT
821354-20	98BPXLI14SD01 (01)	03/18/98	SEDIMENT
821354-21	98BPXLI14SD02 (03)	03/18/98	SEDIMENT
821354-22	98BPXLI14SD03 (09)	03/18/98	SEDIMENT
821354-23	98BPXLI30SD01 (01)	03/19/98	SEDIMENT
821354-24	98BPXLI30SD02 (03)	03/19/98	SEDIMENT
821354-25	98BPXLI30SD03 (09)	03/19/98	SEDIMENT
821354-26	98BPXLI30SD62 (03)	03/19/98	SEDIMENT
821354-27	98BPXLI02SD62 (03)	03/18/98	SEDIMENT

----- TOTALS -----

MATRIX	# SAMPLES
WATER	13
SEDIMENT	14

MAS STANDARD DISPOSAL PRACTICE

The samples from this project will be disposed of in thirty (30) days from the date of the report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

ANALYTICAL SCHEDULE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

ANALYSIS	TECHNIQUE	REFERENCE	LAB
VOLATILE ORGANICS ANALYSIS	GCMS	EPA 8260A	R
HEXACHLOROBENZENE/HEXACHLOROBUTADIENE	GC/ECD	EPA 8081A MODIFIED	R
TOTAL ORGANIC CARBON	TOC ANALYZER	EPA 415.1	R
TOTAL ORGANIC CARBON	TOC ANALYZER	EPA 415.1 MODIFIED	R
TOTAL SUSPENDED SOLIDS	GRAVIMETRIC	EPA 160.2	R
MOISTURE	GRAVIMETRIC	CLP ILM04.0	R

R = MAS - Renton
ANC = MAS - Anchorage
SUB = Subcontract

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

CASE NARRATIVE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

CASE NARRATIVE: VOLATILE ORGANICS ANALYSIS

The following anomaly was associated with the preparation and/or analysis of the samples in this accession:

The 118% recovery of the surrogate spiking compound bromofluorobenzene exceeded the current MultiChem recovery range of 66-116% in the sample identified as 821354-17 (98BPXLI09SD01(01)). Since this anomaly indicated a potential high bias with no reportable concentration of any target compound found in the sample, the anomaly was flagged "H" for reporting purposes. No further corrective action was performed.

All other associated quality assurance/quality control (QA/QC) parameters were within established MultiChem control limits.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: N/A
PROJECT #	: 1189002.330101	DATE RECEIVED	: N/A
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: METHOD BLANK	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<2
TETRACHLOROETHENE	<2
ETHYLBENZENE	<2
TOTAL XYLENES	<2
1,3-DICHLOROBENZENE	<2
1,4-DICHLOROBENZENE	<2
1,2-DICHLOROBENZENE	<2
1,2,4-TRICHLOROBENZENE	<5

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	102	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	96	66 - 116

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: N/A
PROJECT #	: 1189002.330101	DATE RECEIVED	: N/A
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: METHOD BLANK	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<2
TETRACHLOROETHENE	<2
ETHYLBENZENE	<2
TOTAL XYLENES	<2
1,3-DICHLOROBENZENE	<2
1,4-DICHLOROBENZENE	<2
1,2-DICHLOROBENZENE	<2
1,2,4-TRICHLOROBENZENE	<5

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	102	67 - 150
TOLUENE-D8	105	85 - 116
BROMOFLUOROBENZENE	95	66 - 116

MAS I.D. # 821354-14

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI02SD01(01)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROETHENE	<3
1,4-DICHLOROETHENE	<3
1,2-DICHLOROETHENE	<3
1,2,4-TRICHLOROETHENE	<7

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	104	67 - 150
TOLUENE-D8	103	85 - 116
BROMOFLUOROBENZENE	98	66 - 116

MAS I.D. # 821354-15

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLIQ2SD02(03)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<7

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	105	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	98	66 - 116

MAS I.D. # 821354-16

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI02SD03(09)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<8

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	102	67 - 150
TOLUENE-D8	105	85 - 116
BROMOFLUOROBENZENE	98	66 - 116

MAS I.D. # 821354-17

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI09SD01(01)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS

RESULTS

TRICHLOROETHENE <3
TETRACHLOROETHENE <3
ETHYLBENZENE <3
TOTAL XYLENES <3
1,3-DICHLOROBENZENE <3
1,4-DICHLOROBENZENE <3
1,2-DICHLOROBENZENE <3
1,2,4-TRICHLOROBENZENE <8

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	102	67 - 150
TOLUENE-D8	103	85 - 116
BROMOFLUOROBENZENE	118 H	66 - 116

H = Out of limits.

MAS I.D. # 821354-18



VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI09SD02 (03)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<8

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	104	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	99	66 - 116

MAS I.D. # 821354-19

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI09SD03(09)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROENZENE	<3
1,4-DICHLOROENZENE	<3
1,2-DICHLOROENZENE	<3
1,2,4-TRICHLOROENZENE	<7

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	105	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	97	66 - 116

MAS I.D. # 821354-20

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI14SD01(01)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROETHENE	<3
1,4-DICHLOROETHENE	<3
1,2-DICHLOROETHENE	<3
1,2,4-TRICHLOROETHENE	<6

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	101	67 - 150
TOLUENE-D8	101	85 - 116
BROMOFLUOROBENZENE	116	66 - 116

MAS I.D. # 821354-21

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI14SD02(03)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<6

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	107	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	99	66 - 116

MAS I.D. # 821354-22

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI14SD03(09)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<2
TETRACHLOROETHENE	<2
ETHYLBENZENE	<2
TOTAL XYLENES	<2
1,3-DICHLOROBENZENE	<2
1,4-DICHLOROBENZENE	<2
1,2-DICHLOROBENZENE	<2
1,2,4-TRICHLOROBENZENE	<6

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	105	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	99	66 - 116

MAS I.D. # 821354-23

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI30SD01(01)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<8

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	104	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	99	66 - 116

MAS I.D. # 821354-24

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI30SD02(03)	DATE ANALYZED	: 03/30/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<7

	SURROGATE PERCENT RECOVERY	LIMITS
1,2-DICHLOROETHANE-D4	103	67 - 150
TOLUENE-D8	103	85 - 116
BROMOFLUOROBENZENE	106	66 - 116

MAS I.D. # 821354-25

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI30SD03(09)	DATE ANALYZED	: 03/31/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<6

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	107	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	98	66 - 116

MAS I.D. # 821354-26

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI30SD62(03)	DATE ANALYZED	: 03/31/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<7

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4	107	67 - 150
TOLUENE-D8	106	85 - 116
BROMOFLUOROBENZENE	97	66 - 116

MAS I.D. # 821354-27

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: N/A
CLIENT I.D.	: 98BPXLI02SD62(03)	DATE ANALYZED	: 03/31/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8260A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

TRICHLOROETHENE	<3
TETRACHLOROETHENE	<3
ETHYLBENZENE	<3
TOTAL XYLENES	<3
1,3-DICHLOROBENZENE	<3
1,4-DICHLOROBENZENE	<3
1,2-DICHLOROBENZENE	<3
1,2,4-TRICHLOROBENZENE	<7

SURROGATE PERCENT RECOVERY

LIMITS

1,2-DICHLOROETHANE-D4	106	67 - 150
TOLUENE-D8	104	85 - 116
BROMOFLUOROBENZENE	99	66 - 116

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SOIL
EPA METHOD : 8260A

SAMPLE I.D. # : BLANK
DATE EXTRACTED : N/A
DATE ANALYZED : 03/30/98
UNITS : ug/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
TRICHLOROETHENE	<2.00	50.0	49.4	99	N/A	N/A	N/A
CONTROL LIMITS				% REC.			RPD
TRICHLOROETHENE				81 - 129			20
SURROGATE RECOVERIES		SPIKE		DUP. SPIKE		LIMITS	
1,2-DICHLOROETHANE-D4		103		N/A		67 - 150	
TOLUENE-D8		104		N/A		85 - 116	
BROMOFLUOROBENZENE		97		N/A		66 - 116	

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SOIL
EPA METHOD : 8260A

SAMPLE I.D. # : BLANK
DATE EXTRACTED : N/A
DATE ANALYZED : 03/30/98
UNITS : ug/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
TRICHLOROETHENE	<2.00	50.0	49.0	98	N/A	N/A	N/A
CONTROL LIMITS				% REC.			RPD
TRICHLOROETHENE				81 - 129			20
SURROGATE RECOVERIES		SPIKE		DUP. SPIKE		LIMITS	
1,2-DICHLOROETHANE-D4		101		N/A		67 - 150	
TOLUENE-D8		105		N/A		85 - 116	
BROMOFLUOROBENZENE		95		N/A		66 - 116	

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SOIL
EPA METHOD : 8260A

SAMPLE I.D. # : 821354-17
DATE EXTRACTED : N/A
DATE ANALYZED : 03/30/98
UNITS : ug/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
TRICHLOROETHENE	<3.39	84.7	75.0	89	69.9	83	7
CONTROL LIMITS				% REC.			RPD
TRICHLOROETHENE				77 - 134			20
SURROGATE RECOVERIES		SPIKE		DUP. SPIKE		LIMITS	
1,2-DICHLOROETHANE-D4		108		104		67 - 150	
TOLUENE-DB		100		102		85 - 116	
BROMOFLUOROBENZENE		115		101		66 - 116	

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

CASE NARRATIVE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

CASE NARRATIVE: HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS

There were no anomalies associated with the preparation and/or analysis of the samples in this accession.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: N/A
PROJECT #	: 1189002.330101	DATE RECEIVED	: N/A
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: METHOD BLANK	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
-----------	---------

HEXACHLOROBENZENE	<0.0017
HEXACHLOROBUTADIENE	<0.0017

SURROGATE PERCENT RECOVERY

LIMITS

DECACHLOROBIPHENYL	116	28 - 138
TETRACHLORO-M-XYLENE	90	43 - 119

MAS I.D. # 821354-14

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI02SD01(01)	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

HEXACHLOROBENZENE	<0.0023
HEXACHLOROBUTADIENE		<0.0023

SURROGATE PERCENT RECOVERY

LIMITS

DECACHLOROBIPHENYL	108	28 - 138
TETRACHLORO-M-XYLENE		81	43 - 119

MAS I.D. # 821354-15

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI02SD02(03)	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0025
HEXACHLOROBUTADIENE	<0.0025

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	109	28 - 138
TETRACHLORO-M-XYLENE	84	43 - 119

MAS I.D. # 821354-16

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLIQ2SD03(09)	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

HEXACHLOROBENZENE	<0.0025
HEXACHLOROBUTADIENE		<0.0025

SURROGATE PERCENT RECOVERY

LIMITS

DECACHLOROBIPHENYL	106	28 - 138
TETRACHLORO-M-XYLENE		83	43 - 119

MAS I.D. # 821354-17

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI09SD01(01)	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0028
HEXACHLOROBUTADIENE	<0.0028

SURROGATE PERCENT RECOVERY	LIMITS
DECACHLOROBIPHENYL	114 28 - 138
TETRACHLORO-M-XYLENE	92 43 - 119

MAS I.D. # 821354-18

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI09SD02(03)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0027
HEXACHLOROBUTADIENE	<0.0027

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	113	28 - 138
TETRACHLORO-M-XYLENE	92	43 - 119

MAS I.D. # 821354-19

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI09SD03(09)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0022
HEXACHLOROBUTADIENE	<0.0022

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	111	28 - 138
TETRACHLORO-M-XYLENE	92	43 - 119

MAS I.D. # 821354-20

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI14SD01(01)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0021
HEXACHLOROBUTADIENE	<0.0021

SURROGATE PERCENT RECOVERY	LIMITS
DECACHLOROBIPHENYL	112 28 - 138
TETRACHLORO-M-XYLENE	85 43 - 119

MAS I.D. # 821354-21

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI14SD02(03)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0022
HEXACHLOROBUTADIENE	<0.0022

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	116	28 - 138
TETRACHLORO-M-XYLENE	92	43 - 119

MAS I.D. # 821354-22

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI14SD03(09)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0020
HEXACHLOROBUTADIENE	<0.0020

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	112	28 - 138
TETRACHLORO-M-XYLENE	85	43 - 119

MAS I.D. # 821354-23

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI30SD01(01)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0026
HEXACHLOROBUTADIENE	<0.0026

SURROGATE PERCENT RECOVERY	LIMITS
DECACHLOROBIPHENYL	115 28 - 138
TETRACHLORO-M-XYLENE	90 43 - 119

MAS I.D. # 821354-24

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI30SD02(03)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0023
HEXACHLOROBUTADIENE	<0.0023

SURROGATE PERCENT RECOVERY	LIMITS
DECACHLOROBIPHENYL	111 28 - 138
TETRACHLORO-M-XYLENE	88 43 - 119

MAS I.D. # 821354-25

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI30SD03(09)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0022
HEXACHLOROBUTADIENE	<0.0022

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	111	28 - 138
TETRACHLORO-M-XYLENE	88	43 - 119

MAS I.D. # 821354-26

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI30SD62(03)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0024
HEXACHLOROBUTADIENE	<0.0024

SURROGATE PERCENT RECOVERY	LIMITS
DECACHLOROBIPHENYL	121 28 - 138
TETRACHLORO-M-XYLENE	95 43 - 119

MAS I.D. # 821354-27

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 04/01/98
CLIENT I.D.	: 98BPXLI02SD62(03)	DATE ANALYZED	: 04/09/98
SAMPLE MATRIX	: SOIL	UNITS	: mg/Kg
EPA METHOD	: 8081A (MODIFIED)	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
HEXACHLOROBENZENE	<0.0025
HEXACHLOROBUTADIENE	<0.0025

SURROGATE PERCENT RECOVERY		LIMITS
DECACHLOROBIPHENYL	113	28 - 138
TETRACHLORO-M-XYLENE	90	43 - 119

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

HEXACHLORO BENZENE/HEXACHLORO BUTADIENE ANALYSIS
DATA SUMMARY

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SOIL
EPA METHOD : 8081A (MODIFIED)

SAMPLE I.D. # : BLANK
DATE EXTRACTED : 04/01/98
DATE ANALYZED : 04/08/98
UNITS : ug/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
HEXACHLORO BENZENE	<0.00167	0.0167	0.0129	77	N/A	N/A	N/A
HEXACHLORO BUTADIENE	<0.00167	0.0167	0.0153	92	N/A	N/A	N/A

CONTROL LIMITS	% REC.	RPD
HEXACHLORO BENZENE	20 - 160	50
HEXACHLORO BUTADIENE	20 - 160	50

SURROGATE RECOVERIES	SPIKE	DUP. SPIKE	LIMITS
DECACHLORO BIPHENYL	113	N/A	28 - 138
TETRACHLORO-M-XYLENE	85	N/A	43 - 119

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

HEXACHLOROBENZENE/HEXACHLOROBUTADIENE ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	SAMPLE I.D. #	: 821354-17
PROJECT #	: 1189002.330101	DATE EXTRACTED	: 04/01/98
PROJECT NAME	: LIBERTY ISLAND	DATE ANALYZED	: 04/08/98
SAMPLE MATRIX	: SOIL	UNITS	: ug/Kg
EPA METHOD	: 8081A (MODIFIED)		

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
HEXACHLOROBENZENE	<0.00282	0.0282	0.0189	67	0.0154	55	20
HEXACHLOROBUTADIENE	<0.00282	0.0282	0.0289	102	0.0273	97	6

CONTROL LIMITS	% REC.	RPD
HEXACHLOROBENZENE	20 - 160	50
HEXACHLOROBUTADIENE	20 - 160	50

SURROGATE RECOVERIES	SPIKE	DUP. SPIKE	LIMITS
DECACHLOROBIPHENYL	116	111	28 - 138
ETRACHLORO-M-XYLENE	95	87	43 - 119

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

CASE NARRATIVE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

CASE NARRATIVE: GENERAL CHEMISTRY ANALYSIS

The following anomalies were associated with the preparation and/or analysis of the samples in this accession:

The bottles containing the total organic carbon (TOC) aliquots for samples 821354-10 (98BPXLI30WA01) and 821354-12 (98BPXLI30WA62) were cracked and broken. The samples were transferred to new amber bottle containers.

The percent recovery of the first continuing calibration verification (CCV) in the April 3, 1998, TOC analytical run was outside the required control limits of 90-110% due to a bad injection. The samples affected were the method blank, laboratory control samples (LCSs) and 821354-15 (98BPXLI02SD02(03)). The CCV was reanalyzed for verification and percent recovery was within control limits. Another sample, 821354-16 (98BPXLI02SD03(09)) was reanalyzed for verification. The relative percent difference (RPD) between the initial and reanalyzed result for the sample was less than 1%. After reanalysis of the CCV and sample 821354-16 (98BPXLI02SD03(09)), the instrument was determined to be stable. Therefore, analysis was resumed and TOC results for the blank, LCS and 821354-15 (98BPXLI02SD02(03)) were reported from the analytical run.

All other associated quality assurance/quality control (QA/QC) parameters were within established MultiChem control limits.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : WATER

PARAMETER	DATE PREPARED	DATE ANALYZED
TOTAL ORGANIC CARBON (SAMPLES -1 THRU -6)	N/A	03/25/98
TOTAL ORGANIC CARBON (SAMPLES -7 THRU -13)	N/A	03/26/98
TOTAL SUSPENDED SOLIDS	03/25/98	03/26/98

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
DATA SUMMARY

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : WATER
UNITS : mg/L

MAS I.D. #	CLIENT I.D.	TOTAL ORGANIC CARBON	TOTAL SUSPENDED SOLIDS
821354-1	98BPXLI02WA01	1.5	<10
821354-2	98BPXLI02WA02	1.6	34
821354-3	98BPXLI02WA03	1.1	12
821354-4	98BPXLI09WA01	1.2	74
821354-5	98BPXLI09WA02	1.2	34
821354-6	98BPXLI09WA03	1.2	48
821354-7	98BPXLI14WA01	1.4	15
821354-8	98BPXLI14WA02	1.3	<10
821354-9	98BPXLI30WA03	1.2	17
821354-10	98BPXLI30WA01	1.7	<10
821354-11	98BPXLI30WA02	1.2	10
821354-12	98BPXLI30WA62	1.2	13
821354-13	98BPXLI02WA61	1.4	17
BLANK	-	<0.50	<10
BLANK	-	<0.50	N/A

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : WATER
UNITS : mg/L

PARAMETER	MAS I.D.	SAMPLE RESULT	DUP RESULT	RPD	SPIKED RESULT	SPIKE ADDED	% REC.
TOTAL ORGANIC CARBON	BLANK	<0.500	N/A	N/A	2.16	2.00	108
TOTAL ORGANIC CARBON	BLANK	<0.500	N/A	N/A	2.20	2.00	110
TOTAL ORGANIC CARBON	821354-1	1.45	1.52	5	3.43	2.00	99
TOTAL ORGANIC CARBON	821354-7	1.43	1.47	3	3.33	2.00	95
TOTAL SUSPENDED SOLIDS	BLANK	<10.0	N/A	N/A	60.0	60.6	99
TOTAL SUSPENDED SOLIDS	821354-1	<10.0	<10.0	NC	N/A	N/A	N/A

NC = Not calculable.

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL

PARAMETER	DATE PREPARED	DATE ANALYZED
TOTAL ORGANIC CARBON (SAMPLE -14)	03/28/98	04/01/98
TOTAL ORGANIC CARBON (SAMPLES -15 THRU -19)	03/28/98	04/03/98
TOTAL ORGANIC CARBON (SAMPLES -20 THRU -27)	03/28/98	04/06/98

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
DATA SUMMARY

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL
UNITS : mg/Kg

MAS I.D. # CLIENT I.D. TOTAL ORGANIC CARBON

821354-14	98BPXLI02SD01(01)	1.4	D4
821354-15	98BPXLI02SD02(03)	1.9	D4
821354-16	98BPXLI02SD03(09)	4.9	D0
821354-17	98BPXLI09SD01(01)	3.9	D5
821354-18	98BPXLI09SD02(03)	6.5	D0
821354-19	98BPXLI09SD03(09)	2.8	D5
821354-20	98BPXLI14SD01(01)	0.56	D4
821354-21	98BPXLI14SD02(03)	1.7	D5
821354-22	98BPXLI14SD03(09)	0.42	D4
821354-23	98BPXLI30SD01(01)	1.6	D4
821354-24	98BPXLI30SD02(03)	1.6	D5
821354-25	98BPXLI30SD03(09)	1.8	D4
821354-26	98BPXLI30SD62(03)	1.6	D4
821354-27	98BPXLI02SD62(03)	1.6	D4
BLANK	-	<0.010	
BLANK	-	<0.010	
BLANK	-	<0.010	

D4 = Value from a 10 fold diluted analysis.
D0 = Value from a 40 fold diluted analysis.
D5 = Value from a 20 fold diluted analysis.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL
UNITS : mg/Kg

PARAMETER	MAS I.D.	SAMPLE RESULT	DUP RESULT	RPD	SPIKED RESULT	SPIKE ADDED	% REC.
TOTAL ORGANIC CARBON	BLANK(LCS)	<0.0100	N/A	N/A	0.382	0.375	102
TOTAL ORGANIC CARBON	BLANK(LCS)	<0.0100	N/A	N/A	0.437	0.375	117
TOTAL ORGANIC CARBON	BLANK(LCS)	<0.0100	N/A	N/A	0.422	0.375	113
TOTAL ORGANIC CARBON	821354-14	1.41	1.56	10	1.91	0.496	101
TOTAL ORGANIC CARBON	821354-24	1.62	1.53	6	2.58	1.02	94

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL

PARAMETER

DATE ANALYZED

MOISTURE

03/24/98

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
DATA SUMMARY

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL
UNITS : %

MAS I.D. #	CLIENT I.D.	MOISTURE
821354-14	98BPXLI02SD01 (01)	29
821354-15	98BPXLI02SD02 (03)	33
821354-16	98BPXLI02SD03 (09)	34
821354-17	98BPXLI09SD01 (01)	41
821354-18	98BPXLI09SD02 (03)	39
821354-19	98BPXLI09SD03 (09)	25
821354-20	98BPXLI14SD01 (01)	21
821354-21	98BPXLI14SD02 (03)	23
821354-22	98BPXLI14SD03 (09)	18
821354-23	98BPXLI30SD01 (01)	36
821354-24	98BPXLI30SD02 (03)	28
821354-25	98BPXLI30SD03 (09)	23
821354-26	98BPXLI30SD62 (03)	31
821354-27	98BPXLI02SD62 (03)	33

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

GENERAL CHEMISTRY ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MATRIX : SOIL
UNITS : %

PARAMETER	MAS I.D.	SAMPLE RESULT	DUP RESULT	RPD	SPIKED RESULT	SPIKE ADDED	% REC
MOISTURE	821354-23	36	36	0	N/A	N/A	N/A
MOISTURE	821354-27	33	33	0	N/A	N/A	N/A


$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{|(\text{Sample Result} - \text{Duplicate Result})|}{\text{Average Result}} \times 100$$

10 KENNON

BPX LI .stand

pg 1 of 2

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907)248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Multichem Analytical Services 2000 West International Airport Road Anchorage, Alaska 99502 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel		SOIL				WATER		MAS 821354 ADEC 21 cal day.	
		MW Job Number: 1187aa2 21-DAY 330101 TURNAROUND		VOCs- 8260a 2 x 2-oz amber glass SVOCs- 8278 1 x 8-oz amber glass TOC-415.1 1 x 4-oz amber glass Grain Size - ASTM D422 1 x 8-oz amber glass Particle Size - ASTM D2487 1 x 4-oz amber glass				TSS- 160.2 250 ml poly TOC-415.1 1 x 250 ml amber			
Sampler's Signature: <u>1998</u> <u>Borchman</u>											
MAS#	Date	Time	Sample ID	Matrix	Total Containers					Comments	
-1	3-18	2210	98BPXLI 02 WA01	W	2					✓ ✓	
-2	3-18	2130	98BPXLI 02 WA02	W	2					✓ ✓	
-3	3-18	2200	98BPXLI 02 WA03	W	2					✓ ✓	
-4	3-18	1530	98BPXLI 09 WA01	W	2					✓ ✓	MSPMSD
-5	3-18	1540	98BPXLI 09 WA02	W	2					✓ ✓	
-6	3-18	1550	98BPXLI 09 WA03	W	2					✓ ✓	
-7	3-18	1300	98BPXLI 14 WA01	W	2					✓ ✓	
-8	3-18	1315	98BPXLI 14 WA02	W	2					✓ ✓	
-9	3-19	0200	98BPXLI 30 WA03	W	2					✓ ✓	
-10	3-19	0120	98BPXLI 30 WA01	W	2					✓ ✓	
-11	3-19	0140	98BPXLI 30 WA02	W	2					✓ ✓	
			98BPXLI WA03								No Sample
-12	3-19	0150	98BPXLI 30 WA62		2					✓ ✓	
-13	3-18	2110	98BPXLI 02 WA61		2					✓ ✓	
			98BPXLI WA								
			98BPXLI WA								
Released by: <u>Borchman</u>			Date: <u>5-20-98</u> Time: <u>10:00</u>		If not Delivered: <input checked="" type="checkbox"/> N Shipped Via:		Akbill Number:		Date:		
Received for Laboratory by: <u>Ray Taylor</u>			Date: <u>3/20</u> Time: <u>10:00</u>		Cooler Temperature: <u>4.8°</u> <u>3.7°</u> °C Upon Arrival: <u>5.1°</u> <u>11.7°</u>		Laboratory Notified:		Faxed:		


112. Compton 3/21/98 0930

3/21/98

11-11-20
Island

pg 2 of 2

1109002.
330101

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907) 248-8881 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Mulchem Analytical Services 2000 West International Airport Road Anchorage, Alaska 99502 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel	SOIL					WATER	
			1189002, 330101 MW Job Number: C 118922, 30101 21-DAY TURNAROUND	VOCs- 8260a 2 x 2-oz amber glass	SVOCs- 8270 1 x 8-oz amber glass	TOC- 415.1 1 x 4-oz amber glass	Grain Size - ASTM D422 1 x 8-oz amber glass	Particle Size- ASTM D2487 1 x 4-oz amber glass	TSS- 160.2 250 ml poly

MAS
821354

ADEC

Sampler's Signature: [Signature] Date: 1998

Cool to 4 degrees C

MAS#

- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27

Date	Time	Sample ID	Matrix	Total Containers	VOCs- 8260a	SVOCs- 8270	TOC- 415.1	Grain Size - ASTM D422	Particle Size- ASTM D2487	TSS- 160.2	TOC- 415.1
3-18	2210	98BPXLI 02 SD01(01)	S	5	✓	✓	✓	✓	✓		
3-18	2230	98BPXLI 02 SD02(03)	S	5							
3-18	2330	98BPXLI 02 SD03(09)	S	5							
3-18	1610	98BPXLI 09 SD01(01)	S	5							
3-18	1620	98BPXLI 09 SD02(03)	S	5							
3-18	1630	98BPXLI 09 SD03(09)	S	5							
3-18	1330	98BPXLI 14 SD01(01)	S	5							
3-18	1345	98BPXLI 14 SD02(03)	S	5							
3-18	1400	98BPXLI 14 SD03(09)	S	5							
3-19	0250	98BPXLI 30 SD01(01)	S	5							
3-19	0300	98BPXLI 30 SD02(03)	S	5							
3-19	0330	98BPXLI 30 SD03(09)	S	5	✓	✓	✓	✓	✓		
3-19	0310	98BPXLI 30 SD6 2(03)	S	3	✓	✓	✓				
3-18	2200	98BPXLI 02 SD6 2(03)	S	3	✓	✓	✓				
		98BPXLI SD ()									
		98BPXLI SD ()									

MAS/MSD

Retrieved by: [Signature] Date: 3-20-98 Time: 1630

Received for Laboratory by: [Signature] Date: 3-20-98 Time: 0:00

Inspected/ Shipped Via: [Signature] N

Cooler Temperature: °C Upon Arrival

Airbill Number: Date: Time:

Laboratory Notified: (if used)

10. [Signature] 3/21/98 0930

GW
3/2

NON-CONFORMANCES?
 Y N #1
 (if Y see other side)

MultiChem Analytical Services

SAMPLE LOG-IN CHECKLIST

DATE: 3/21/98
 TIME: 0930
 INITIALS: JUD

ACCESSION NO. 821354
 CLIENT: MAS-AK
 PROJECT: LIBERTY ISLAND

Shipping:

Type:

Cooler
 Box
 Other

COC Seals:

Ship. Cont.
 On Bottles
 None

Intact?

Y N
 Y N

Packing Material:

Styrofoam
 Bubble Bags
 Foam Vial Packs
 Other

Refrigerant:

Gel Ice Pack
 Loose Ice
 Other
 None

Frozen?

Y N
 Y N
 Y N

Received Via:

Hand Delivery
 Federal Express
 Airborne
 Other
 Courier
 UPS
 Taxi
 Goldstreak

Sample Information:

Samp. #	Bottle #	Type	Soil VOAs	0 headspace	<input checked="" type="radio"/> Y <input type="radio"/> N	<input type="checkbox"/> N
<u>14</u>	<u>42</u>	Soil	Water VOAs	0 headspace	<input type="radio"/> Y <input type="radio"/> N	<input type="checkbox"/> N
<u>13</u>	<u>26</u>	Water		Preserved?	<input type="radio"/> Y <input type="radio"/> N	<input type="checkbox"/> N
		Product		Trip blanks?	<input type="radio"/> Y <input type="radio"/> N	<input type="checkbox"/> N
		Other				

Condition of Samples:

Containers: _____
 Intact? (Bottle/Lid) Y N
 Correct Type? Y N
 CA # _____
 Waters Preserved? (if needed) Y N N
 ID's _____ Match C.O.C. Y N N

Temperature: 1.5 C # 1 CA NO. _____
 (See corrective action on reverse side for explanation if temperature is outside of the MAS recommended range.)

LAB USE ONLY: NO NOTICE SEND OUTS NEEDED BY _____
 COC/TAT DOES NOT MATCH NOTICE NEED TEST(S) VERIFIED BY CLIENT

COMMENTS:

MultiChem Analytical Services Corrective Action Sheet

(if Y see other side)

ACCESSION # 821354

CORRECTIVE ACTION AREA

PLAIN CORRECTIVE ACTION:

CA NO.

Salvaged Sample

Replaced Lid

Preserved Sample w/

CA NO.

Replaced Bottle

Notified P.M.

CA NO.

Verified Id w/Client

Notified Client

Comments:

Temperature: 1.5 C #1 CA NO.

Comments: Samples were received outside of the MAS recommended temperature range (4 C +/- 2 C). Samples were received within 5 hours of collection and may not have had sufficient time to equilibrate with coolant. A temperature range from 2 to 15 degrees Celsius is considered acceptable. The samples will be analyzed as scheduled unless directed otherwise by client.

Comments: Samples were received outside of the MAS recommended temperature range (4 C +/- 2 C). The samples will be analyzed as scheduled unless directed otherwise by client.

Tech. Signature/Date: [Signature] 3/21/98 P.M. Signature/Date: [Signature] 3/24/98

CORRECTIVE ACTION TAKEN:

Explain Action Taken:

Alaska Airlines

**GOLDSTREAK
PACKAGE EXPRESS**

Airline **027-** Origin **ANC** AIR WAYBILL Number **5247 4295**

From Shipper: MULTICHEM ANALYTICAL SVCS		Total Pieces 3	Total Weight 1.87	MULTIPLE PIECES FOR AS FLIGHTS ONLY Please <input checked="" type="checkbox"/> If Live Animal <input type="checkbox"/>					
Address: 2000 W INT'L A/P RD DC7		Phone: 907-240-2273	Form of Payment <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> GBL-Attach GBL <input type="checkbox"/> AS/OX Account Number 27442230749 <input type="checkbox"/> Credit Card Number		PCS.	WT. RANGE GSX LETTER	RATE	CHARGE	
City: ANCHORAGE	State: AK	Zip Code: 99507	Validata Approval <small>(May not be used each and every)</small> Executed By: Date/Time _____ a.m. p.m.			1-15			
Shipper's Signature _____	SUBJECT TO RATE AUDIT	Date _____	Time _____	a.m. p.m.		16-50			
The Federal Aviation Administration requires Alaska Airlines to inform you of the following Shipper's Security Notification: I certify that this shipment does not contain any unauthorized explosives, destructive devices or hazardous materials. I consent to a search of this shipment. I am aware that this endorsement and original signature, along with other shipping documents, will be retained on file until the shipment is delivered.		Contents NONHAZ WARE		Declared Value of Customs KEEP COOL			51-70		
Type of first personal identification reviewed: Matching photo ID? Indicate: Yes or No _____ Number appearing on ID _____	Remarks KEEP COOL		Carrier AS	Flight	Destination	E.T.A.	Subtotal Charges		
Type of second personal identification reviewed: Matching photo ID? Indicate: Yes or No _____ Number appearing on ID _____	To Consignee: (Complete Consignee Information required on package) MULTICHEM ANALYTICAL SVCS		CHECK ONE ONLY <input checked="" type="checkbox"/> AIRPORT TO AIRPORT SERVICE		ENTER → AS COURIER CHARGES		Other Charges		
Address: 560 NACHES AVE SW #101		Phone: 425-228-0335	PICK-UP ONLY <input type="checkbox"/> DELIVERY ONLY <input type="checkbox"/> DOOR TO DOOR <input type="checkbox"/>		Tax (Offline only)		1st Carrier		
City: RENTON	State: WA	Zip Code: 98055	AS AGENT <input type="checkbox"/> AS AGENT <input type="checkbox"/> AS AGENT <input type="checkbox"/>		AS 800 SERVICES (800) 634-7113		2nd Carrier		
Consignee's Printed Name - Signature (Received in Good Order Except as Noted) _____		Date _____	AS 800 SERVICES (800) 634-7113		AS COURIER CHARGES		3rd Carrier		
Origin Courier Signature _____	Date _____	Time _____	Destination Courier Signature _____		Date _____		Insurance		
Airline 027-	Origin ANC	AIR WAYBILL Number 5247 4295		This is a non-negotiable AIR WAYBILL, subject to the terms and conditions set forth in the reverse of this document. Thank you for shipping with <i>Alaska Airlines</i> P.O. Box 68900 Seattle, WA 98168		TOTAL		Door-To-Door Service: (800) 634-7113	



MultiChem
ANALYTICAL SERVICES

April 30, 1998

MAS I. D. # 821354

Montgomery Watson
4100 Spenard Road
Anchorage, AK 99517

Attn: Lynn DeGeorge

Project Name: Liberty Island Sediments

Project Number: 1189002.330101

Dear Ms. DeGeorge:

On March 20, 1998, MultiChem Analytical Services, LLC of Alaska received twenty seven samples for analysis in conjunction with the above listed project. The requested analyses were performed using EPA or equivalent methods. The reports of analyses and deliverables are enclosed. Below is an outline of the laboratories that participated in this project.

MAS-WA Analysis Performed: Volatile Organics (8260), Semivolatile Organics (8270), Pesticides/PCBs (8081), Total Organic Carbon (TOC) and Total Suspended Solids (TSS)


Dow/Alaska Analysis Performed: Grain Size and Particle Size Distribution (ASTM D-422)
Testlabs

***Please note:** this report contains results for the Semivolatile Organics (8270), which completes this file. The electronic deliverables are currently in progress, and will be E-mailed directly to you as quickly as possible.

Please do not hesitate to contact us at (907) 248-8273, if you have any questions or comments.

Sincerely,
MultiChem Analytical Services

Victoria L. Bayly
Project Manager





MultiChem
ANALYTICAL SERVICES

MAS I.D. # 821354
UST - 026

April 29, 1998

Montgomery Watson
4100 Spenard
Anchorage AK 99517-2901

Attention : Lynn DeGeorge

Project Number : 1189002.330101

Project Name : Liberty Island

Dear Ms. DeGeorge:

On March 21, 1998, MultiChem Analytical Services received 27 samples for analysis. The samples were analyzed with EPA methodology or equivalent methods as specified in the attached analytical schedule. The results, sample cross reference, and quality control data are enclosed.

This is a partial report containing results for the semivolatle analysis only. All other data has been previously forwarded under separate cover.

Sincerely,

Elaine M. Walker
Project Manager

EMW/hal/trm

Enclosure

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SAMPLE CROSS REFERENCE SHEET

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

MAS #	CLIENT DESCRIPTION	DATE SAMPLED	MATRIX
821354-1	98BPXLI02WA01	03/18/98	WATER
821354-2	98BPXLI02WA02	03/18/98	WATER
821354-3	98BPXLI02WA03	03/18/98	WATER
821354-4	98BPXLI09WA01	03/18/98	WATER
821354-5	98BPXLI09WA02	03/18/98	WATER
821354-6	98BPXLI09WA03	03/18/98	WATER
821354-7	98BPXLI14WA01	03/18/98	WATER
821354-8	98BPXLI14WA02	03/18/98	WATER
821354-9	98BPXLI30WA03	03/19/98	WATER
821354-10	98BPXLI30WA01	03/19/98	WATER
821354-11	98BPXLI30WA02	03/19/98	WATER
821354-12	98BPXLI30WA62	03/19/98	WATER
821354-13	98BPXLI02WA61	03/18/98	WATER
821354-14	98BPXLI02SD01 (01)	03/18/98	SEDIMENT
821354-15	98BPXLI02SD02 (03)	03/18/98	SEDIMENT
821354-16	98BPXLI02SD03 (09)	03/18/98	SEDIMENT
821354-17	98BPXLI09SD01 (01)	03/18/98	SEDIMENT
821354-18	98BPXLI09SD02 (03)	03/18/98	SEDIMENT
821354-19	98BPXLI09SD03 (09)	03/18/98	SEDIMENT
821354-20	98BPXLI14SD01 (01)	03/18/98	SEDIMENT
821354-21	98BPXLI14SD02 (03)	03/18/98	SEDIMENT
821354-22	98BPXLI14SD03 (09)	03/18/98	SEDIMENT
821354-23	98BPXLI30SD01 (01)	03/19/98	SEDIMENT
821354-24	98BPXLI30SD02 (03)	03/19/98	SEDIMENT
821354-25	98BPXLI30SD03 (09)	03/19/98	SEDIMENT
821354-26	98BPXLI30SD62 (03)	03/19/98	SEDIMENT
821354-27	98BPXLI02SD62 (03)	03/18/98	SEDIMENT

----- TOTALS -----

MATRIX	# SAMPLES
WATER	13
SEDIMENT	14

MAS STANDARD DISPOSAL PRACTICE

The samples from this project will be disposed of in thirty (30) days from the date of the report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

ANALYTICAL SCHEDULE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

ANALYSIS	TECHNIQUE	REFERENCE	LAB
SEMIVOLATILE ORGANICS ANALYSIS	GCMS	EPA 8270A	R

R = MAS - Renton
ANC = MAS - Anchorage
SUB = Subcontract

CASE NARRATIVE

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

CASE NARRATIVE: SEMIVOLATILE ORGANICS ANALYSIS

The following anomalies were associated with the preparation and/or analysis of the samples in this accession:

Base/Neutral Fractions

Bis(2-ethylhexyl)phthalate was detected in several samples from this set. This is a common laboratory and field contaminant because of its use in plastics. Note that this compound was also detected in the associated method blank at a level below our method detection limit (MDL).

Recoveries of the surrogate nitrobenzene-d5 from sample extracts 821354-15 (98BPXLI02SD02[03]), 821354-19 (98BPXLI09SD03[09]), 821354-20 (98BPXLI14SD01[01]) and 821354-21 (98BPXLI14SD02[03]) fell below MultiChem control limits. No action was performed since all other surrogate recoveries were within limits.

The initial analysis of the blank spike and blank spike duplicate (BS/BSD) samples showed several recovery and relative percent difference (RPD) values which exceeded MultiChem's advisory limits. The BS and BSD were reanalyzed and all recoveries and RPDs were within limits with the exception of n-nitrosodiphenylamine, which had recoveries slightly lower than our advisory limit. No further corrective action was performed since these control limits are advisory (not statistically generated due to insufficient data points) and all other spike recoveries were within limits.

The RPD between recoveries of the compounds pyrene and bis(2-ethylhexyl)phthalate from the matrix spike and matrix spike duplicate samples (MS/MSD) exceeded the MultiChem advisory limit of 20%. No corrective action was performed since both recoveries were within limits and limits are only advisory. These RPD values were flagged with "H".

The responses of continuing calibration check (CCC) compound pentachlorophenol from the CCCs preceding the base/neutral extract set fell below the method control limit. No corrective action was performed since this compound (and all other phenols) was analyzed in the acid fraction and was not a target compound in the base/neutral fraction.

Acid Fractions

Benzoic acid was detected in the associated method blank at a concentration below the reporting limit. This compound was also detected in several samples from this set, at concentrations below our MDL.

CONTINUED ON NEXT PAGE

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

CASE NARRATIVE
CONTINUED

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND

CASE NARRATIVE: SEMIVOLATILE ORGANICS ANALYSIS

This sample set was extracted along with a BS and a BSD. However, one of these extracts was blown dry during the concentration step. Therefore, results were reported for only a BS.

Recoveries of 2-4-dimethylphenol and benzyl alcohol from the associated BS sample fell below MultiChem control limits. Recoveries of benzyl alcohol from the MS/MSD also fell below MultiChem control limits. No action was performed since all control limits are only advisory.

All other associated quality assurance/quality control (QA/QC) parameters were within established MultiChem control limits.

MAS I.D. # 821354-14

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD01(01)	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	38
2-METHYLPHENOL	<23
4-METHYLPHENOL	<25
2,4-DIMETHYLPHENOL	<21
PENTACHLOROPHENOL	<41
BENZYL ALCOHOL	<37
BENZOIC ACID	<180

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	79	39 - 132
2-FLUOROPHENOL	69	36 - 130
2,4,6-TRIBROMOPHENOL	100	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD01(01)	DATE ANALYZED	: 04/22/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.024
ACENAPHTHYLENE	<0.022
ACENAPHTHENE	<0.024
FLUORENE	<0.027
PHENANTHRENE	0.033
ANTHRACENE	<0.025
2-METHYLNAPHTHALENE	0.025
FLUORANTHENE	<0.026
PYRENE	<0.033
BENZO (A) ANTHRACENE	<0.031
CHRYSENE	<0.031
BENZO (B) FLUORANTHENE	<0.033
BENZO (K) FLUORANTHENE	<0.042
BENZO (A) PYRENE	<0.027
INDENO (1, 2, 3-CD) PYRENE	<0.042
DIBENZO (A, H) ANTHRACENE	<0.043
BENZO (G, H, I) PERYLENE	<0.043
1, 2-DICHLOROBEZENE	<0.026
1, 4-DICHLOROBEZENE	<0.023
1, 2, 4-TRICHLOROBEZENE	<0.022
DIBENZOFURAN	<0.024
HEXACHLOROETHANE	<0.026
N-NITROSODIPHENYLAMINE	<0.029
DIMETHYLPHTHALATE	<0.048
DIETHYLPHTHALATE	<0.057
DI-N-BUTYLPHTHALATE	<0.033
BUTYLBENZYLPHTHALATE	<0.043
BIS (2-ETHYLHEXYL) PHTHALATE	0.056
DI-N-OCTYLPHTHALATE	<0.040

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	57	41 - 117
2-FLUOROBIPHENYL	71	36 - 128
TERPHENYL-D14	88	38 - 146

MAS I.D. # 821354-15

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD02(03)	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<23
2-METHYLPHENOL	<24
4-METHYLPHENOL	<26
2,4-DIMETHYLPHENOL	<23
PENTACHLOROPHENOL	<43
BENZYL ALCOHOL	<39
BENZOIC ACID	<190

SURROGATE PERCENT RECOVERY		LIMITS
PHENOL-D5	99	39 - 132
2-FLUOROPHENOL	83	36 - 130
2,4,6-TRIBROMOPHENOL	104	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD02(03)	DATE ANALYZED	: 04/22/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.025
ACENAPHTHYLENE	<0.023
ACENAPHTHENE	<0.025
FLUORENE	<0.029
PHENANTHRENE	0.031
ANTHRACENE	<0.027
2-METHYLNAPHTHALENE	<0.025
FLUORANTHENE	<0.028
PYRENE	<0.035
BENZO (A) ANTHRACENE	<0.033
CHRYSENE	<0.033
BENZO (B) FLUORANTHENE	<0.035
BENZO (K) FLUORANTHENE	<0.044
BENZO (A) PYRENE	<0.028
INDENO (1, 2, 3-CD) PYRENE	<0.044
DIBENZO (A, H) ANTHRACENE	<0.046
BENZO (G, H, I) PERYLENE	<0.046
1, 2-DICHLOROBENZENE	<0.027
1, 4-DICHLOROBENZENE	<0.025
1, 2, 4-TRICHLOROBENZENE	<0.023
DIBENZOFURAN	<0.026
HEXACHLOROETHANE	<0.028
N-NITROSODIPHENYLAMINE	<0.030
DIMETHYLPHTHALATE	<0.051
DIETHYLPHTHALATE	<0.060
DI-N-BUTYLPHTHALATE	<0.035
BUTYLBENZYLPHTHALATE	<0.046
BIS (2-ETHYLHEXYL) PHTHALATE	0.046
DI-N-OCTYLPHTHALATE	<0.043

SURROGATE PERCENT RECOVERY		LIMITS
NITROBENZENE-D5	30 H	41 - 117
2-FLUOROBIPHENYL	64	36 - 128
TERPHENYL-D14	74	38 - 146

H = Out of limits.

MAS I.D. # 821354-16

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLIQ2SD03(09)	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<23
2-METHYLPHENOL	<25
4-METHYLPHENOL	64
2,4-DIMETHYLPHENOL	<23
PENTACHLOROPHENOL	<44
BENZYL ALCOHOL	<40
BENZOIC ACID	<190

SURROGATE PERCENT RECOVERY		LIMITS
PHENOL-D5	100	39 - 132
2-FLUOROPHENOL	82	36 - 130
2,4,6-TRIBROMOPHENOL	100	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD03(09)	DATE ANALYZED	: 04/22/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.026
ACENAPHTHYLENE	<0.023
ACENAPHTHENE	<0.026
FLUORENE	<0.029
PHENANTHRENE	<0.029
ANTHRACENE	<0.027
2-METHYLNAPHTHALENE	<0.025
FLUORANTHENE	<0.028
PYRENE	<0.035
BENZO (A) ANTHRACENE	<0.033
CHRYSENE	<0.034
BENZO (B) FLUORANTHENE	<0.036
BENZO (K) FLUORANTHENE	<0.045
BENZO (A) PYRENE	<0.029
INDENO (1, 2, 3-CD) PYRENE	<0.045
DIBENZO (A, H) ANTHRACENE	<0.047
BENZO (G, H, I) PERYLENE	<0.046
1, 2-DICHLOROBENZENE	<0.028
1, 4-DICHLOROBENZENE	<0.025
1, 2, 4-TRICHLOROBENZENE	<0.023
DIBENZOFURAN	<0.026
HEXACHLOROETHANE	<0.028
N-NITROSODIPHENYLAMINE	<0.031
DIMETHYLPHTHALATE	<0.052
DIETHYLPHTHALATE	<0.061
DI-N-BUTYLPHTHALATE	<0.036
BUTYLBENZYLPHTHALATE	<0.046
BIS (2-ETHYLHEXYL) PHTHALATE	0.27
DI-N-OCTYLPHTHALATE	<0.043

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	48	41 - 117
2-FLUOROBIPHENYL	71	36 - 128
TERPHENYL-D14	91	38 - 146

MAS I.D. # 821354-17

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD01(01)	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<26
2-METHYLPHENOL	<28
4-METHYLPHENOL	<30
2,4-DIMETHYLPHENOL	<26
PENTACHLOROPHENOL	<49
BENZYL ALCOHOL	<45
BENZOIC ACID	<210

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	94	39 - 132
2-FLUOROPHENOL	87	36 - 130
2,4,6-TRIBROMOPHENOL	83	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD01(01)	DATE ANALYZED	: 04/22/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.029
ACENAPHTHYLENE	<0.026
ACENAPHTHENE	<0.029
FLUORENE	<0.033
PHENANTHRENE	<0.033
ANTHRACENE	<0.030
2-METHYLNAPHTHALENE	<0.028
FLUORANTHENE	<0.032
PYRENE	<0.040
BENZO (A) ANTHRACENE	<0.037
CHRYSENE	<0.038
BENZO (B) FLUORANTHENE	<0.040
BENZO (K) FLUORANTHENE	<0.050
BENZO (A) PYRENE	<0.032
NDENO (1, 2, 3-CD) PYRENE	<0.050
JIBENZO (A, H) ANTHRACENE	<0.052
BENZO (G, H, I) PERYLENE	<0.052
1, 2-DICHLOROBENZENE	<0.031
1, 4-DICHLOROBENZENE	<0.028
1, 2, 4-TRICHLOROBENZENE	<0.026
DIBENZOFURAN	<0.029
HEXACHLOROETHANE	<0.032
N-NITROSODIPHENYLAMINE	<0.035
DIMETHYLPHTHALATE	<0.058
DIETHYLPHTHALATE	<0.068
DI-N-BUTYLPHTHALATE	<0.040
BUTYLBENZYLPHTHALATE	<0.052
BIS (2-ETHYLHEXYL) PHTHALATE	0.11
DI-N-OCTYLPHTHALATE	<0.048

SURROGATE PERCENT RECOVERY		LIMITS
NITROBENZENE-D5	42	41 - 117
2-FLUOROBIPHENYL	54	36 - 128
TERPHENYL-D14	100	38 - 146

MAS I.D. # 821354-18

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD02(03)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<25
2-METHYLPHENOL	<27
4-METHYLPHENOL	62
2,4-DIMETHYLPHENOL	<25
PENTACHLOROPHENOL	<48
BENZYL ALCOHOL	<43
BENZOIC ACID	<210

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	93	39 - 132
2-FLUOROPHENOL	77	36 - 130
2,4,6-TRIBROMOPHENOL	84	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD02(03)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.028
ACENAPHTHYLENE	<0.025
ACENAPHTHENE	<0.028
FLUORENE	<0.032
PHENANTHRENE	<0.032
ANTHRACENE	<0.029
2-METHYLNAPHTHALENE	<0.027
FLUORANTHENE	<0.031
PYRENE	<0.038
BENZO (A) ANTHRACENE	<0.036
CHRYSENE	<0.036
BENZO (B) FLUORANTHENE	<0.039
BENZO (K) FLUORANTHENE	<0.049
BENZO (A) PYRENE	0.092
INDENO (1, 2, 3-CD) PYRENE	<0.049
DIBENZO (A, H) ANTHRACENE	<0.050
BENZO (G, H, I) PERYLENE	<0.050
1, 2-DICHLOROBENZENE	<0.030
1, 4-DICHLOROBENZENE	<0.027
1, 2, 4-TRICHLOROBENZENE	<0.025
DIBENZOFURAN	<0.028
HEXACHLOROETHANE	<0.031
N-NITROSODIPHENYLAMINE	<0.033
DIMETHYLPHTHALATE	<0.056
DIETHYLPHTHALATE	<0.066
DI-N-BUTYLPHTHALATE	<0.039
BUTYLBENZYLPHTHALATE	<0.050
BIS (2-ETHYLHEXYL) PHTHALATE	0.32
DI-N-OCTYLPHTHALATE	<0.047

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	48	41 - 117
2-FLUOROBIPHENYL	73	36 - 128
TERPHENYL-D14	109	38 - 146

MAS I.D. # 821354-19

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD03(09)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<21
2-METHYLPHENOL	<22
4-METHYLPHENOL	37
2,4-DIMETHYLPHENOL	<20
PENTACHLOROPHENOL	<39
BENZYL ALCOHOL	<35
BENZOIC ACID	<170

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	98	39 - 132
2-FLUOROPHENOL	89	36 - 130
2,4,6-TRIBROMOPHENOL	92	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI09SD03(09)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.023
ACENAPHTHYLENE	<0.020
ACENAPHTHENE	<0.023
FLUORENE	<0.026
PHENANTHRENE	<0.026
ANTHRACENE	<0.024
2-METHYLNAPHTHALENE	<0.022
FLUORANTHENE	<0.025
PYRENE	<0.031
BENZO (A) ANTHRACENE	<0.029
CHRYSENE	<0.030
BENZO (B) FLUORANTHENE	<0.031
BENZO (K) FLUORANTHENE	<0.039
BENZO (A) PYRENE	<0.025
INDENO (1, 2, 3-CD) PYRENE	<0.039
DIBENZO (A, H) ANTHRACENE	<0.041
BENZO (G, H, I) PERYLENE	<0.041
1, 2-DICHLOROBENZENE	<0.024
1, 4-DICHLOROBENZENE	<0.022
1, 2, 4-TRICHLOROBENZENE	<0.021
DIBENZOFURAN	<0.023
HEXACHLOROETHANE	<0.025
N-NITROSODIPHENYLAMINE	<0.027
DIMETHYLPHTHALATE	<0.046
DIETHYLPHTHALATE	<0.054
DI-N-BUTYLPHTHALATE	<0.031
BUTYLBENZYLPHTHALATE	<0.041
BIS (2-ETHYLHEXYL) PHTHALATE	0.19
DI-N-OCTYLPHTHALATE	<0.038

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	34 H	41 - 117
2-FLUOROBIPHENYL	75	36 - 128
TERPHENYL-D14	116	38 - 146

H = Out of limits.

MAS I.D. # 821354-20

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD01(01)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<19
2-METHYLPHENOL	<21
4-METHYLPHENOL	<22
2,4-DIMETHYLPHENOL	<19
PENTACHLOROPHENOL	<37
BENZYL ALCOHOL	<33
BENZOIC ACID	<160

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	105	39 - 132
2-FLUOROPHENOL	96	36 - 130
2,4,6-TRIBROMOPHENOL	94	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD01(01)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.022
ACENAPHTHYLENE	<0.019
ACENAPHTHENE	<0.021
FLUORENE	<0.025
PHENANTHRENE	<0.025
ANTHRACENE	<0.023
2-METHYLNAPHTHALENE	<0.021
FLUORANTHENE	<0.024
PYRENE	<0.030
BENZO (A) ANTHRACENE	<0.028
CHRYSENE	<0.028
BENZO (B) FLUORANTHENE	<0.030
BENZO (K) FLUORANTHENE	<0.037
BENZO (A) PYRENE	<0.024
INDENO (1, 2, 3-CD) PYRENE	<0.037
DIBENZO (A, H) ANTHRACENE	<0.039
BENZO (G, H, I) PERYLENE	<0.039
1, 2-DICHLOROBEZENE	<0.023
1, 4-DICHLOROBEZENE	<0.021
1, 2, 4-TRICHLOROBEZENE	<0.019
DIBENZOFURAN	<0.022
HEXACHLOROETHANE	<0.024
N-NITROSODIPHENYLAMINE	<0.026
DIMETHYLPHTHALATE	<0.043
DIETHYLPHTHALATE	<0.051
DI-N-BUTYLPHTHALATE	<0.030
BUTYLBENZYLPHTHALATE	<0.039
BIS (2-ETHYLHEXYL) PHTHALATE	0.091
DI-N-OCTYLPHTHALATE	<0.036

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	34 H	41 - 117
2-FLUOROBIPHENYL	52	36 - 128
TERPHENYL-D14	95	38 - 146

H = Out of limits.

MAS I.D. # 821354-21

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD02(03)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<20
2-METHYLPHENOL	<21
4-METHYLPHENOL	<23
2,4-DIMETHYLPHENOL	<20
PENTACHLOROPHENOL	<38
BENZYL ALCOHOL	<34
BENZOIC ACID	<160

SURROGATE PERCENT RECOVERY		LIMITS
PHENOL-D5	106	39 - 132
2-FLUOROPHENOL	93	36 - 130
2,4,6-TRIBROMOPHENOL	103	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD02 (03)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.022
ACENAPHTHYLENE	<0.020
ACENAPHTHENE	<0.022
FLUORENE	<0.025
PHENANTHRENE	0.027
ANTHRACENE	<0.023
2-METHYLNAPHTHALENE	<0.022
FLUORANTHENE	<0.024
PYRENE	<0.030
BENZO (A) ANTHRACENE	<0.028
CHRYSENE	<0.029
BENZO (B) FLUORANTHENE	<0.031
BENZO (K) FLUORANTHENE	<0.038
BENZO (A) PYRENE	<0.025
INDENO (1, 2, 3-CD) PYRENE	<0.038
DIBENZO (A, H) ANTHRACENE	<0.040
BENZO (G, H, I) PERYLENE	<0.040
1, 2-DICHLOROBENZENE	<0.024
1, 4-DICHLOROBENZENE	<0.021
1, 2, 4-TRICHLOROBENZENE	<0.020
DIBENZOFURAN	<0.022
HEXACHLOROETHANE	<0.024
N-NITROSODIPHENYLAMINE	<0.026
DIMETHYLPHTHALATE	<0.044
DIETHYLPHTHALATE	<0.052
DI-N-BUTYLPHTHALATE	<0.031
BUTYLBENZYLPHTHALATE	<0.040
BIS (2-ETHYLHEXYL) PHTHALATE	0.48
DI-N-OCTYLPHTHALATE	<0.037

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	28 H	41 - 117
2-FLUOROBIPHENYL	64	36 - 128
TERPHENYL-D14	87	38 - 146

H = Out of limits.

MAS I.D. # 821354-22

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD03(09)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

PHENOL	<19
2-METHYLPHENOL	<20
4-METHYLPHENOL	<22
2,4-DIMETHYLPHENOL	<19
PENTACHLOROPHENOL	<35
BENZYL ALCOHOL	<32
BENZOIC ACID	<150

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	67	39 - 132
2-FLUOROPHENOL	53	36 - 130
2,4,6-TRIBROMOPHENOL	96	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI14SD03(09)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.021
ACENAPHTHYLENE	<0.019
ACENAPHTHENE	<0.021
FLUORENE	<0.024
PHENANTHRENE	<0.024
ANTHRACENE	<0.022
2-METHYLNAPHTHALENE	<0.020
FLUORANTHENE	<0.023
PYRENE	<0.029
BENZO (A) ANTHRACENE	<0.027
CHRYSENE	<0.027
BENZO (B) FLUORANTHENE	<0.029
BENZO (K) FLUORANTHENE	<0.036
BENZO (A) PYRENE	<0.023
INDENO (1, 2, 3-CD) PYRENE	<0.036
DIBENZO (A, H) ANTHRACENE	<0.038
BENZO (G, H, I) PERYLENE	<0.037
1, 2-DICHLOROBENZENE	<0.022
1, 4-DICHLOROBENZENE	<0.020
1, 2, 4-TRICHLOROBENZENE	<0.019
DIBENZOFURAN	<0.021
HEXACHLOROETHANE	<0.023
N-NITROSODIPHENYLAMINE	<0.025
DIMETHYLPHTHALATE	<0.042
DIETHYLPHTHALATE	<0.049
DI-N-BUTYLPHTHALATE	<0.029
BUTYLBENZYLPHTHALATE	<0.037
BIS (2-ETHYLHEXYL) PHTHALATE	0.065
DI-N-OCTYLPHTHALATE	<0.035

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	51	41 - 117
2-FLUOROBIPHENYL	56	36 - 128
TERPHENYL-D14	77	38 - 146

MAS I.D. # 821354-23

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD01(01)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

PHENOL	<24
2-METHYLPHENOL	<26
4-METHYLPHENOL	<28
2,4-DIMETHYLPHENOL	<24
PENTACHLOROPHENOL	<45
BENZYL ALCOHOL	<41
BENZOIC ACID	<200

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	70	39 - 132
2-FLUOROPHENOL	59	36 - 130
2,4,6-TRIBROMOPHENOL	96	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD01(01)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.027
ACENAPHTHYLENE	<0.024
ACENAPHTHENE	<0.026
FLUORENE	<0.030
PHENANTHRENE	<0.030
ANTHRACENE	<0.028
2-METHYLNAPHTHALENE	<0.026
FLUORANTHENE	<0.029
PYRENE	<0.037
BENZO (A) ANTHRACENE	<0.034
CHRYSENE	<0.035
BENZO (B) FLUORANTHENE	<0.037
BENZO (K) FLUORANTHENE	<0.046
BENZO (A) PYRENE	<0.030
INDENO (1, 2, 3-CD) PYRENE	<0.046
DIBENZO (A, H) ANTHRACENE	<0.048
BENZO (G, H, I) PERYLENE	<0.048
1, 2-DICHLOROBENZENE	<0.028
1, 4-DICHLOROBENZENE	<0.026
1, 2, 4-TRICHLOROBENZENE	<0.024
DIBENZOFURAN	<0.027
HEXACHLOROETHANE	<0.029
N-NITROSODIPHENYLAMINE	<0.032
DIMETHYLPHTHALATE	<0.053
DIETHYLPHTHALATE	<0.063
DI-N-BUTYLPHTHALATE	<0.037
BUTYLBENZYLPHTHALATE	<0.048
BIS (2-ETHYLHEXYL) PHTHALATE	0.072
DI-N-OCTYLPHTHALATE	<0.045

SURROGATE PERCENT RECOVERY		LIMITS
NITROBENZENE-D5	54	41 - 117
2-FLUOROBIPHENYL	53	36 - 128
TERPHENYL-D14	72	38 - 146

MAS I.D. # 821354-24

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD02(03)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

PHENOL	<21
2-METHYLPHENOL	<23
4-METHYLPHENOL	<25
2,4-DIMETHYLPHENOL	<21
PENTACHLOROPHENOL	<40
BENZYL ALCOHOL	<37
BENZOIC ACID	<180

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	100	39 - 132
2-FLUOROPHENOL	85	36 - 130
2,4,6-TRIBROMOPHENOL	106	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD02(03)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.024
ACENAPHTHYLENE	<0.021
ACENAPHTHENE	<0.023
FLUORENE	<0.027
PHENANTHRENE	<0.027
ANTHRACENE	<0.025
2-METHYLNAPHTHALENE	<0.023
FLUORANTHENE	<0.026
PYRENE	<0.033
BENZO (A) ANTHRACENE	<0.030
CHRYSENE	<0.031
BENZO (B) FLUORANTHENE	<0.033
BENZO (K) FLUORANTHENE	<0.041
BENZO (A) PYRENE	<0.026
INDENO (1, 2, 3-CD) PYRENE	<0.041
DIBENZO (A, H) ANTHRACENE	<0.043
BENZO (G, H, I) PERYLENE	<0.043
1, 2-DICHLOROBENZENE	<0.025
1, 4-DICHLOROBENZENE	<0.023
1, 2, 4-TRICHLOROBENZENE	<0.021
DIBENZOFURAN	<0.024
HEXACHLOROETHANE	<0.026
N-NITROSODIPHENYLAMINE	<0.028
DIMETHYLPHTHALATE	<0.048
DIETHYLPHTHALATE	<0.056
DI-N-BUTYLPHTHALATE	<0.033
BUTYLBENZYLPHTHALATE	<0.043
BIS (2-ETHYLHEXYL) PHTHALATE	0.21
DI-N-OCTYLPHTHALATE	<0.040

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	53	41 - 117
2-FLUOROBIPHENYL	60	36 - 128
TERPHENYL-D14	86	38 - 146

MAS I.D. # 821354-25

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD03(09)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<20
2-METHYLPHENOL	<21
4-METHYLPHENOL	280
2,4-DIMETHYLPHENOL	<20
PENTACHLOROPHENOL	<38
BENZYL ALCOHOL	<34
BENZOIC ACID	<160

SURROGATE PERCENT RECOVERY		LIMITS
PHENOL-D5	106	39 - 132
2-FLUOROPHENOL	90	36 - 130
2,4,6-TRIBROMOPHENOL	110	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD03(09)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.022
ACENAPHTHYLENE	<0.020
ACENAPHTHENE	<0.022
FLUORENE	<0.025
PHENANTHRENE	0.033
ANTHRACENE	<0.023
2-METHYLNAPHTHALENE	0.025
FLUORANTHENE	<0.024
PYRENE	<0.030
BENZO (A) ANTHRACENE	<0.028
CHRYSENE	<0.029
BENZO (B) FLUORANTHENE	<0.031
BENZO (K) FLUORANTHENE	<0.038
BENZO (A) PYRENE	<0.025
INDENO (1, 2, 3-CD) PYRENE	<0.038
DIBENZO (A, H) ANTHRACENE	<0.040
BENZO (G, H, I) PERYLENE	<0.040
1, 2-DICHLOROBENZENE	<0.024
1, 4-DICHLOROBENZENE	<0.021
1, 2, 4-TRICHLOROBENZENE	<0.020
DIBENZOFURAN	<0.022
HEXACHLOROETHANE	<0.024
N-NITROSODIPHENYLAMINE	<0.026
DIMETHYLPHTHALATE	<0.044
DIETHYLPHTHALATE	<0.052
DI-N-BUTYLPHTHALATE	<0.031
BUTYLBENZYLPHTHALATE	<0.040
BIS (2-ETHYLHEXYL) PHTHALATE	0.56
DI-N-OCTYLPHTHALATE	<0.037

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	47	41 - 117
2-FLUOROBIPHENYL	70	36 - 128
TERPHENYL-D14	95	38 - 146

MAS I.D. # 821354-26

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD62(03)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

PHENOL	<22
2-METHYLPHENOL	<24
4-METHYLPHENOL	<26
2,4-DIMETHYLPHENOL	<22
PENTACHLOROPHENOL	<42
BENZYL ALCOHOL	<38
BENZOIC ACID	<180

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	78	39 - 132
2-FLUOROPHENOL	66	36 - 130
2,4,6-TRIBROMOPHENOL	98	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/19/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI30SD62(03)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.025
ACENAPHTHYLENE	<0.022
ACENAPHTHENE	<0.024
FLUORENE	<0.028
PHENANTHRENE	<0.028
ANTHRACENE	<0.026
2-METHYLNAPHTHALENE	<0.024
FLUORANTHENE	<0.027
PYRENE	<0.034
BENZO (A) ANTHRACENE	<0.032
CHRYSENE	<0.032
BENZO (B) FLUORANTHENE	<0.034
BENZO (K) FLUORANTHENE	<0.043
BENZO (A) PYRENE	<0.027
INDENO (1, 2, 3-CD) PYRENE	<0.043
DIBENZO (A, H) ANTHRACENE	<0.045
BENZO (G, H, I) PERYLENE	<0.044
1, 2-DICHLOROBENZENE	<0.026
1, 4-DICHLOROBENZENE	<0.024
1, 2, 4-TRICHLOROBENZENE	<0.022
DIBENZOFURAN	<0.025
HEXACHLOROETHANE	<0.027
N-NITROSODIPHENYLAMINE	<0.030
DIMETHYLPHTHALATE	<0.050
DIETHYLPHTHALATE	<0.058
DI-N-BUTYLPHTHALATE	<0.034
BUTYLBENZYLPHTHALATE	<0.044
BIS (2-ETHYLHEXYL) PHTHALATE	0.13
DI-N-OCTYLPHTHALATE	<0.041

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	48	41 - 117
2-FLUOROBIPHENYL	58	36 - 128
TERPHENYL-D14	84	38 - 146

MAS I.D. # 821354-27

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLIQ2SD62(03)	DATE ANALYZED	: 04/07/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
PHENOL	<23
2-METHYLPHENOL	<24
4-METHYLPHENOL	<26
2,4-DIMETHYLPHENOL	<23
PENTACHLOROPHENOL	<43
BENZYL ALCOHOL	<39
BENZOIC ACID	<190

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	106	39 - 132
2-FLUOROPHENOL	87	36 - 130
2,4,6-TRIBROMOPHENOL	107	13 - 133

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: 03/18/98
PROJECT #	: 1189002.330101	DATE RECEIVED	: 03/21/98
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: 98BPXLI02SD62(03)	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.025
ACENAPHTHYLENE	<0.023
ACENAPHTHENE	<0.025
FLUORENE	<0.029
PHENANTHRENE	<0.029
ANTHRACENE	<0.027
2-METHYLNAPHTHALENE	0.031
FLUORANTHENE	<0.028
PYRENE	<0.035
BENZO (A) ANTHRACENE	<0.033
CHRYSENE	<0.033
BENZO (B) FLUORANTHENE	<0.035
BENZO (K) FLUORANTHENE	<0.044
BENZO (A) PYRENE	<0.028
NDENO (1, 2, 3-CD) PYRENE	<0.044
DIBENZO (A, H) ANTHRACENE	<0.046
BENZO (G, H, I) PERYLENE	<0.046
1, 2-DICHLOROBENZENE	<0.027
1, 4-DICHLOROBENZENE	<0.025
1, 2, 4-TRICHLOROBENZENE	<0.023
DIBENZOFURAN	<0.026
HEXACHLOROETHANE	<0.028
N-NITROSODIPHENYLAMINE	<0.030
DIMETHYLPHTHALATE	<0.051
DIETHYLPHTHALATE	<0.060
DI-N-BUTYLPHTHALATE	<0.035
BUTYLBENZYLPHTHALATE	<0.046
BIS (2-ETHYLHEXYL) PHTHALATE	0.052
DI-N-OCTYLPHTHALATE	<0.043

SURROGATE	PERCENT RECOVERY	LIMITS
NITROBENZENE-D5	43	41 - 117
2-FLUOROBIPHENYL	64	36 - 128
TERPHENYL-D14	67	38 - 146

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: N/A
PROJECT #	: 1189002.330101	DATE RECEIVED	: N/A
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: METHOD BLANK	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS	RESULTS
NAPHTHALENE	<0.017
ACENAPHTHYLENE	<0.015
ACENAPHTHENE	<0.017
FLUORENE	<0.019
PHENANTHRENE	<0.019
ANTHRACENE	<0.018
2-METHYLNAPHTHALENE	<0.017
FLUORANTHENE	<0.019
PYRENE	<0.023
BENZO (A) ANTHRACENE	<0.022
CHRYSENE	<0.022
BENZO (B) FLUORANTHENE	<0.024
BENZO (K) FLUORANTHENE	<0.030
BENZO (A) PYRENE	<0.019
INDENO (1, 2, 3-CD) PYRENE	<0.030
DIBENZO (A, H) ANTHRACENE	<0.031
BENZO (G, H, I) PERYLENE	<0.031
1, 2-DICHLOROBENZENE	<0.018
1, 4-DICHLOROBENZENE	<0.017
1, 2, 4-TRICHLOROBENZENE	<0.015
DIBENZOFURAN	<0.017
HEXACHLOROETHANE	<0.019
N-NITROSODIPHENYLAMINE	<0.020
DIMETHYLPHTHALATE	<0.034
DIETHYLPHTHALATE	<0.040
DI-N-BUTYLPHTHALATE	<0.024
BUTYLBENZYLPHTHALATE	<0.031
BIS (2-ETHYLHEXYL) PHTHALATE	<0.025
DI-N-OCTYLPHTHALATE	<0.029

SURROGATE PERCENT RECOVERY

LIMITS

NITROBENZENE-D5	73	41 - 117
2-FLUOROBIPHENYL	65	36 - 128
TERPHENYL-D14	75	38 - 146

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
DATA SUMMARY

CLIENT	: MONTGOMERY WATSON	DATE SAMPLED	: N/A
PROJECT #	: 1189002.330101	DATE RECEIVED	: N/A
PROJECT NAME	: LIBERTY ISLAND	DATE EXTRACTED	: 03/24/98
CLIENT I.D.	: METHOD BLANK	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A	DILUTION FACTOR	: 1

RESULTS ARE CORRECTED FOR MOISTURE CONTENT

COMPOUNDS RESULTS

PHENOL	<15
2-METHYLPHENOL	<16
4-METHYLPHENOL	<18
2,4-DIMETHYLPHENOL	<15
PENTACHLOROPHENOL	<29
BENZYL ALCOHOL	<26
BENZOIC ACID	<130

SURROGATE PERCENT RECOVERY

LIMITS

PHENOL-D5	95	39 - 132
2-FLUOROPHENOL	80	36 - 130
2,4,6-TRIBROMOPHENOL	47	13 - 133

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SEDIMENT
EPA METHOD : 8270A

SAMPLE I.D. # : BLANK
DATE EXTRACTED : 03/24/98
DATE ANALYZED : 04/06/98
UNITS : ug/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
PHENOL	<15.4	200	191	96	N/A	N/A	N/A
2-METHYLPHENOL	<16.4	200	173	87	N/A	N/A	N/A
4-METHYLPHENOL	<17.7	200	169	85	N/A	N/A	N/A
2,4-DIMETHYLPHENOL	<15.2	200	17.4	9H	N/A	N/A	N/A
PENTACHLOROPHENOL	<29.0	200	162	81	N/A	N/A	N/A
BENZYL ALCOHOL	<26.3	400	137	34H	N/A	N/A	N/A
BENZOIC ACID	3.39	1000	673	67	N/A	N/A	N/A

CONTROL LIMITS

	% REC.	RPD
PHENOL	40 - 160	20
2-METHYLPHENOL	40 - 160	20
4-METHYLPHENOL	40 - 160	20
2,4-DIMETHYLPHENOL	40 - 160	20
PENTACHLOROPHENOL	40 - 160	20
BENZYL ALCOHOL	40 - 160	20
BENZOIC ACID	40 - 160	20

SURROGATE RECOVERIES

	SPIKE	DUP. SPIKE	LIMITS
PHENOL-D5	119	N/A	39 - 132
2-FLUOROPHENOL	108	N/A	36 - 130
2,4,6-TRIBROMOPHENOL	86	N/A	13 - 133

H = Out of limits.

SEMIVOLATILE ORGANICS ANALYSIS
 QUALITY CONTROL DATA

 CLIENT : MONTGOMERY WATSON
 PROJECT # : 1189002.330101
 PROJECT NAME : LIBERTY ISLAND
 SAMPLE MATRIX : SEDIMENT
 EPA METHOD : 8270A

 SAMPLE I.D. # : BLANK
 DATE EXTRACTED : 03/24/98
 DATE ANALYZED : 04/23/98
 UNITS : mg/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
NAPHTHALENE	<0.0170	0.400	0.323	81	0.316	79	2
ACENAPHTHYLENE	<0.0153	0.400	0.300	75	0.298	74	1
ACENAPHTHENE	<0.0169	0.400	0.299	75	0.299	75	0
FLUORENE	<0.0194	0.400	0.325	81	0.312	78	4
PHENANTHRENE	<0.0194	0.400	0.317	79	0.306	76	4
ANTHRACENE	<0.0179	0.400	0.291	73	0.295	74	1
2-METHYLNAPHTHALENE	<0.0166	0.400	0.313	78	0.304	76	3
FLUORANTHENE	<0.0188	0.400	0.369	92	0.362	90	2
PYRENE	<0.0234	0.400	0.409	102	0.368	92	11
BENZO (A) ANTHRACENE	<0.0218	0.400	0.401	100	0.365	91	9
CHRYSENE	<0.0222	0.400	0.400	100	0.357	89	11
BENZO (B) FLUORANTHENE	<0.0236	0.400	0.330	83	0.307	77	7
BENZO (K) FLUORANTHENE	<0.0296	0.400	0.357	89	0.328	82	8
BENZO (A) PYRENE	<0.0189	0.400	0.313	78	0.298	74	5
INDENO (1, 2, 3-CD) PYRENE	<0.0296	0.400	0.335	84	0.304	76	10
DIBENZO (A, H) ANTHRACENE	<0.0308	0.400	0.311	78	0.281	70	10
BENZO (G, H, I) PERYLENE	<0.0306	0.400	0.343	86	0.309	77	10
1, 2-DICHLOROBENZENE	<0.0182	0.400	0.272	68	0.265	66	3
1, 4-DICHLOROBENZENE	<0.0165	0.400	0.269	67	0.261	65	3
1, 2, 4-TRICHLOROBENZENE	<0.0154	0.400	0.293	73	0.289	72	1
DIBENZOFURAN	<0.0173	0.400	0.316	79	0.312	78	1
HEXACHLOROETHANE	<0.0187	0.400	0.321	80	0.312	78	3
N-NITROSODIPHENYLAMINE	<0.0204	0.400	0.138	35H	0.149	37H	8
DIMETHYLPHTHALATE	<0.0342	0.400	0.197	49	0.207	52	5
DIETHYLPHTHALATE	<0.0402	0.400	0.305	76	0.303	76	1
DI-N-BUTYLPHTHALATE	<0.0236	0.400	0.363	91	0.354	88	3
BUTYLBENZYLPHTHALATE	<0.0306	0.400	0.377	94	0.347	87	8
BIS (2-ETHYLHEXYL) PHTHALATE	<0.0254	0.400	0.507	127	0.451	113	12
DI-N-OCTYLPHTHALATE	<0.0286	0.400	0.426	107	0.383	96	11

H = Out of limits.

CONTINUED ON NEXT PAGE

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA
CONTINUED

CLIENT	: MONTGOMERY WATSON	SAMPLE I.D. #	: BLANK
PROJECT #	: 1189002.330101	DATE EXTRACTED	: 03/24/98
PROJECT NAME	: LIBERTY ISLAND	DATE ANALYZED	: 04/23/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A		

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
CONTROL LIMITS				% REC.			RPD
NAPHTHALENE				40 - 160			20
ACENAPHTHYLENE				40 - 160			20
ACENAPHTHENE				40 - 160			20
FLUORENE				40 - 160			20
PHENANTHRENE				40 - 160			20
ANTHRACENE				40 - 160			20
2-METHYLNAPHTHALENE				40 - 160			20
FLUORANTHENE				40 - 160			20
PYRENE				40 - 160			20
BENZO (A) ANTHRACENE				40 - 160			20
CHRYSENE				40 - 160			20
BENZO (B) FLUORANTHENE				40 - 160			20
BENZO (K) FLUORANTHENE				40 - 160			20
BENZO (A) PYRENE				40 - 160			20
INDENO (1, 2, 3-CD) PYRENE				40 - 160			20
DIBENZO (A, H) ANTHRACENE				40 - 160			20
BENZO (G, H, I) PERYLENE				40 - 160			20
1, 2-DICHLOROBENZENE				40 - 160			20
1, 4-DICHLOROBENZENE				40 - 160			20
1, 2, 4-TRICHLOROBENZENE				40 - 160			20
DIBENZOFURAN				40 - 160			20
HEXACHLOROETHANE				40 - 160			20
N-NITROSODIPHENYLAMINE				40 - 160			20
DIMETHYLPHTHALATE				40 - 160			20
DIETHYLPHTHALATE				40 - 160			20
DI-N-BUTYLPHTHALATE				40 - 160			20
BUTYLBENZYLPHTHALATE				40 - 160			20
BIS (2-ETHYLHEXYL) PHTHALATE				40 - 160			20
DI-N-OCTYLPHTHALATE				40 - 160			20

SURROGATE RECOVERIES	SPIKE	DUP. SPIKE	LIMITS
NITROBENZENE-D5	84	83	41 - 117
2-FLUOROBIPHENYL	72	70	36 - 128
TERPHENYL-D14	97	87	38 - 146

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT	: MONTGOMERY WATSON	SAMPLE I.D. #	: 821354-17
PROJECT #	: 1189002.330101	DATE EXTRACTED	: 03/24/98
PROJECT NAME	: LIBERTY ISLAND	DATE ANALYZED	: 04/06/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: ug/Kg
EPA METHOD	: 8270A		

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
PHENOL	10.1	339	280	80	264	75	6
2-METHYLPHENOL	<27.8	339	303	89	285	84	6
4-METHYLPHENOL	17.3	339	333	93	313	87	6
2,4-DIMETHYLPHENOL	<25.8	339	235	69	223	66	5
PENTACHLOROPHENOL	<49.2	339	166	49	197	58	17
BENZYL ALCOHOL	2.46	678	226	33H	212	31H	6
BENZOIC ACID	44.2	1690	1610	93	1540	89	4

CONTROL LIMITS

	% REC.	RPD
PHENOL	40 - 160	20
2-METHYLPHENOL	40 - 160	20
4-METHYLPHENOL	40 - 160	20
,4-DIMETHYLPHENOL	40 - 160	20
PENTACHLOROPHENOL	40 - 160	20
BENZYL ALCOHOL	40 - 160	20
BENZOIC ACID	40 - 160	20

SURROGATE RECOVERIES

	SPIKE	DUP. SPIKE	LIMITS
PHENOL-D5	99	95	39 - 132
2-FLUOROPHENOL	93	85	36 - 130
2,4,6-TRIBROMOPHENOL	86	88	13 - 133

H = Out of limits.

SEMIVOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA

CLIENT	: MONTGOMERY WATSON	SAMPLE I.D. #	: 821354-17
PROJECT #	: 1189002.330101	DATE EXTRACTED	: 03/24/98
PROJECT NAME	: LIBERTY ISLAND	DATE ANALYZED	: 04/22/98
SAMPLE MATRIX	: SEDIMENT	UNITS	: mg/Kg
EPA METHOD	: 8270A		

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPI
NAPHTHALENE	<0.0289	0.678	0.427	63	0.458	68	7
ACENAPHTHYLENE	<0.0259	0.678	0.522	77	0.558	82	7
ACENAPHTHENE	<0.0286	0.678	0.520	77	0.548	81	5
FLUORENE	<0.0329	0.678	0.573	85	0.594	88	4
PHENANTHRENE	<0.0329	0.678	0.609	90	0.643	95	5
ANTHRACENE	<0.0303	0.678	0.560	83	0.577	85	3
2-METHYLNAPHTHALENE	<0.0281	0.678	0.489	72	0.511	75	4
FLUORANTHENE	<0.0318	0.678	0.663	98	0.696	103	5
PYRENE	<0.0397	0.678	0.677	100	0.858	127	24 ^u
BENZO (A) ANTHRACENE	<0.0369	0.678	0.654	96	0.702	104	7
CHRYSENE	<0.0376	0.678	0.701	103	0.853	126	20
BENZO (B) FLUORANTHENE	<0.0400	0.678	0.597	88	0.581	86	3
BENZO (K) FLUORANTHENE	<0.0502	0.678	0.523	77	0.599	88	14
BENZO (A) PYRENE	<0.0321	0.678	0.570	84	0.591	87	4
INDENO (1, 2, 3-CD) PYRENE	<0.0502	0.678	0.580	86	0.616	91	6
DIBENZO (A, H) ANTHRACENE	<0.0522	0.678	0.541	80	0.568	84	5
BENZO (G, H, I) PERYLENE	<0.0519	0.678	0.608	90	0.647	95	6
1, 2-DICHLOROBENZENE	<0.0308	0.678	0.333	49	0.354	52	6
1, 4-DICHLOROBENZENE	<0.0280	0.678	0.315	46	0.347	51	10
1, 2, 4-TRICHLOROBENZENE	<0.0261	0.678	0.390	58	0.415	61	6
DIBENZOFURAN	<0.0294	0.678	0.560	83	0.590	87	5
HEXACHLOROETHANE	<0.0317	0.678	0.337	50	0.345	51	2
N-NITROSODIPHENYLAMINE	<0.0346	0.678	0.465	69	0.528	78	13
DIMETHYLPHTHALATE	<0.0580	0.678	0.369	54	0.359	53	3
DIETHYLPHTHALATE	<0.0681	0.678	0.552	81	0.571	84	3
DI-N-BUTYLPHTHALATE	<0.0400	0.678	0.623	92	0.638	94	2
BUTYLBENZYLPHTHALATE	<0.0519	0.678	0.624	92	0.761	112	20
BIS (2-ETHYLHEXYL) PHTHALATE	0.114	0.678	0.848	108	1.05	138	211
DI-N-OCTYLPHTHALATE	<0.0485	0.678	0.590	87	0.621	92	5

H = Out of limits.

CONTINUED ON NEXT PAGE

MAS I.D. # 821354

MultiChem
ANALYTICAL SERVICES

SEMIVOLATILE ORGANICS ANALYSIS
QUALITY CONTROL DATA
CONTINUED

CLIENT : MONTGOMERY WATSON
PROJECT # : 1189002.330101
PROJECT NAME : LIBERTY ISLAND
SAMPLE MATRIX : SEDIMENT
EPA METHOD : 8270A

SAMPLE I.D. # : 821354-17
DATE EXTRACTED : 03/24/98
DATE ANALYZED : 04/22/98
UNITS : mg/Kg

COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD
-----------	---------------	-------------	---------------	--------	--------------------	-------------	-----

CONTROL LIMITS	% REC.	RPD
NAPHTHALENE	40 - 160	20
ACENAPHTHYLENE	40 - 160	20
ACENAPHTHENE	40 - 160	20
FLUORENE	40 - 160	20
PHENANTHRENE	40 - 160	20
ANTHRACENE	40 - 160	20
2-METHYLNAPHTHALENE	40 - 160	20
FLUORANTHENE	40 - 160	20
PYRENE	40 - 160	20
ENZO (A) ANTHRACENE	40 - 160	20
CHRYSENE	40 - 160	20
BENZO (B) FLUORANTHENE	40 - 160	20
BENZO (K) FLUORANTHENE	40 - 160	20
BENZO (A) PYRENE	40 - 160	20
INDENO (1, 2, 3-CD) PYRENE	40 - 160	20
DIBENZO (A, H) ANTHRACENE	40 - 160	20
BENZO (G, H, I) PERYLENE	40 - 160	20
1, 2-DICHLOROBENZENE	40 - 160	20
1, 4-DICHLOROBENZENE	40 - 160	20
1, 2, 4-TRICHLOROBENZENE	40 - 160	20
DIBENZOFURAN	40 - 160	20
HEXACHLOROETHANE	40 - 160	20
N-NITROSODIPHENYLAMINE	40 - 160	20
DIMETHYLPHTHALATE	40 - 160	20
DIETHYLPHTHALATE	40 - 160	20
DI-N-BUTYLPHTHALATE	40 - 160	20
BUTYLBENZYLPHTHALATE	40 - 160	20
BIS (2-ETHYLHEXYL) PHTHALATE	40 - 160	20
DI-N-OCTYLPHTHALATE	40 - 160	20

SURROGATE RECOVERIES	SPIKE	DUP. SPIKE	LIMITS
NITROBENZENE-D5	56	62	41 - 117
2-FLUOROBIPHENYL	69	74	36 - 128
TERPHENYL-D14	95	123	38 - 146

MAS 821354

Montgomery Watson 4100 Spenard Road Anchorage AK 99517 (907) 248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge	Laboratory: Alutichem Analytical Services 2000 West International Airport Road Anchorage, Alaska 99502 (907) 248-8273 (907) 248-8273 FAX Ann: Mike Vogel	SOIL						WATER		Comments ADEC 21 cal day.
		VOCs- 8260a 2 x 2-oz amber glass	SVOCs- 8270 1 x 8-oz amber glass	TOC- 415.1 1 x 4-oz amber glass	Grain Size - ASTM D422 1 x 8-oz amber glass	Particle Size - ASTM D2487 1 x 4-oz amber glass			TSS- 160.2 250 ml poly	



MW Job Number: 1187002
 21-DAY 380101
 TURNAROUND

Sampler's Signature: *B. Borchman*
 1998

MAS#	Disc	Time	Sample ID	Matrix	Total Containers	VOCs	SVOCs	TOC	Grain Size	Particle Size	TSS	TOC	Comments
-1	3-18	12210	98BPXLI 02 WA01	W	2						✓	✓	
-2	3-18	12130	98BPXLI 02 WA02	W	2						✓	✓	
-3	3-18	12200	98BPXLI 02 WA03	W	2						✓	✓	
-4	3-18	11530	98BPXLI 09 WA01	W	2						✓	✓	MS/MSD
-5	3-18	1540	98BPXLI 09 WA02	W	2						✓	✓	
-6	3-18	1550	98BPXLI 09 WA03	W	2						✓	✓	
-7	3-18	11300	98BPXLI 14 WA01	W	2						✓	✓	
-8	3-18	11315	98BPXLI 14 WA02	W	2						✓	✓	
-9	3-19	01200	98BPXLI 30 WA01	W	2						✓	✓	
-10	3-19	0120	98BPXLI 30 WA01	W	2						✓	✓	
-11	3-19	0140	98BPXLI 30 WA02	W	2						✓	✓	
-12	3-19	0150	98BPXLI 30 WA6Z		2						✓	✓	No Sample
-13	3-18	2110	98BPXLI 02 WA61		2						✓	✓	
			98BPXLI WA										
			98BPXLI WA										


Relinquished by: <i>B. Borchman</i>	Date: 3-20-98	Hand Delivered: <input checked="" type="checkbox"/>	Shipped Via: <input checked="" type="checkbox"/>	Albill Number:	Date:
	Time: 10:50				Time:
Received for Laboratory by: <i>Lynn DeGeorge</i>	Date: 3/20	Carrier Temperature: 4.8° 3.7° °C	Laboratory Notified:		
	Time: 10:00	Upon Arrival: 5.1° 11.7° °C	Faxed:		

per *[Signature]* 3/21/98
 0930

1-12-04
Lynn DeGeorge

pg 2 of 2

1189002.
330101

Montgomery Watson 4100 Spenard Road, Anchorage AK 99517 (907) 248-8883 Fax (907) 248-8884 ATTN: Lynn DeGeorge		Laboratory: Mulicchem Analytical Services 27XX West International Airport Road Anchorage, Alaska 99512 (907) 248-8273 (907) 248-8273 FAX Attn: Mike Vogel		SOIL					WATER		MAS 821354 ADEC
		1189002, 330101 MW Job Number: C 118922-30101 21-DAY TURNAROUND		VOCs- 8260a 2 x 2-oz amber glass SVOCs- 8270 1 x 8-oz amber glass TOC- 415.1 1 x 4-oz amber glass Grain Size - ASTM D422 1 x 8-oz amber glass Particle Size- ASTM D2487 1 x 4-oz amber glass					TSS- 160.2 250 ml poly TOC- 415.1 1 x 250 ml amber		
Sampler's Signature 1998 <i>B. M. DeGeorge</i>		Cool to 4 degrees C					Cool to 4 degrees C		112504	Comments	
MAS#	Date	Time	Sample ID	Matrix	Total Containers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
-14	3-18	2210	98BPXLI 02 SD01(01)	S	5	✓	✓	✓	✓	✓	
-15	3-18	2230	98BPXLI 02 SD02(03)	S	5						
-16	3-18	2330	98BPXLI 02 SD03(09)	S	5						
-17	3-18	1610	98BPXLI 09 SD01(01)	S	5						
-18	3-18	1620	98BPXLI 09 SD02(03)	S	5						
-19	3-18	1630	98BPXLI 09 SD03(09)	S	5						
-20	3-18	1330	98BPXLI 14 SD01(01)	S	5						
-21	3-18	1345	98BPXLI 14 SD02(03)	S	5						
-22	3-18	1400	98BPXLI 14 SD03(09)	S	5						
-23	3-19	10250	98BPXLI 30 SD01(01)	S	5						
-24	3-19	10300	98BPXLI 30 SD02(03)	S	5				✓	✓	
-25	3-19	0330	98BPXLI 30 SD03(09)	S	5	✓	✓	✓	✓	✓	
-26	3-19	0310	98BPXLI 30 SD6 2(03)	S	3	✓	✓	✓			
-27	3-18	2200	98BPXLI 62 SD62(03)	S	3	✓	✓	✓			
			98BPXLI SD ()								
			98BPXLI SD ()								
Relinquished by: <i>B. M. DeGeorge</i>		Date: 3-20-98	Time: 1:50	Hand Delivered: <input checked="" type="checkbox"/>	Shipped Via: N	Airbill Number:		Date:			
Received for Laboratory by: <i>Yvonne Fisher</i>		Date: 3-20-98	Time: 10:00	Cooler Temperature:		°C		Laboratory Notified:			
				Upon Arrival:				Faxed:			

MAS#
-14
-15
-16
-17
-18
-19
-20
-21
-22
-23
-24
-25
-26
-27

MAS (MSD)

10 *Smith* 3/21/98
0930

GW

N #1

(if Y see other side)

MultiChem Analytical Services

SAMPLE LOG-IN CHECKLIST

DATE: 3/21/98
 TIME: 0930
 INITIALS: JVD

ACCESSION NO. 821354
 CLIENT: MAS-AK
 PROJECT: LIBERTY ISLAND

Shipping:

Type:

Cooler
 Box
 Other

COC Seals:

Ship. Cont.
 On Bottles
 None

Intact?

Y N
 Y N

Packing Material:

Styrofoam
 Bubble Bags
 Foam Vial Packs
 Other

Refrigerant:

Gel Ice Pack
 Loose Ice
 Other
 None

Frozen?

Y N
 Y N
 Y N

Received Via:

Hand Delivery
 Federal Express
 Airborne
 Other: _____
 Courier
 UPS
 Taxi
 Goldstreak

Sample Information:

Samp. #	Bottle #
<u>14</u>	<u>42</u>
<u>13</u>	<u>26</u>

Type	Soil VOAs	0 headspace	Y	N	N
Soil	Water VOAs	0 headspace	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water		Preserved?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Product		Trip blanks?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other					

Condition of Samples:

Containers: _____
 Intact? (Bottle/Lid) Y N
 Correct Type? Y N

Waters Preserved? Y N N
 CA # (if needed) _____
 ID's _____ Match C.O.C. Y N N

Temperature: 1.5 C #1 CA NO. _____
 (See corrective action on reverse side for explanation if temperature is outside of the MAS recommended range.)

LAB USE ONLY: NO NOTICE SEND OUTS NEEDED BY _____
 COC/TAT DOES NOT MATCH NOTICE NEED TEST(S) VERIFIED BY CLIENT

COMMENTS: _____

MULTICHEM Analytical Services
Corrective Action Sheet

ACCESSION # 821354

CORRECTIVE ACTION AREA

PLAIN CORRECTIVE ACTION:

CA NO.

Salvaged Sample

Replaced Lid

Preserved Sample w/

CA NO.

Replaced Bottle

Notified P.M.

CA NO.

Verified Id w/Client

Notified Client

Comments:

Temperature: 1.5 C #1 CA NO.

Comments: Samples were received outside of the MAS recommended temperature range (4 C +/- 2 C). Samples were received within 5 hours of collection and may not have had sufficient time to equilibrate with coolant. A temperature range from 2 to 15 degrees Celsius is considered acceptable. The samples will be analyzed as scheduled unless directed otherwise by client.

Comments: Samples were received outside of the MAS recommended temperature range (4 C +/- 2 C). The samples will be analyzed as scheduled unless directed otherwise by client.

Tech. Signature/Date: *[Signature]* 3/21/98

P.M. Signature/Date: *[Signature]* 3/24/98

CORRECTIVE ACTION TAKEN:

Explain Action Taken:

Alaska Airlines

**GOLDSTREAK
PACKAGE EXPRESS**

Airline Origin AIR WAYBILL Number
027- ANU 5247 4295

From Shipper:
MULTICHEM ANALYTICAL SVCS
 Address: **2000 W. HURON A/P RD #177**
 City: **ANCHORAGE** State: **AK** Zip Code: **99502**
 Shipper's Signature: **SUBJECT TO RATE AUDIT** Date: _____ Time: _____ a.m. / p.m.

Total Pieces: **3** Total Weight: **1.38**
 Form of Payment
 Cash Check GBL-Attach GBL
 AS/OX Account Number **27442758720**
 Credit Card Number

MULTIPLE PIECES FOR AS FLIGHTS ONLY
 Please All Live Animal

POS.	WT RANGE	RATE	CHARGE
	GSK LETTER		
	1-6		
	16-60		
	61-70		
	71-100		

The Federal Aviation Administration requires Alaska Airlines to inform you of the following "Shipper's Security Notification":
 I certify that this shipment does not contain any unauthorized explosives, destructive devices or hazardous materials. I consent to a search of this shipment. I am aware that this endorsement and original signature, along with other shipping documents, will be retained on file until the shipment is delivered.
 Type of first personal identification reviewed: _____
 Matching photo ID? Indicate: Yes or No _____
 Number appearing on ID: _____
 Type of second personal identification reviewed: _____
 Matching photo ID? Indicate: Yes or No _____
 Number appearing on ID: _____

Contents: **NONHAZ. MARGOT**
 Insured Value: _____
 Declared Value of Customs: _____
 Remarks: **KEEP COOL**

Validata Approval: _____
 Executed By: _____ Date/Time: _____ a.m. / p.m.

Carrier	Flight	Destination	E.T.A.
AS			

Subtotal Charges: _____
 Other Charges: _____
 1st Carrier: _____
 2nd Carrier: _____
 3rd Carrier: _____

To Consignee: (Complete Consignee information required on package)
MULTICHEM ANALYTICAL SVCS
 Address: **560 NACHES AVE SW #101**
 City: **RENTON** State: **WA** Zip Code: **98055**
 Consignee's Printed Name - Signature (Received in Good Order Except as Noted) _____ Date: _____ Time: _____ a.m. / p.m.

CHECK ONE ONLY
 AIRPORT TO AIRPORT SERVICE
 PICK-UP ONLY DELIVERY ONLY DOOR TO DOOR
 AS AGENT AS AGENT AS AGENT
 AS 800 SERVICES (800) 834-7113

ENTER → AS COURIER CHARGES
 Pickup (NON AS COURIER): _____
 Delivery (NON AS COURIER): _____
 Special Service: _____
 Insurance: _____

Origin Courier Signature: _____ Date: _____ Time: _____ a.m. / p.m.
 Destination Courier Signature: _____ Date: _____ Time: _____ a.m. / p.m.
 Airline Origin AIR WAYBILL Number:
027- ANU 5247 4295

This is a non-negotiable AIR WAYBILL subject to the terms and conditions set forth on the reverse of shipper's copy.
 Thank you for shipping with *Alaska Airlines*
 P.O. Box 68900
 Seattle, WA 98168

TOTAL: _____

SHIPPER TO COMPLETE OR SIGN

Door-to-Door Service: (800) 834-7113

Consignee Memo

APPENDIX D
c. Laboratory Data Sheet-BPX

Prudhoe Bay Laboratory Analysis Report

Record File: 98030213
Sample Type: 1201

Sample ID		PB09347	PB09348	PB09349	PB09350	PB09351	PB09352
Date		03/18/98	03/18/98	03/18/98	03/18/98	03/18/98	03/18/98
Time		21:00	21:30	22:00	15:30	15:40	15:50
Facility		Endicott	Endicott	Endicott	Endicott	Endicott	Endicott
Skid/Module		N/A	N/A	N/A	N/A	N/A	N/A
Well		N/A	N/A	N/A	N/A	N/A	N/A
Location		98BPXLI 02 WA01	98BPXLI 02 WA02	98BPXLI 02 WA03	98BPXLI 09 WA01	98BPXLI 09 WA02	98BPXLI 09 WA03
Description		seawater	seawater	seawater	seawater	seawater	seawater
Comments							
Tests	UOM	Results	Results	Results	Results	Results	Results
BOD	mg/L	<1	<1	<1	<1	<1	<1
Turbidity	NTU	2	5	0	11	7	11

Sample ID		PB09353	PB09354	PB09355	PB09356	PB09357	PB09358
Date		03/18/98	03/18/98	03/19/98	03/19/98	03/19/98	03/19/98
Time		13:00	13:15	02:00	01:20	01:40	01:50
Facility		Endicott	Endicott	Endicott	Endicott	Endicott	Endicott
Skid/Module		N/A	N/A	N/A	N/A	N/A	N/A
Well		N/A	N/A	N/A	N/A	N/A	N/A
Location		98BPXLI 14 WA01	98BPXLI 14 WA02	98BPXLI 30 WA03	98BPXLI 30 WA01	98BPXLI 30 WA02	98BPXLI 30 WA02
Description		seawater	seawater	seawater	seawater	seawater	seawater
Comments							
Tests	UOM	Results	Results	Results	Results	Results	Results
BOD	mg/L	<1	<1	<1	<1	<1	<1
Turbidity	NTU	1	3	6	0	0	---

Sample ID		PB09359					
Date		03/18/98					
Time		21:10					
Facility		Endicott					
Skid/Module		N/A					
Well		N/A					
Location		98BPXLI 02 WA61					
Description		seawater					
Comments							
Tests	UOM	Results					
BOD	mg/L	<1					
Turbidity	NTU	--					

Phone: 659-4861 (659-4357 no longer in use), Fax: 659-4313.

Analyzed by: DB
Don Brink
907 659 4861